FAIR RADIO SALES CO. 2133 ELIDA ROAD P. O. BOX 1105 LIMA, OHIO 45802

The WORLD'S FINEST SURPLUS BARGAINS.. Summer '65

RECEIVER

NO COVER SUPPLIED

R-316/ARR-26 RECEIVER 162.25 - 173.5 MC. FM DESIGNED TO RECEIVE SONOBOUY SIGNALS ON 16 PRE-SET CHANNELS. WITH TUBES 1/6J6, 2/6AL5, 1/6AS7, 1/6AU6, 1/12AU7, 1/12AV7 & 7/6AK5. NO POWER SUPPLY, REQUIRES 280 VDC @ APPROX. 125 MA. AND FILAMENT VOLTAGES. OUTPUT OF THE SET USES A 12AU7 IN A CATHODE FOLLOWER CIRCUIT WHICH IS SUFFICIENT FOR HEAD SET. (SCHEMATIC AND CONVERSION INFORMATION FOR 145-175 MC SUPPLIED WILL INCLUDE ADDITION OF AUDIO, SQUELCH AND 115 VOLT 60 CYCLE POWER SUPPLY CIRCUITS.)
SIZE 5x8x17; WT: 13 LBS. PRICE: USED $22.95

WAVE METER SCOPE OSCILLATOR

JPM-1 WAVEMETER-OSCILLATOR-SCOPE: RADAR TEST UNIT WITH WAVEMETER AND OSCILLATOR FOR 155-580 MC. AND 3" SCOPE. OPERATES FROM 80/115/230 VOLT 50 TO 1000 CYCLE. HAS ALL THE NECCESARY CONTROLS NORMALLY USED WITH EQUIPMENT OF THIS TYPE.
SIZE: 30x21x24; WT: 150 LBS. PRICE: $99.50 U.

SIGNAL GENERATOR

USED $22.95



BC-1277 SIGNAL GENERATOR; 2400 TO 3400 MC. TUNED CAVITY DIGIT COUNTER DIVISIONS 30/60 MC. 0-50 D.C 3½" MICROAMP. METER FOR MEASURING THE VOLTAGES OF THE VARIOUS CIRCUITS. ATTENUATOR, SYNC. AMP., STD. SIGNAL SHAPE AND CAL. SIGNAL AMPLIFIER CIRCUIT OPERATES FROM 115 V. 50-1200 CYCLE. WITH TUBES 3/VR-150, 4/6AC7, 2/VR-105, 2/6Y6, 2/6SF5, 1/6L7, 1/6L6, 1/707A, 1/6X5 & 1/5T4. USED FOR TESTING RADAR. SIZE IN WOOD CHEST 22x17x17; WT: 100 LB

CALIBRATOR

TS-102B/AP CALIBRATOR: RANGE CALIBRATOR PORTABLE PULSE GENERATOR WITH REPETITION FREQ. OF 400,800, 1600,2000 & 4000, MARKER AND SYNCHRONIZING PULSE, VAIABLE DELAY LINE PHASE ADJUSTMENT. OPERATES FROM 115 V. 50-1000 CYCLE WITH TUBES 2/6X4W, 3/6AG7 6/5814, 2/UG273/U CONN. 4/CABLES W/UG-88B/U
SIZE: 16x10x11; WT: 28 LBS. UNUSED $18.95

RELAY TEST SET

USED $16.95
RE-COND. 21.95

I-193 RELAY TEST SET: USED FOR TESTING 255, 255A, D-163119A, D-164 816A POLAR RELAYS ETC. FOR BIAS AND SENSITIVITY. THE ELECTRICIAL CHARACTERISTICS ARE DETERMINED BY THE DEFLECTIONS OF THE METER. ALSO CONTAINS CIRCUIT FOR SENDING PULSES FOR TESTING EXTERNAL TELEGRAPH CIRCUITS AND A 10-20 CYCLE OSCILLATOR FOR FOR TESTING AND LINE-UP PURPOSES. OPERATES FROM 115/130 VDC 10 WATTS. (RA-87 RECTIFIER SHOWN ON PAGE 8 OF THIS CATALOG WILL OPERATE THIS EQUIPMENT) SHIPPED IN WOOD CHEST 24X12X13; WT: 75 LBS.

ANTENNA COUPLER

CU-168 ANTENNA COUPLER; PROVIDES MEANS FOR OPERATING FIVE RECEIVERS FROM A SINGLE ANTENNA. THE INPUT CIRCUIT TO WHICH THE ANTENNA IS CONNECTED IS DESIGNED FOR OPERATION FROM AN UNBALANCED LINE HAVING A NOMINAL IMPEDANCE OF 70 OHMS. THE OUTPUT TO THE REC. ARE ALSO 70 OHMS. COVERS THE FREQUENCY RANGE OF 2 TO 32 MC. WITHOUT ANY TUNING OR ADJUSTMENT. EACH REC. COUPLING CIRCUIT HAS 4/12AU7 TUBES OR 20 TUBES IN ALL. POWER SUPPL OPERATES FROM 115v. 50TO 400 CYCLE. RACK PANEL MOUNTING 19" x 8¾", 5U4G TUBE USED IN P.S., UG-21 COAXIAL CONNECTORS FOR INPUT CIRCUITS. SHPG. WT; 75 LBS. PRICE: NEW $39.50

WITH TUBES, UG-21 COAX. CONN. & MANUAL

DIRECTIONAL ANTENNA

AS-81/GR DIRECTIONAL ANTENNA SYSTEM; DESIGNED AS A ADDITION TO COMMUNICATION RECEIVERS THIS SYSTEM PERMITS THE USE OF UNIDIRECTIONAL RECEPTION. TWO LOOP ANTENNAS FOR COVERING THE FREQ. OF 1.1 TO 4.2 MC. AND ONE TELESCOPING WHIP ANT. THE UNIT ALSO HAS ONE TUBE TUNEABLE SENSING CIRCUIT USING A 12J5 TUBE AND OPERATES FROM A 12 VOLT VIBRATOR POWER PACK THAT IS SUPPLIED.
THE COMPLETE UNIT AS DESCIBED IS CONTAINED IN A CARRING CHEST 15½x14x20½ WITH CABLES AND MANUAL. SHPG. WT. 75 LBS. RE-NEW $19.95

SEA RESCUE

AN/CRC-7 TRANSMITTER-RECEIVER VHF SEA RESCUE 140.58 MC., TWO-WAY COMMUNICATION VOICE OR M.C.W. (CONVERSION TO TWO METER CAN BE FOUND IN SURPLUS CONVERSION MANUAL #3 & SURPLUS SCHEMATICS HANDBOOK HAS SCHEMATIC, PRICE $3.00 EA.) WITH 3/3A5, & 1/3Q4 TUBES. OPERATES FROM DRY CELL BATT. 1.3 VDC FOR FILAMENTS AND 97.5V FOR 'B VOLTAGE, HAS 3 PUSH BUTTONS FOR TONE, REC, AND TRANS. ONE ELEMENT IS USE FOR MIC AND PHONE, TELESCOPING ANTENNA. TRANSMITTER IS CRYSTAL CONTROLLED AND RECEIVER IS SUPER-REGENERATIVE.
SIZE: 15" LONG 2½" DIA. WT: 4 LBS.
PRICE: USED..... $14.95
" GOV'T. RE-COND.... 19.95

A.F.C. UNIT

AUTOMATIC FREQ. CONTROL UNIT No.600671; USED WITH FIRE CONTROL SYSTEM, WITH 16 TUBES 2/5829, 11/5703, 2/5702 & 1/5784, DPDT SIGMA RELAY THAT WILL OPERATE FROM 14 VDC @ 2.8 MA, SLUG TUNED COILS, RESITORS, COND. ETC. (SORRY DO NOT KNOW FREQ. NO SCHEMATIC) SIZE: 4x8x6; WT: 5LBS. PRICE USED $3.95

PULSE GENERATOR



AN/UPM-19 RADAR TEST SET CONSISTS OF SG-76 PULSE GENERATOR THAT COVERS THE FREQ. OF 2650-2950 MC. VARIABLE FREQ. AND R.F. OSCILLATOR CONTROLS BCN CONN. REQ. FOR R.F IN, R.F OUT, VIDEO PULSE AND SYNC. OUT JACKS. 2½" R.F CAL. POWER METER 25 TUBES, OPERATES FROM 24 VDC VIBRATOR POWER PACK. ABOVE IS CONTAINED IN CASE # 1 OF 2. CASE 2 OF 2 CONTAINS, 2 ANTENNAS, CONTROL BOX, LITE INDICATOR BOX, PLUGS AND CABLES. ALUMINUM CARRING CASE SIZES 16½x8x14 AND 14x10x10; SHPG. WT: 80 LBS.
PRICE: USED $39.50

OSCILLOSCOPE



OS-26/USM-24 OSCILLOSCOPE 3INCH CR TUBE 3JP1; RECURRENT SWEEP, 8 CYC. PER. SEC. TO 600KC. TRIGGERED SWEEP 1.25-125 M MICROSEC. VERT. DEFLEC. SENSITIVITY. 035 HORZ. DEFLEC. 4.0 V. HORIZ RESPONSE .5 CYC. PER SEC. TO 700KC., VERT. RESPONSE 4 CYC. PER. SEC. TO 10MC. BEAM MOD. RESPONSE 50 CYC. PER. SEC. TO 10MC. HORIZ. INPUT IMPEDANCE 300,000 OHMS. VERTICAL INPUT RESISTANCE 300,000 OHMS. BEAM MOD. INPUT RESIST. 56,000 OHMS. OPERATES FROM 115 VOLT 50 TO 1000 CYCLE RADIO FREQ. & MOD. CIRCUITS USE BCN SERIES COAXIAL CONNECTORS.
SIZE: 17x15x15; WT: 60 LBS. USED SERVICEABLE PRICES LISTED BELOW ARE LESS BLOWERS, PROBES CABLES, COAXIAL FITTINGS AND AS OFFERED.
WITH BACK AND FRONT COVER $69.50
LESS BACK AND FRONT COVER 59.50

BC-221 FREQ. METER



THIS IS A SIMPLE ACCURATE AND RELIABLE CRYSTAL CALIBRATED FREQUENCY INDICATING INSTRUMENT FOR USE IN THE 125 TO 20,000 KC. RANGE, WITH A NORMAL OPERATING ACCURACY OF LESS THAN .02% CAN ALSO BE USED AS A SIGNAL GENERATOR OR VARIABLE FREQ. OSCILLATOR.
OPERATING VOLTAGE REQUIRED FOR DRY CELL OPERATION 6 VDC .9 AMP. & 135 VDC 20 MA.
SIZE: 10x13½x10; WT: 25 LBS.
UNITS MAY BE IN WOOD OR METAL CASES VARIOUS LETTERS (.)
COMPLETE WITH TUBES, CRYSTAL AND ORIGINAL CALIBRATION BOOK.
USED UNITS COMPLETE AS DESCIBED
CHECKED FOR OPERATION $79.50
NEW UNITS COMPLETE AS DESCIBED ABOVE PLUS HEADSET AND MANUAL. $125.00
THESE UNITS ARE IN ORIGINAL GOV'T. PACKING IF YOU WANT THEM THIS WAY WE WILL NOT BE RESPONSIBLE FOR THEIR OPERATION. SPECIFY CHECKED OR ORIGINAL BOXES.

I-242 RADAR TEST SET DESIGNED TO FURNISH A COMPARATIVE INDICATION OF TRANSMITTER OUTPUT AND MEASURE PULSE RECURRENCE RATE. CONSISTS OF DUMMY LOAD WITH 3" METER 0-50 MA WITH 0-100 SCALE. UNUSED
SIZE 8x10x11; 14 LBS. $8.95

ATTENUATORS

MX-1309/URM-23 POWER MEASURING; KIT OF WAVEGUIDE ATTENUATORS, ADAPTER, BALOMETER, CABLE & CHART, 1000 TO 4000 MC.
| ATTENUATOR CN-110/U 10 DB
| " CN-111/U 20 DB (2Pc)
| " CN-168/U 3 DB
| " CN-169/U 6 DB
| RF BALOMETER DT-76/U, "N" CON
| ADAPTER CONN. UG-402/U
| COAXIAL CABLE CG-92B/U, W/UG-21 EA. END.
METAL CARRING CASE, FITTED, SIZE 19x5½x14; WT: 32 LBS. COMPLETE SET $14.95

10000 VOLT TESTER

HIGH VOLTAGE D.C. INSULATION TESTER; 115 VOLT 60 CY & 28 VOLT D.C. INPUT, OUTPUT 10,000 VOLTS VARIABLE, 100/500 MICRO-AMPS. POWERSTAT VARIABLE TRANS. 3 AMP 3" METERS 100 MICROAMPS FULL SCALE, SCALE READING 0-100/500 MICRO-AMP. D.C. KILOVOLT METER RANGE 0-1.5 & 0-15. LH# 61A100
SIZE: 19x11x10; WT: 60 LBS. USED $24.95

FAIR RADIO SALES

2133 ELIDA ROAD
Route 30 South -- West of Lima
BOX 1105, LIMA, OHIO 45802
TEL.: AREA CODE 419 227-7886

STORE HOURS
MONDAY THRU SATURDAY
9:00 A.M. TO 5:30 P.M.

TERMS

PRICES NET, F.O.B. LIMA, O. SEND CASH, CHECK or MONEY ORDER with PURCHASE ORDER

MINIMUM ORDER $3.00. Orders less than $3.00 ADD $.50 HANDLING CHARGE. Include sufficient money for shipping charges. (UNUSED PAYMENTS RETURNED AT ONCE.) Otherwise we will send shipping charges collect.

C.O.D ORDERS, SEND 25% of PURCHASE with ORDER. BALANCE will be COLLECTED UPON DELIVERY.

When writing for information PLEASE state what specfic information you desire.

SIZES INDICATED ARE FOR METER HOLE OPENING

VOLTMETERS

0-150 AC Round flush type for 2-1/8" hole, Bakelite case. Westinghouse type NA-33, 25 to 125 cycles. Signal Corps No. 3F8150-69 6.25

0-300 AC 3" round flush type, bakelite case, Simpson and General Electric Mfg. Signal Corps No. 3F8300-28 7.50

0-15 AC-DC Voltmeter 2½" RD. USED No.IS-122 2.95

0-30 DC Round flush type, for 2½" hole. General Electric Mfg. Model 85W53AA1. Stock No. 2DA7 5.75

0-300 DC Round flush type, bakelite case, shielded, for 2½" hole. Sun Mfg. Model 2AU346. Stock No. 159E-12 5.75

MILLIAMMETERS

50-0-50 DC 3" round flush type, bakelite case. Sangamo and Weston model 301. Signal Corps No. 3F3327 6.25

0-100 DC 3" round flush type, bakelite case. De-Jur model 310. Signal Corps No. 3F910-1 6.95

0-800 DC 3" round flush type, bakelite case, calib. for 1/8" steel panel. Signal Corps No. 3F980-2 6.95

R.F. METERS

0-10 AMPS 2-3/4" flange, for 2½" hole, bakelite case. Weston model 507, Signal Corps No. 3F1010-24 5.95

0-1 AMPS 3" round flush type, bakelite case, Triplett model 0341-T or Weston model 425. Signal Corps No. 3F1001-31 6.25

0-100 MA For 2-1/8" hole, metal case. Calib. for 1/16" steel panel, with Thermocouple. General Electric model AAN21, type DW-52. Signal Corps No. 3F912 5.50

AMMETERS

0-30 DC 3" round surface mounting. Roller-Smith type TDS. Signal Corps No. 3F1030-9 6.95

0-30 DC 2" round flush type, metal case. Hoyt Meter Co. No. H17-3, scale has marking for 12 volt and 6 volt. Signal Corps No. 3F1030-22 5.50

0-1.5 DC Miliamp. Tube checker scale 2⅝" flush mtg. P/O I-56A W.No.685-2 2.95



R.F AMPERES 0-4 SCALE W/ THERMOCOUPLE. 2½x3½, PANEL OR PORTABLE IN/OUT CIRCUIT SWITCH. WESTON LTD#10A/12667 $3.95

DC AMPERES 3½"0-300SCL USE W/SHUNT 50 MV/200 A WESTON-M-643 ORD#173030 $6.95

RF MILLIAMP 2½" 0-150 SCALE SIMPSON MODEL 35 $3.95

D.C MILLIAMP 0-35 SCALE 2½" RD. USN#CG22202 GE# DW41 $2.95

FS- 5 AMP DC 0-5 AMP SCALE 2½" RD. BURLINGTON MR25WOODCAA $2.95

DC VOLTS 2½" 0-500SCL BASIC Fs 500v RUGGEDIZED ALUMINUM PANEL ASSY. BURLINGTON STK#3F8C10-33 $3.95

MICROMHOS DYNAMIC MUTUAL CONDUCTANCE USED IN I-177 TUBE CHECKER BASIC 0-1.4 MA. HICKOK#M547A STK#3F1350 $4.95

DC MILLAMPER 2-3/4" 0-15 & 0-300 SCALE 0-300 SCALE USE EXT.SHUNT .35 OHM USED W/BC-669 VARIOUS MFG. STK#3F930-14 $4.95

GENERAL ELECTRIC

A-C VOLTMETER TYPE AO-22 3½"RD 0-15 SCALE 25-133 CYCLE $2.95

D-C VOLTMETER TYPE DO-41 3½"RD. 0-150 SCALE $2.95

0-1.5 KILOVOLT SCALE FS-1 MA. (VJF8) $2.95

D-C MILLIAMMETERS TYPE DO-41 3½" RD 0-100 0-200 EACH $2.95

RF AMMETER TYPE DO-44 3½"RD. 0-20 SCALE $3.95

GE 2½" RD. AC VOLT 0-150 60 CYCLE TYPE AW-41, USN #22085 OR EQUAL $2.95

DB METER 3½"RD. WEST. TYPE NC35 SCALE 10-0-6 USED $3.95 UNUSED 4.95

DC MILLIAMETE 3½" RD. 0-100 SCALE 50 MICROAMP MOVEMENT. TRIPPLET # RELI2455 $4.95

GAR ELEC. F.S - 100 UA SCALE I-3/3-10 & %MOD5-50 2½" RUGGEDIZE GAR MODEL 260 $4.95

DC MILLIAMPER 50-0-50 SCALE BASIC ES-5 MA WESTON 301 3½" D-164547 $4.95

50 MICROAMP. 0-5 SCALE 1½" SINGLE HOLE MOUNTING INTERNATIONAL #420-63-0251 $4.95

DC AMPERES 2-1/16" 0-120 SCALE EXTERNAL SHUNT REQ. AERO#C-120 NSD#R17A5730 $1.95

TUNING METER 2" TUNE FOR MAX. SCALE. 2 MA. RIGHT, 5 MA. LEFT. 5 OHM DC RES. USED IN RADIO COMPASS REC. #I-70 $1.50

DC MICROAMPERE 0-200 SCALE TRIPOLET 2½" #MR25W200DCUA MODEL 221 T $3.95

ANTENNA CURRENT INDICATOR 0-10 RF W/ THERMOCOUPLE WESTON 507 F/BC-442 USED $1.25



WESTINGHOUSE RX-37 SIZE 4x4½ PRICE: $6.95 EACH
0-30 VOLTS D.C 0-2 AMP. D.C
0-80 " D.C 0-5 " D.C
0-150 " A.C 0-50 " D.C

$35.00 USED

AC-T301545 MODULATOR AND OSCILLOSCOPE 3" FOR RACK MOUNTING 19". PART OF LAB. TEST EQUIP. HAS CONTROLS, HORIZ./VERT./INTENSITY/FREQ FOCUS/GAIN/MODULATION SELEC SWEEP ETC. TUBES 3BP1, 5Y3, 6G4, 5R4 & 7/12AU7. OPERATES 115 V. 60 CYC. SIZE: 10x19x14; WT: 40 LBS

VACUUM TUBE BRIDGE CHECKER w/10 SOCKET ADAPTERS. SIMILAR TO GR-561D. TAFFET #T-310-6559. SIZE: 19x16x10 WT: 40 LBS. RECOND. $99.50

A.C. OUTPUT METER T-650 SCALES 0-1.5/0-6/0-15/0-60/0-150. SIZE 3x6x3 USED CHECKED $4.95 DEFECTIVE AS-IS 2.00

RESISTANCE LIMIT BRIDGE LABORATORY TEST UNIT THAT USES TWO 10,000 OHM 0.1 PERCENT RESISTORS AS 1:1 RATIO RESISTORS IN A WHEATSTONE-BRIDGE CIRCUIT. THE OUTPUT IS THEN FED INTO A VACUMN TUBE VOLTMETER CIRCUIT WITH THE METER 4½" CALIBRATED IN DIRECT PERCENTAG 20-0-20. WITH PRECISION WITHIN 1% THIS UNIT WILL CHECK ANY RESISTORS FROM 100 OHMS TO 1 MEGOHM. THIS IS DONE BY CONNECTING A RESISTOR OF KNOWN VALUE AND ACCURACY IN THE CIRCUIT AND THEN THE UNKOWN RESISTORS ARE INSERTED IN THE TEST TERMINALS AND THE PERCENTAGE OF ERROR IS SHOWN ON THE METER, WESTON TYPE 643. RACK TYPE MOUNTING 5½x19". #T-301390 PRICE: $34.50

THE ABOVE UNIT CAN ALSO BE SUPPLIED IN A CABINET WITH A 3½" PANEL THAT HAS TWO FIVE DECK 20 CONTACT ROTARY SWITCHES WIRED TO A TERMINAL DECK. PRICE: $44.50

WESTON PANEL METERS

MODEL 301 A.C VOLTS 3½" RD
0-150 0-500 0-15/150 $6.95 EACH

MODEL 301 D.C VOLTS 3½" RD
0-30 0-50 0-200 0-250
0-300 0-350 0-500 0-600 $6.95 EACH

MODEL 301 D.C VOLTS 3½" RD
1-0-1 15-0-15 300-0-300 $6.95 EACH

MODEL 301 D.C AMPS. 3½" RD
0-1 0-2 0-4 $6.95 EACH

MODEL 301 D.C M.A 3½" RD
0-50 0-100 0-200 $6.95 EACH

MODEL 476 A.C VOLTS 3½" RD
0-10 0-150 0-500 $6.95 EACH

MODEL 476 3½" RD
0-100 A.C MILLIAMP $6.95
0-250 " " "
0-3 " AMPERES "

WESTON MODEL 506 2½" RD.
0-5 D.C.KV FS-1 MA $3.95
0-500 D.C.V FS-1 MA 3.95
0-1 D.C. M.A. 3.95
0-20/0-100 D.C M.A. 3.95

WESTON MODEL 517 2½" RD
0-150 A.C. VOLTS $3.95

RUGGEDIZED METERS
PHAESTRON
0-1 D.C MA2½" $3.95
0-50 VDC 3½" $4.95
0-1 DCMA 2½" 3.95
WACLINE 2½" RD.#ADD 3.95
DB -6 TO 3, FS-200 MICAMP
MARION #HS-2 2½"
0-18/0-36 D.C VOLTS $3.95

FRAHM FREQ. METER 48-62 CYCLE, 100-150 VOLTS, 3½" RD 10 REEDS. TYPE MF-10 CAT.#4959 $8.95

TS-328A/U 400 C FREQUENCY METER PORTABLE POCKET TYPE WITH HINGED COVER & TEST LEADS, 9 REEDS 380 TO 420 CYCLE 3x6x4; WT: 2 LBS USED $7.95

AUTOMOTIVE MOTORAIDE METERS

CIRCUIT TESTER 0-1 M.A. MOVE. 0-10 V. SCALE 0-7.5 A. " 0-1K OHM " SIZE 3½x5½ $3.95



REGULATOR 0-1 M.A. MOVE. 0-60 DCA SCALE 0-10 DCV " 0-20 DCV " SIZE 3½x5½; $3.95



DWELL-TACH 0-1 M.A. MOVE. 0-50 DEG. DWEL 0-1000/5000RPM 0-15 V. DCD GOOD - BAD SIZE 3½x5½; $3.95

SPECIAL
VARIOUS MFG. DISCOLORED FACES, 3½" RD. D.C. MILLAM
0-50 0-150 0-500 $2.95
0-100 0-200 (0-1ADC) $2.95

FM TRANSMITTERS-RECEIVERS AM



BC-603
BC-683
NOT AVAILABLE

BC-604 TRANSMITTER

FREQ. RANGE 20-27.9 MC OUTPUT APPROX. 30 WATT. 10 CRYSTAL CONTROLLED CHANNELS. FREQ. 54 TIME CRYATAL FREQUENCY. 12 VOLT DC OPERATION WITH DM-35 DYNAMOTOR. 24 VOLT DC OPERATION WITH DM-37 DYNAMOTOR. BATERY DRAIN 20A. ON 12 VOLT TUBE LINEUP; 1619 DOUBLER, 1619 TRIPLER, 1619 1ST RF AMPLIFIER, 1619 RF RECTIFIER, 1624 POWER AMPLIFIER.
SIZE: 18"Lx11½"Hx103/8"D. WT: 60LBS. LESS DYNAMOTOR. RE-NEW $7.95

BC-684 TRANSMITTER

SAME AS BC-604 FREQUENCY RANGE 27 TO 39.1 MC
USED $6.95

BC-924 TRANSMITTER

New $ 12.95
Used 8.95



FREQ. RANGE 27 TO 39.1 MC. 12 VOLT DC OPERATION. VOLTAGE REGULATED M.O. CIRCUIT. SLUG TUNED COILS HI AND LOW OUTPUT SWITCH. 30 WATT OUTPUT ON HI POSITION. CONTAINS INTERPHONE AMPLIFIER. SCHEMATIC ENCLOSED IN CABINET. TUBE LINEUP: 6SJ7 OSCILLATOR, 6J5 MODULATOR, 6SJ7 BUFFER, 6AG7 AMPLIFIER, 815 DOUBLER, 815 FINAL, 7SL7 1ST AUDIO, 6V6 2ED AUDIO. VR150 VOLTAGE REGULATOR. VOLTAGE REQUIRED 12 OR 24 VDC AND 400 VDC@ 400 MA. SIZE: 18"LXT13"HX10 3/8 IN. D WT: 52LBS

FT-237 MOUNTING BASE

RE-NEW $7.95

SHOCK MOUNT BASE TO HOLD ONE BC-924 TRANSMITTER AND ONE OR TWO BC-923 RECEIVER OR, ONE BC-603 RECEIVER. SOCKETS ON THE BASE WILL MAKE ALL OF THE NECESSARY CONNECTIONS TO THE SETS. TERMINAL BLOCK MOUNTED ON THE BASE FOR REMOTE CONTROL CABLE. WT: 44LBS SIZE: 11 3/4" W x 1 3/4"H x 33 5/8"L.

IDENTIFICATION SET

RT-82/APX-6 RADAR INDENTIFICATION SET RECEIVER-TRANSMITTER COVERING RANGE OF 950-1150 MC. IF FREQ. 59.5/1.5 MC. (CAN BE CONVERTED TO 1215 MC. QST FEB. '61, SEPT. '60; 1296 MC. QST JUNE '61). WITH (30) TUBES 6/6J6, 1/6AS6, 1/3E29, 3/6AL5, 1/5Y3, 2/3B24, 3/6AL5, 2/12AU7, 7/6AK5, 1/2C42, 1/2C46, 1/1B40, 1/1N-43, 1/1N-25.

DIGIT COUNTERS ON TUNERS FOR TRANS-REC-LO FREQ. CONTROLS. VOLTAGE REQUIRED 24 AND 115 400/800 CYCLE. SIZE; 13x13x10; WT: 45 LBS.
PRICE: USED WITH TUBES $16.95

F-M RECEIVER 152-172 MC

R-394 FM RECEIVER 152 TO 174 MC, ONE CHANNEL CRYSTAL CONTROL ON ANY FREQ. IN THE RANGE. FREQUENCY DEVIATION 15 KC. AUTOMATIC GAIN & SQUELCH CIRCUITS. I.F FREQ. 28 & 455 KC. UNITIZED PLUG IN UNIT. COMPLETE WITH 22 TUBES 14/5687, 1/5840, 1/5783, 1/5672, & 1/6AK6. (THIS REC. DOES NOT HAVE A CONTROL PANEL. THE TCS CONTROL BOX LISTED BELOW CAN BE MODIFIED FOR USE WITH THIS SET AND WE FURNISH INSTRUCTIONS. THE VIBRATOR POWER SUPPLY IS INSIDE THE UNIT AND YOU CAN HAVE YOUR CHOICE OF 6, 12 OR 24 VOLT SUPPLY, SPECIFY WHEN ORDERING. SIZE: 5½x8x14; WT: 33LB.
PRICE USED: WITH POWER SUPPLY...$49.50
LESS " " ... 45.00
PLUG TO FIT FRONT END OF RECEIVER $1.50

T-91/VRC-4 TRANSMITTER, AM, 25 W. CW/PHONE, 4 CRYSTAL CONTROLLED CHANNELS IN THE BAND OF 1.7 TO 8.7 MC. OR A TUNEABLE CHANNEL VARIABLE 4.0 TO 7.0 MC. WITH TUBES 1/6V6, 2/6L6 & 1/807 NO POWER SUPPLY, REQUIRES APPROX 600 VDC FOR B SUPPLY AND 6 VOLTS FOR FILAMENTS.
SIZE: 15½x11x14½; WT: 50 LBS. UNUSED
R-114/VRC-4 RECEIVER AM, 4 CRYSTAL CONTROLLED CHANNELS 1.7 TO 8.7 MC. ONE TUNEABLE CHANNEL 190 TO 510 KC. IF FREQ. 525 KC. FOR CW/PHONE WITH SPEAKER & TUBES 4/6SK7.1 8.2/6SQ7 & 1/6K6. VOLTAGE REQUIRED 6 V & APPROX 220 VDC SIZE: 15½x11x14½; WT: 40 LBS. UNUSED

T/91/VRC-4 TRANS. & R-114/VRC-4 REC. $49.50

BC-659 RECEIVER-TRANSMITTER F.M, 27-38.9 MC. CRYSTAL CONTROL ON 2 PRSELECTED CHANNELS, USES FT-243 CRYSTALS, OUTPUT APPROX. 3 WATTS. SELF CONTAINED SPEAKER, MIC & PHONE JACKS. W/TUBES 1/1LH4, 1/1LC6, 4/1LN5, 2/1291, 4/1299, 1/1291, W/TUBES, SPEAKER & METER. REQUIRES PE-117 OR PE-120 POWER SUPPLY FOR OPERATION FROM 6/12 VOLT. SIZE: 15x13½x7; WT: 30 LBS.
PRICE: REC-TRANS. ONLY USED $14.95 RN $17.95
REC-TRANS. W/POWER SUP. " 18.95 RN $21.95

PE-117	POWER SUPPLY ONLY USED	5.95 RN	7.95
PE-120	" " " "	5.95 RN	7.95
PE-97	" " " "	5.95 RN	7.95
CS-79	BATTERY CASE EMPTY "	1.00 RN	1.95
BX-40	CRYSTAL CASE "	RN	1.95
AN-45	TELESCOPING ANTENNA 8 FT.	N	2.95

BC-788C RECEIVER-TRANSMITTER ALTIMETER, PULSE TYPE, TRANSMITTER OUTPUT 50 WATTS. FIXED FREQUENY 440 MC. WITH TUBES 3/6J6, 1/6L6, 9/6AG5 AND 1/5Y3GT
OPERATES FROM 115 VOLT 400 TO 2400 CYCLE.
SIZE: 15½x9x8; WT: 13 LBS. PRICE: USED $9.95

ILLUSTRATED COVER OFF.



R-122/ARN-12

AIRBORNE EQUIPMENT DESIGNED TO RECEIVE RADIO SIGNALS TO DELIVER AURAL & VISUAL INDICATION OF THE RECEIVED SIGNAL TO THE PILOT OF THE AIRCRAFT IN WHICH IT IS INSTALLED. FORM THESE INDICATIONS THE PILOT CAN ACCURATELY CHECK IN RESPECT TO A PARTICULAR RADIO RANGE STATION. THE RECEIVED SIGNAL IS FIXED FREQ. 75 MC. A-M MODULATED AT 400, 1300 OR 3000 CPS. AND OPERATES FROM 24 VOLTS DC FOR FILAMENTS AND B VOLTAGE. COMPLETE WITH TUBES 5/6AJ5, 2/6AL5W & 2/28D7. HAS CRYSTAL CONTROLLED OSCILLATOR WITH 6.9 MC., IF FREQ SIZE: 10x5x6; WT: 8 LBS.
PRICE: USED $4.95



R-150/CRW-7 RECEIVER HIGH FREQUENCY FOR REMOTE CONTROL USE IN THE 65 TO 93 MC. BAND. (15 MC. I.F.) VARIABLE CAPACITORS FOR PRESET FOUR CHANNELS FOR SIMULTANEOUS RECEPTION TO OPERATE FOUR DIFFERENT RELAYS. COMPLETE WITH 10 TUBES 6/6AG5, 3/6J6, 1/6AL5 24 VOLT DYNAMOTOR, RELAYS, BAND FILTER ETC. SIZE 6x10x8; WT: 18 LBS. PRICE USED $4.95

TRANSMITTER

WILCOX ELECTRIC TRANSMITTER 196, 2½ KW, 2 TO 18 MC. CW, AM, CRYSTAL CONTROLLED. USES PLUG IN COILS BUT NOT SUPPLIED. USES TUBES 2/450TL/TH, 2/807, 1/813, 1/81 THESE TRANSMITTERS WILL BE SHIPPED IN THE SAME CRATES AS RECEIVED. NO INSPECTION WILL BE MADE SO TUBES MAY OR MAY NOT BE IN SET AND ARE OFFERED AS SUCH. NO POWER SUPPLY OR MODULATOR ARE INCLUDED. CONDITION USED AS DESCRIBED. SIZE: 12½x24½x72; WT: 250 LBS. $75.00

COMPASS SYSTEM

REMOTE READING MAGNESYN COMPASS SYSTEM; AIRCRAFT TYPE. CONSISTS OF A MAGNESYN COMPASS THAT TRANSMITS TO A 3" INDICATOR THAT IS CALIBRATED IN DEGREES --- N-S-E-W AND IS OPERATED BY THE 12 VOLT D.C INVERTER THAT IS SUPPLIED WITH THE SET. SHPG. WT: 15 LBS.
PRICE WITH TRANSMITTER, INDICATOR, INVERTER AND MANUAL... USED $22.95

BC-645/ABA TRANSCIEVER, TRANSPONDER SET USED IN AIRCRAFT FOR FRIEND OR FOE INDENTIFICATION FOR USE IN THE 460 TO 490 MC. WITH 15 TUBES 4/7F7, 4/7H7 2/7E6, 2/6F6, 2/955, 1/W316 (THOUSANDS OF THESE SETS HAVE BEEN CONVERTED TO HAM BAND 420-450, MOBILE FIXED 450-460, CITIZENS 460-470, TV EXP. 470-500
SIZE: 6½x11x14; WT: 20 LBS.
PRICE: UNUSED $14.95

BC-646 CONTROL BOX FOR ABOVE.	$ 1.95
MOUNTING FOR CONTROL BX.	1.00
MOUNTING FOR TRANSCIEVER	1.50
ANTENNA ASSEMBLIES FOR SET (2)	1.95
COMPLETE SET OF PLUGS $4.95; INDIVIDUAL EA. $1.	

CARRIER MONITOR

WHEN COUPLED TO TRANSMISSION LINE PROVIDES DC/AUDIO CURRENT TO LOCAL OR REMOTE POSITION. TWO VACUUM CAPACITORS 3 MMFD 15 KV. ARE SUPPLIED FOR 500 TO 50M WATT TRANSMITTER 2 TO 30 MC. INPUT/OUTPUT IMPEDANCE 600 OHM. LINE. OPERATES 115/230 V 60 CYC. WITH TUBES 1/6AL5, 1/6X4, 1/6J6, 1/V103. ALSO OUTPUT JACKS ETC. OUTPUT JACKS & CONTROLS.
P/N 1028017; SIZE: 6X6½X8½; WT: 15 LBS.
PRICE: UNUSED $8.95 LESS 2 VACUUM COND. $5.95

SERVO AMPLIFIER



SENSITIVITY AMPLIFIER #667504 AS USED IN AIRCRAFT SERVO SYSTEM. COMPLETE WITH 10 TUBES, 5/5829, 1/5787, 2/5687, 1/12AX7 & 1/12AU7. ALSO HAS 2 OUNCER TRANSFORMER PRECISION RESISTORS, POTENIOMETERS, CONDENSERS, ETC. SIZE: 5x3x4; WT: 3LBS.
PRICE: USED $3.95

I-196 SIGNAL GENERATOR; PORTABLE BATTERY OPERATED TEST UNIT USED TO CHECK LF AND HF BANDS OF BC-966 IFF SET, APPROX 160 TO 220 MC. USES ONE 957 ACORN TUBE, HAS VARIABLE FREQ. & TONE CONTROL, PILOT LIGHT, SWITCH. HOUSED IN WOOD CASE WITH CANVAS COVER AND CARRING STRAP. BATTERIES REQUIRED 1.5 AND 135 VDC. SIZE: 8½x8½x14; WT: 10 LBS. PRICE: NEW $2.95

AM-26/AIC

ILLUSTRATED COVER REMOVED

AUDIO AMPLIFIER USED IN AIRCRAFT FOR INTER-COMMUNICATION. CARBON MICROPHONE INPUT, HIGH & LOW IMPEDANCE OUTPUT WITH VOLUME CONTROL. NORMALLY OPERATES FROM 24 VOLTS DC FOR FILAMENTS AND 250 VOLTS DC 60 MA. FOR B THAT WAS SUPPLIED BY A DM-32 DYNAMOTOR THAT WAS MOUNTED ON THE BACK. COMPLETE WITH TUBES 2/12J5 & 2/12AE. FOR CONVERSION TO 9 WATT AMPLIFIER SEE SURPLUS CONVERSION MANUAL #2 PRICED AT $3.00)
SIZE: 9½x5½x5½; WT: 6½ LBS. USED $3.95

ARC-5

COMMAND RECEIVERS—TRANSMITTERS

The COMMAND SET series of transmitters and receivers are the most popular surplus items on the market to-day.

The series consist of several units covering the frequency range of 190 KC to 9.1 MC for the receivers and 2.1 to9.1 MC for the transmitters.

R-26/ARC-5 RECEIVER 3 TO 6 MC. WITH C-131/AR ELECTRIC OR MANUAL CONTROL FOR 24 V.D.C OPERAT. WITH CONN. PLUG.
PRICE: GOV'T OVERHAUL.....$24.95

The receivers are six tube superhets using the following tubes,1/12A6, 2/12K8I,3/12SK7 & 1/12SR7. Designed to operate from 24 VDC dynamotor, which mounted on the rear of the set, suppling 250 VDC 60 MA.
Size of set 5 x 5 x 11 WT. 6 lbs.

R-23/ARC-5 OR BC-453 190-550 KC. WHICH EVER IS AVAILABLE USED$14.95

R-25/ARC-5 1.5-3 MC. UNUSED $19.95

TRANSMITTERS

The transmitters with proper use can put out 50 watts on CW and watts on voice, with the use of the BC-456 modulator which is a separate unit. Dynamotor used with equipment is a DM-33 24 VDC input output 575 VDC 175 MA & mounts on the modulator. Tubes used 2/1625,1/1626 & 1/1629 magic eye tube for crystal calibration Size 5 x 7 x 12 WT.9 Lbs



T-17/ARC	1.3 to 2.1 MC	NEW	$14.95
T-18/ARC	2.1 to 3 MC	NEW	8.95
T-19/ARC	3 to 4 MC	used	9.95
T-20/ARC	4 to 5.3 MC	NEW	8.95
T-21/ARC	5.3 to 7. MC	NEW	9.95
T-22/ARC	7. to 9.1 MC	no stock	
T-23/ARC	100 to 156 MC	NEW	$24.95



BC-456 MODULATOR AND DYNAMOTOR MOUNTING. USED WITH COMMAND TRANSMITTER COMPLETE WITH TUBES 1/1625, 1/12J5, VR-150. SIZE:7x8x10;WT:10 NEW $3.95 USED LESS COVER $2.50

AC 115 VOLT 60 CYCLE POWER SUPPLY FOR COMMAND RECEIVERS WITH SPEAKER, VOLUME CONTROL, CW,CONNECTOR PLUG ETC. (SEE PAGE 20) $18.95

35x032 DYNAMOTOR 12 VOLT. $ 4.95
DM-32 " 24 V. U.$2.95 N 4.95
SPIN TUNING KNOB FOR REC. 1.00
CONNECTOR PLUGS F/REC-TRANS. 1.50

C-26/ARC CONTROL BOX 1 REC. U1.50
BC-496 " " 2 " N1.95
BC-451 " " 1 TRA. U1.50

AMPLIFIER



AM203B/ARA-19 AMPLIFIER; PART OF REMOTE COMPASS TUNING SYSTEM AS USED WITH ARN-6 RADIO COMPASS. PROVIDES A ACCURATE MEANS OF TUNING ELECTRICLY. WITH 2/26A7 TUBES 1/12SN7 TUBE. OPERATES FROM 24 VOLT D.C. ALSO HAS 3 SEALED RELAYS, COND. RES. ETC. SIZE: 5x6½x4½; WT: 5 LBS. RE-NEW $3.95

RAX-1 RECEIVER; FOUR BAND 200 TO 1500 KC. LARGE 4" DIAL, C.W. MCW, ANT. TRIM., VOL. CONT. AND PHONE JACK ALL ON FRONT PANEL. W/TUBES 3/12SK7,1/12K8,1/12SR7 & 1/12A6. VOLTAGE REQ. 24 VOLT FILAMENTS &200-220 VDC,80 MA, SIZE 7½x7x17 WT: 25 LB. USED $29.50
A.C SUPPLY W/SPEAKER/CASE $18.95
SHOCKMOUNTING F/RECEIVER 2.50

BC-1335 F-M RECEIVER TRANSMITTER

CRYSTAL CONTROL ON ANY TWO PRESET FREQ. IN THE 27 TO 38 MC. BAND USING FT-243 CRYSTAL HOLDER APPROX. 2 WATTS OUTPUT. VIBRATOR TYPE POWER SUPPLY THAT OPERATES FROM 6 OR 12 VOLTS DC. USES 18 TUBES, 7/1L4,2/1R5,5/3A5,2/3C4,1/1A3 & 1/6AF6G. THESE SETS ARE USED AND SOLD "AS IS" LESS TUBES AND VIBRATOR. THEY WILL REQUIRE SOME WORK.
SIZE:13½x12½x6½; WT: 30 LBS. USED $6.95

RT-19/ARC-4 TRANSMITTER RECEIVER

AMPLITUDE MODULATED SET COVERING THE FREQ. OF 140 TO 144MC FOUR CHANNEL CTYSTAL CONTROL, OUTPUT 10 WATTS. WITH TRANSMI-REC. TUBES 2/6L6,1/832,2/1614 2/6V6,4/6N7,2/6AC7,3/12SJ7,2/12A6 & 2/12SQ7. VOLTAGE REQUIRED 325 VDC @ 255MA.&12.6 @ 5.3A OR 24 @ 2.7A. SET USUALY OPERATES FROM A 12 OR 24 VOL DYNAMOTOR WHICH CAN BE PURCHASED SEPARATELY. CONVERSION FOR TWO METERS CAN BE FOUND IN SURPLUS CONVERSION MANUAL, PRICED AT $3.00. (USED)
SIZE 10½x8x20; WT: 20 LBS. TRANS-REC. U,$22.95
DY-10 DYNAMOTOR 12 OR 24 VOLT USED $14.95
DY-9 " " " " 9.95

AC BEACON RANGE RECEIVER



BC1206-C BEACON RECEIVER

BC-1206 AIRCRAFT BEACON RECEIVER 200 TO 400 KC. OPERATES FROM 24 VDC 1.5 AMPS., 135 KC IF. COMPLETE WITH TUBES 2/14H7,1/14J7,1/14R7 & 1/28D7. CONTINUOUS TUNING, VOLUME CONTROL, ON/OFF SW. & PHONE JACK. SIZE:4x4x6½. WT: 5 LBS. SHOWN TO RIGHT.
PRICE: USED CHECKED FOR OPERATION $9.95 REC. ONLY

AC BEACON RANGE RECEIVER IN CABINET WITH 115 VOLT 60 CYCLE POWER SUPPLY & 4" PM SPEAKER, READY TO OPERATE. SIZE: 10x6x6; WT: 18 LBS.
PRICE, COMPLETE WITH NEW CABINET & POWER SUPPLY AND USED RECEIVER CHECKED $29.95
SAME AS ABOVE, LESS RECEIVER.. 18.95

POWER SUPPLY ONLY, 115 VOLT 60 CYCLE OPERATION OUTPUT 24 VOLTS DC 1.5 AMPS. MOUNTED ON METAL CHASSIS 6x5x7; WT: 5LBS. KIT...$7.00 WIRED $9.95



R-4/ARR-2 RECEIVER 234-258 MC. 11 TUBE AIRCRAFT UNIT FOR RECEPTION OF DOUBLE AMPLITUDE MODULATED CARRIER OPERATES FROM 24 VDC & 250 VDC 60 MA. COMPLETE WITH TUBES 3/6AK5,7/9001 & 1/12 A6. SIZE: 5x5x11, WT: 6 LBS
PRICE: RE-COND. $6.95

COMAND SET RACKS & FLEXIBLE SHAFT

FT-234	HOLDS ONE TRANSMITTER	$1.50
FT-226	" TWO "	2.00
FT-331	" FOUR "	3.00
FT-233	" ONE RECEIVER	2.00
FT-220	" THREE "	2.00
FT-225	" ONE MODULATOR	1.50
MC-215	FLEXIABLE SHAFT AP.6'	1.50
	MORE THAN 6' EA. EX. FT.	.25

TRANSMITTERS - RECEIVERS

BC-230/430

BC-229/429



BC-230/430 TRANSMITTER

Transmitter approx. 10 watts Voice and 20 watts CW in the freq range of 3000 to 7700 KC by use of plug in coils.Uses tubes 2/10Y, 2/45. Output meter 2" 0 to 1.5 RF. MO control on front panel. Voltage required approx 300 VDC for plates & 12VDC for BC-230 & 24 VDC for BC-430. Size 13"x8"x 7". WT. 10½ lbs.

Price with tubes, plug in coils & schematic, UNUSED $8.95

BC-229/429 RECEIVER

Receiver TRF ,uses plug in coils to cover the freq. range of 201 to 398 & 2500 to 7700 KC. Six tubes 1/37,1/38,4/39. Voltage required 220 VDC to 275 VDC 80 MA. & 12 VDC for BC-229 & 24VDC for BC-429. Size 16 x 8 x 7. WT 12 lbs. Price with tubes,,plug in coils & shematic, used $8.95

Control Box BC-231 F/ receiver or BC-232 F/ trans. each	$1.00
Connector plugs for rec, trans., dynamotor or boxes, "	$1.00
Schematic showing rec, trans, boxes etc.	$1.00
Tuning knob for Receiver local control	$1.00
Remote tuning head for receiver	$2.00
Remote tuning shaft for receiver, specify length	$1.50
Separate coils for receiver, specify freq. coverage	$1.75
Dual coil 201-398 & 2500-4700 or 4700-7700 each.	
Separate coils for transmitter, specify freq coverage. 2500-3200, 3200-4000,4000-5000,5000-6200,6200-7700.	$1.75
Mountings for Rec., Trans, Dyn., Each mounting	$1.50

TRANSMITTER BC-191

TRANSMITTER AM 100 Watt CW - MCW - Voice, Frequency coverage 200 -500 KC & 1500 - 12,500 KC. by use of plug in tuning units listed below. Tube line up 1/10Y & 4/VT-4C (211). Complete with tubes,less tuning units. Requires 12VDC for BC-191 & 24 VDC for BC-375 filaments & relay. 1000 VDC 350 MA. plates. Meters 2" for reading 0-8 RF,0-500 MA,&0-15 DC. With schematics.

BC-191 F/12 VOLT UNUSED $34.95

TUNING UNITS for BC-191 & BC-375

		USED	NEW
TU-5	1.5 to 3 MC	$ N.S	$5.95
TU-6	3 to 4.5 MC	3.95	5.95
TU-7	4.5 to 6.2 MC	3.95	5.95
TU-8	6.2 to 7.7 MC	3.95	5.95
TU-9	7.7 to 10 MC	3.95	5.95
TU-10	10 to 12.5 MC	3.95	5.95
TU-26	200 to 500 KC	3.95	5.95
BC-306	Antenna Tuner	N.S	5.95

Price of tuning units less case. With case $.50 additional.

Dynamotors BD-77/12 Volt;PE-73/24 Volt,Used $12.95
PLUGS for transmitter or dynamotor ;each plug $1.00
Cables with PL-61,PL-64 or PL-59 ea end. Each cable $2.75

AMPLIFIER

AM-142/AIC MIXER AMPLIFIER USED IN LARGE AIRCRAFT INTERCOMMUNICATION SYSTEMS AS A AUDIO LINE MIXER AND BOOSTER. INPUT IMPEDANCE 500 OHM, OUTPUT 600 OHM. OPERATES FROM 24 VOLTS DC AND IS COMPLETE WITH ONE 26A7 TUBE AND SCHEMATIC. SIZE:5x5x2: WT: 2½ LBS. USED $1.25

R-443/ARN-50 GLIDE PATH RECEIVER R-430 USED $6.95



USED IN AIRCRAFT TO RECEIVE A MODULATED SIGNAL 90 & 150 CYC ON 332.6, 333.8 MC. OPERATES FROM 24 VDC. COMPLETE WITH TUBES 7/6AJ5, 2/12SN7 & 1/28D7 SIZE:5½x6½x11; WT: 12 LBS.
PRICE: USED$7.95 (NO CRYSTALS)

R-268/ARN-5 USED $6.95..R-89/ARN-5 USED $5.95

SCR-522 RADIO SET
100-156 MC

RECEIVER-TRANSMITTER AM, FOUR CHANNEL, CRYSTAL CONTROL, 30 WATT OUTPUT, 18 TUBES AS FOLLOWS: TRANSMITTER, 1/6SS7, 2/832, 3/12A6, 1/6G6. RECEIVER; 1/9002, 1/9003, 3/12A6, 1/12C6 2/12AH7, 1/12H6 & 3/12SG7. BOTH UNITS CAN BE REMOVED FROM CASE SEPARATELY. OVERALL SIZE; 16½x12½x10-3/4" WT: 49 LBS. PRICE: USED $29.95

RECEIVER CHASSIS ONLY, LESS CHANNEL SHIFTERS. PRICE: USED WITH TUBES $14.95 NO TUBES

RECEIVER CHASSIS ONLY, LESS CHANNEL SHIFTERS. PRICE, USED, WITH TUBES $14.95 NO TUBES $7.95

TRANSMITTER CHASSIS ONLY, LESS CHANNEL SHIFTERS PRICE, USED WITH TUBES $18.95 NO TUBES $7.95

BC-602 CHANNEL SELECTOR CONTROL BOX WITH PUSH BUTTONS. BC-602B USED $1.95 BC-602D NEW $2.95

NOTE: FOR THE MICROPHONE & PHONE CIRCUITS JACKS CAN BE INSTALLED IN THE BC-602

JB-29 JUNCTION BOX	NEW $2.95
AN-104 ANTENNA, METAL COVERED WOOD	NEW 1.95
PE-98 DYNAMOTOR 12 VOLT	USED 9.95
PE-94 " 24 "	" 4.95

PLUGS REQUIRED FOR THE EQUIPMENT

SCR-522 RECEIVER-TRANSMITTER REQUIRES THE FOLLOWING PLUGS, PL-173 TO ANTENNA, PL-169 TO DYNAMOTOR, PL-170 TO JB-29 JUNCTION BOX. $1.50 EACH

BC-602 CONTROL BOX, REQUIRES FOLLOWING PLUGS, PL-169 TO JUNCTION BOX. $1.50 EA.

PE-98 OR PE-94 DYNAMOTOR REQUIRES FOLLOWING PLUGS, PL-172 TO BATTERY, PL-171 TO RECEIVER-TRANSMITTER. $1.50 EA.

JB-29 JUNCTION BOX, REQUIRES THE FOLLOWING PLUGS, PL-170 TO RECEIVER-TRANSMITTER PL-169 TO BC-602 CONTROL BOX. $1.50 EA.

RA-62 AC POWER SUPPLY FOR SCR-522, OPERATES FROM 115/230 VOLTS 60 CYCLE, SUPPLIES ALL THE NECESSARY VOLTAGES FOR OPERATION. SIZE: 16x11½x11; WT: 75 LBS. PRICE USED $59.50 REQUIRES PL-171 PLUG FOR HOOK-UP TO REC-TRANS PRICE $1.50. AC LINE CORD DETACABLE TYPE $1.00

BC-733 RECEIVER 108.3-110.3 MC AM

AIRCRAFT RECEIVER USED FOR LOCATING RUNWAY ON LANDING FIELD DURING LANDING OPERATION SIGNALS RECEIVED BY RECEIVER FROM TRANSMITTER LOCATED ON RUNWAY ARE APPLIED TO CROSS-POINT INDICATORS IN THE AIRCRAFT AND SHOW IF PLANE IS OFF TO RIGHT OR LEFT OF RUNWAY. OPERATES ON SIX CRYSTAL CONTROL PRESET FREQ. COMPLETE WITH TEN TUBES: 1/12AH7, 2/12SG7, 3/717 2/12SR7, 1/12SQ7 & 1/12A6. VOLTAGE REQUIRED; 24 VDC & 220 VDC 80 MA. WITH SCHEMATIC. SIZE: 13½x5x7 WT: 17 LBS.

PRICE: USED $5.95

I-101C CROSS POINT INDICATOR, USED	$1.95
PL-257 PLUG TO FIT I-101C	1.50

BC-732 CONTROL BOX USED $1.95 NEW $2.95
CABLE WITH PL-254 TO FIT BC-733 REC. AND PL-256 PLUG TO FIT BC-732 CONTROL BOX 3 FT. PRICE: $4.95 PLUGS ONLY 1.5

PRICE: $4.95 PLUGS ONLY $1.50 EA.

DM-53 DYNAMOTOR 24 VOLT USED	$4.95 NEW $6.95
DM-53 AZ " 12 "	NEW 7.95
AS-27 RAMS HORN ANTENNA	$5.95
PL-284 TWIN COAX PLUG F/BC-733-AS-27	1.00

R-65/APN 9
RECEIVER INDICATOR

LORAN SYSTEM AS USED ON BOATS AND IN AIRCRAFT. PROVIDES ACCURATE MEANS OF DETERMINING POSITION FROM FIXED TRANSMITTING STATIONS WHEN DESIRED AND OTHER MEANS ARE INEFFECTIVE. CONSISTS OF A RECEIVER, OPERATING IN THE MARINE BAND, AND INDICATOR USING A 3" CATHODE RAY TUBE FOR PRESENTATION OF THE RECEIVED SIGNALS. OPERATES FROM 24 VDC & 115 VOLTS 400 TO 800 CYCLES. SIZE: 9½x12½x30½ WT: 36 LBS.

PRICE; USED, LESS TUBES & LENS..... $19.95
" " WITH " " 49.50

ARC-3 100-156 MC

R-77/ARC-3 VHF AIRCRAFT TYPE AM RECEIVER, 8 CHANNEL CRYSTAL CONTROL ELECTRIC BAND CHANGE WITH TUBES 9001, 9002, 12A6, 12H6 WITH TUBES 9001, 9002, 12A6, 12H6, 12SH7, 12SL7, 2/12SN7, 3/12SG7 & 6/6AK5. VOLTAGE REQUIRED 24 VDC & 210 VDC 125 MA. SIZE: 11x7x15. WT: 21 LBS. W/SCHEMATIC

PRICE: USED WITH TUBES $22.50
CONNECTOR FRONT OF SET $2.50

T-67/ARC-3 VHF AIRCRAFT TYPE TRANSMITTER AM, 8 CHANNEL CRYSTAL CONTROL ELECTRIC BAND CHANGE, WITH TUBES 2/832 2/6L6, 1/6J5, 3/6V6 & 1/12SH7. VOLTAGE REQUIRED 24 VDC & 410 VDC 325 MA. SIZE: 15½x7½x12½. WT: 21 LBS.

PRICE: USED WITH TUBES..... $22.95

JB-68 JUNCTION BOX FOR ARC-3 RADIO SET USED TO MOUNT DYNAMOTORS DY-22 FOR REC & DY-21 FOR TRANS. ALSO HAS CONNECTOR PLUGS TO HOOK UP REC, TRANS, CONTROL BOX & POWER, & RELAYS. SIZE: 10½x3½x8½. WT; 7 LBS.

PRICE USED.... $7.95
CONNECTOR PLUG FOR EACH FICILITY $2.50 EACH

C-118/ARC-3 CONTROL BOX FOR RECEIVER AND TRANSMITTER. HAS EIGHT PUSH BUTTONS FOR CHANNEL SELECTION AND ONE FOR OFF. SIZE: 6x3x7 WT: 2 LBS. PRICE: $4.95
CONNECTOR PLUG U-16/U 2.50

IE-36 TEST SET FOR SCR-522 REPRODUCES THE OPERATING FUNCTIONS OF THE CONTROL BOX & JACK BOXES OF THE RADIO BY PROVIDING HEADPHONE & MICROPHONE, CHANNEL SELECTION PLUS ALL OTHER CONTROLS NECESSARY TO OPERATION AND TESTING. CONTROL UNIT BC-1303 PLUGS DIRECTLY INTO THE SCR-522 ALSO HAS PHANTOM ANTENNA & CORD, LAMP EXTRACTOR, ADAPTER PHONE CORD, INSTRUCTION BOOK AND CARRING CASE, 10x10x4; WT: 8 LBS.

PRICE: NEW $6.95

SCR-522 CABLES WITH PLUG ON ONE END AND LUG TERMINALS ON THE OTHER. EACH CABLE $2.95

CX-58/VRC-1	PLQ-170 PLUG & LUGS,	36" LONG.
CX-60/VRC-1	PL-169 " " "	36" "
CX-62/VRC-1	PL-172 " " "	66" "

TRANSCEIVER

BC-745 AM TRANSMITTER-RECEIVER COVERING THE FREQ. RANGE OF 2-6 MC PHONE, WITH A RANGE OF FIVE MILES UNDER FAVORABLE CONDITIONS. CRYSTAL CONTROL ON TWO PRESELECTED FREQ. BY USE OF PLUG IN COIL & CRYSTAL ASSY. BC-746. THE SET SIZE IS 6x6x6 AND IS MOUNTED ON A 32" STAFF AND HOUSES THE TELESCOPING ANTENNA WHEN NOT IN USE. COMPLETE WITH TUBES, 1/1S5, 3/1T4 & 5/3S4 & ONE PLUG IN FREQ. ASSY. VOLTAGE REQUIRED 1.5 VDC/.5 A, 67.5 VDC/20 MA & 105-125 VDC/50 MA. WT: 10 LB

PRICE: USED, $14.95 UNUSED $19.95

BC-746 PLUG IN COILS & CRYSTAL ASSEMBLIES CHANNEL #1 3010 Kc CHANNEL #12 5030 Kc CHANNEL #5 5500 Kc CHANNEL #13 5305 Kc ONE OF THE ABOVE SUPPLIED WITH PURCHASE OF SET, ADDITIONAL UNITS $1.95 EA.

T-39 CHEST UNIT THAT WAS USED TO CARRY DRY CELL BATTERIES, ALSO HAS MICROPHONE, PHONE JACK AND NECESSARY CABLE FOR CONNECTING TO RADIO SET.
PRICE: USED, $3.95 UNUSED $5.95

PE-157 VIBRATOR POWER SUPPLY; OPERATES FROM 2 VOLT WET BATTERY BB-54 WHICH IS INSTALLED INSIDE THE CASE THAT SUPPLIES ALL THE NECESSARY VOLTAGES FOR OPERATION OF THE RADIO SET ALSO HAS 4" PM SPEAKER, CARRING HANDLE AND CABLE FOR CONNECTING TO SET. SIZE: 11½x5½x8½ WT 17

PRICE: USED NO SPEAKER $10.95 WITH SPK. $12.95
" NEW " " 12.95 " " 14.95

PRESSURIZING UNIT



MK-23/AP PRESSURIZING UNIT; C/O OF A CYCLINDER APPROX. 13 IN. LG. 2 IN. DIA. ATTACHED TO A GAGE 0-30, 3/4" INLET CYCLINDER AND A 4' HOSE LINE. P/O APS-15 PRESSURIZING KIT. WT: 10 LBS. PRICE: $3.95

COMPASS RECEIVER

AN/ARN-7 RADIO COMPASS RECEIVER 100 TO 1750 KC USED FOR AIRCRAFT DIRECTION FINDING BUT CAN ALSO BE USED ON BOATS. THE RECEIVER IS A SUPERHETERODYNE WITH ADDITIONAL CIRCUITS FOR OPERATION OF THE AURAL RECEPTION AS SHOWN ON THE INDICATORS. COVERS THE FREQUENCY RANGE OF 100 TO 1750 KC IN FOUR BANDS CONTINUOUS TUNING FROM CONTROL BOX WHICH IS A SEPARATE UNIT. UNIT OPERATES FROM 115 VOLT 400 CYC & 24 VDC AND IS COMPLETE WITH TUBES 4/6K7, 1/6L7, 1/6J5, 2/6B8, 2/6F6, 1/6N7, 1/5Z4, 1/6SC7 & 2/2051. SIZE: 12x8x19; WT 45 LBS.

R-5/ARN-7 RECEIVER ONLY, USED $18.95

ITEMS LISTED BELOW ARE REQUIRED FOR ADF OPER.

C-4/ARN-7 CONTROL BOX	USED $3.95	
I-8 INDICATOR 3"	" 2.95	
I-82A " 5"	"	" 3.95
LP-21 AM LOOP ANTENNA	" 9.95	
FT-224 MOUNTING F/C-4CB	" 1.50	
MG-149F INVERTER	" 14.95	
MC-203 SHAFT COUPLING "T"		" 1.00
MC-136 SHAFT " RT/ANGLE		2.50
BK-22 RELAY JUNCTION BOX	" 2.95	
MC-124 FLEXIBLE SHAFT 2 FT.	1.50	
CD-365 CABLE FOR LOOP 5 FT.		2.75
PL-122 CONNECTOR PLUG FOR RECEIVER		2.50
PL-112 " " " LOOP		2.50
PL-118 " " " I-81 OR I-82		2.50

BC 433

COMPASS RECEIVER ADF SAME AS R-5/ARN-7 RECEIVER SHOWN AND DESCRIED ABOVE ONLY COVERS THE FREQUENCY RANGE OF 200 TO 1700 KC AND USES ALL THE SAME ACCESSORIES WITH THE EXCEPTION OF THE CONTROL BOX WHICH IS BC-434A PRICED AT $3.95 USED.
BC-433 RECEIVER ONLY, WITH TUBES USED $12.95

MN-20C MANUAL ROTATABLE LOOP ANTENNA USED WITH RA-10DB & MN-26 RECEIVERS AS A DIRECTION FINDING ANTTENNA IN THE 150 TO 1500 KC RANGE. 7 LBS MC-124 FLEXIABLE SHAFT FOR USE WITH LOOP 10 FT. $1.95
AC-58267-2 CABLE 5 WIRE SHIELDED FOR ANTENNA CONNECTIONS. 8 FT. PLUG ONE END ONLY. $1.95



MN-20C USED $2.95 NEW $3.95

MN-52 AZIMUTH CONTROL FOR MANUAL TURNING OF LOOP WITH CRANK AND BY USE OF FLEXIBLE SHAFT, HAS 0-360 DIAL, GRAIN OF WHEAT LAMP, SWITCH & CRANK. USED $1.95 N. $2.95

MN-26 C RADIO RECEIVER

FOR AIRCRAFT OR MARINE USE CAN ALSO BE USED FOR HOME USE FOR WEATHER REPORTS. FREQUENCY COVERAGE 150 TO 1500 KC IN TWO BANDS. ELEC BAND CHANGE, CONTINUOUS TUNING FROM MN-28C REMOTE CONTROL BOX. COMPLETE WITH 24 VOLT DC DYNAMOTOR, TUBES, 5/6K7, 2/6N7, 1/6B8, 1/6F6, 1/6L7, 2/6J5 ALL USED
REC. SIZE: 12x6x16½, WT: 37½.
PRICES: MN-26C RECEIVER ONLY USED $9.95

$3.95

MN-40 INDICATOR 0-360 DEGREE SCALE 5" WITH VAR. ADJUSTMENT. SAME AS I-82 INDICATOR ONLY OPERATES MECHANILY INSTEAD ELECT BY USE OF SPLINED CONNECTORS AS USED ON MC-124 SHAFT.

CONTROL BOXES
MN-28C/MN-26C
MN-28LB/MN-26LB
USED $3.95 EA.
CONNECTOR PLUGS
RECEIVER $2.50
CONTROL BX 2.50
FLEXIBLE SHAFT
20"/$1.50
5½' $2. 8' $3.00

BC 348 RECEIVER

BC-348(*) RECEIVER AM 6 BANDS - 200-500 KC. & 1.5 TO 18 MC. CRYSTAL PHASING, ANTENNA ALIGN, BEAT OSCILLATOR & AUDIOGAIN CONTROLS, VERNIER AND SPEED TUNING, OUTPUT JACKS FOR PHONES & SPEAKER. WITH TUBES 3/6K7, 1/6J7, 1/6C5, 1/6K6, 1/6B8 & 1/6F7. VOLTAGE REQUIRED 24 VOLTS 2 A. & 220 VDC 70 MA. (*) ISSUE THAT IS AVAILABLE
SIZE: 18x10½x9½; WT: 38 LBS. USED $89.50

HS-33 HEADSET
600 OHM IMPEDANCE
LEATHER HEADBAND
18" CORD W/PL-54
W/RUBBER CUSHIONS

NEW $6.95
W/CHAMOIS CUSHIONS

NEW $7.95
AS ILLUSTRATED.

H-63/U HEADSET & BOOM MICROPHONE
600 OHM IMPEDANCE HEADSET & 100 OHM MICROPHONE, CARBON TYPE, MOUNTED ON A ADJUSTABLE BOOM. TWO 14" CORDS TERMINATE IN 2 & 3 PIN JACKS. USED CHECKED $4.95



HS-23 HEADSET
2000 OHM IMPEDANCE
LEATHER HEADBAND
18" CORD W/PL-54
W/RUBBER CUSHIONS
N$5.95
W/CHAMOIS CUSHIONS
NEW $6.95

CHAMOIS CUSHIONS
$1.50
A PAIR

HS-30 HEADSET
250 OHM IMPEDANCE
HEARING AID TYPE
EAR PCS. FIT INSIDE EAR. LIGHTWEIGHT HEADBAND, CORD 9" LG. WITH SPADE LUGS.
(SEE CD-604 CORD)

USED $.98

TELEPHONE TRANSMITTER CHEST SET; 150 OHM IMPEDANCE TRIANGULAR SHAPED BREASTPLATE, HORN MOUTHPIECE TYPE# A-1. NO STRAPS. WESTERN ELECTRIC #396A $1.50

T-45 LIP MIC

WECO#528 HEADSET
250 OHM

PRICE $1.25
RE-NEW
LESS PHONE CORD

DUBLE WIRE HEADBAND WITH ONE EAR PIECE, PAD ON OTHER SIDE.



T-30 THROAT MIC.

Elements only $1.00 a dozen



T-45 MICROPHONE
CARBON TYPE 100OHM 50DB BELOW 1 MILLVOLT, FLAT RESPONS WITH PL-291 2 CONT MALE PLUG, 11"CORD
USED 75¢

CD-307 CORD EXTENSION FOR CORDS WITH PL-54 PLUG AS USED ON HEADSETS, 65"LG WITH JK-26 JACK & PL-55 PLUG.
USED $1.00

CD-318 EXTENSION CORD WITH PL-291 2 CONTACT FEMALE PLUG TO FIT T-45 & T-30 MICS. SW-141 SWITCH & PL-68 MIC PLUG ON 7 FT. CORD
USED $1.00



CD-604 CORD WITH IMPEDANCE MATCHING TRANSFORMER 500OHM TO 4000, USED WITH HS-30 HEADSET, 6" CORD & PL-54 PLUG.
NEW 50¢ USED 25¢

PL-68 MIC PLUG
30" CORD 75¢

JK-33 JACK TO FIT PL-68 MIC. PLUG.
USED 6 FOR 50¢

COILED CORD SET

COILED CORD SETS

THREE CONDUCTOR
24" TO 72" 75¢
12" TO 36" 50¢

FOUR CONDUCTOR
12" TO 36"$1.00



CD-605 CORD SAME AS CD-604 ONLY 30" LG. WITH PL-55 PLG
USED $1.00

PL-55 PHONE PLUG
30" CORD 75¢

JK-34 PHONE JACK TO FIT PL-55 PLUG
USED 6 FOR 50¢

MC-385
HIGH to LOW ADAPTER



IMPEDANCE FOR HEADSET 4000-600OHM
USED $.50
NEW $.75



T-30 MICROPHONE
CARBON TYPE, 75 OHM 50DB BELOW 1 MILLIVOLT, FLAT RESPONS WITH PL-291 2 CONT MALE PLUG, 11"CORD
PRICE: USED 3/$1
UNUSED $.75



BRUSH CRYSTAL HEADPHONE ELEMENT W/RUBBER EAR PADS LIGHTWEIGHT
BJ#F6#2 $1.00 EA.

MICROPHONE BUTTON CARBON 50 OHM
WILL REPLACE F-1 ELEMENTS.
#K-53-0654 $1.00

SOUND POWERED MICROPHONE IN PLASTIC CASE, PUSH TO TALK BUTTON, NO CORD
#5016 USED $1.50

SOUND POWERED HEADPHONE IN PLASTIC CASE, NO CORD.
#R5017 USED $1.50

HEADSET EARPHONE CUSHIONS
SPONGE RUBBER FOR 2½" ELEMENTS.
#48514 $1.00 PAIR



H-58/U HEADSET
HIGH IMPEDANCE
2000 OHMS "Y" CORD W/PL-55
ADJ. BAND
MFG. MURDOCK
NEW $2.95

MI-2478-MOD.
LIGHTWEIGHT SOUNDPOWERED HEAD-THROATMIC SET W/72" STRETCHED COILED CORD, SWITCH & CONTROL. 2 LBS.
UNUSED $8.95

RM-42 CONTROL UNIT USED TO OPERATE A RECEIVER & TRANSMITTER FROM A REMOTE POSITION WITH 2 CHANNEL SELECTION ALSO USED AS INTER-COM OR CONNECTED TO BE USED AS TELEPHONE SYSTEM. HAS MAGNETO HAND CRANK GENERATOR FOR RINGING & HANDSET WITH PL-204 ALSO 2 TELEPHONE TYPE SWITCHES, 4 PILOT LIGHTS, VC, ON-OFF SW ETC. REQUIERS WIRES BETWEEN EACH UNIT FOR USE AS TELEPHONE AND BATTERIES. IN METAL CABINET WITH SLOPPING FRONT, SIZE 7½x8x9 WT: 14 LBS.
PRICE:... $9.95

RM-52 REMOTE CONTROL UNIT (MACY'S PHONE PATCH)
USED FOR RE-CONTROL OF RADIO SET, OPERATES FROM 4 FLASHLIGHT BATTERIES. HAS MULTI-TAP TRANSFORMER, MIC, PHONE HIGH/LOW IMPEDANCE & JACKS.
BASIC UNIT FOR MAKING MACY'S PATCH.
SIZE: 7½x3½x5½; WT: 5 LBS.
PRICE: USED $1.95 NEW $2.95



RM-53 REMOTE CONTROL UNIT
BASICLY THE SAME AS RM-52 ONLY IT HAS A 3 POSITION SWITCH AND CORDS WITH PL-55 AND PL-68 PLUGS.
SIZE: 8½x4½x4½: 6 LBS
PRICE: USED $2.95
RE-NEW 3.95

COMPUTER CONTROL

CP-949/APA-44A WITH AUTOSYN DIFFERENTIAL CONNECTED TO A GEAR TRAIN DIAL. ALSO HAS 4 WAY BAT HANDLE SWITCH LARGE TYPE, 9 DECK CERAMIC SWITCH 4 POSITION, 6 GRAIN OF WHEAT LAMPS ETC. SIZE 6x7½x5
WT: 9 LBS. USED $3.95

R-15 PHONE ELEMENT 6000 OHM W/RUBBER CUSHION F/2" HEADBAND MTG.
$1.25

PHONE ELEMENT F/TS-9K HANDSET 250 OHM, 2¼" DIA W/ CLIPS.
K.S #83B
$1.00

CANADIAN PHONE ELEMENT 100 OHM 1⅝" DIA. FOR 2" HEADBAND.
#C-3 10A/36988
$ .75

PHONE ELEMENT F/TS-13, H-23 ET HANDSET, TYPE41 3500 OHM. AUTO. ELEC. D-5189A
$1.00

CANADIAN LIGHTWEIHT HANDSET NO CORD PHONE 300 o MIC. 50 OHM #ITE NO1 MK-11 YA-7225
$3.95
6 oz.

CANADIAN MICROPHONE W/ SWITCH & CORD FOR ABOV PHONE, MAGNETIC 300 OHM. #10A/12 57L
$1.25

STANDARD TYPE TELEPHONE HANDSET & BELL RINGERS CAN BE USED AND ANY COMMERCIAL TELEPHONE LINE OR OR SYSTEMS ON THIS PAGE.

PRICE:$6.95 EX-CONDITION



PRICE:$4.95 EX-CONDITION

DIAL ONLY $1.25 EXCEL COND.

$1.50 EXCEL COND

STANDARD TELEPHONE HANDSET & CORD

HANDSET HOLDER FOR HORIZONTAL MOUNTING, SIZE 1⅜x3⅜ #6988
$ .50

.TELEPHONE BELL FOR MAG-NETO GENERATORS
.1½x3
.# MC-131
. $1.25

H-22/U HANDSET with retractable Y cord, PL-68 Mic. & PL-55 Phone Plugs. Butterfly switch. USED $3.95

TS-13 Handset with Y cord PL-68 Mic. & PL-55 Phone plugs. USED $3.95 W/butterfly switch

TS-9 Handset No Plugs with switch & lugs. Used $2.95 New $3.95.



T-26 MICROPHONE
Carbon w/ switch, chest straps & 8 FT. cable.

Used $1.00 New $1.75

T-17 MICROPHONE
Carbon hand type with push switch

RE-COND. $7.95

TELEPHONE EXTENSION CORD WITH PLUGS.
25 FT. W/4 PRONG MALE & FEMALE CONNECTIONS. $2.75
WALL & CORD PLUGS TO FIT, EA $1.25

DICTIPHONE HEADSET ASSY. LIGHTWEIGHT BAND W/PLASTIC EAR PCS. CONNECTED TO RUBBER TUBE THAT COMES TO A Y THAT EXTENDS TO A RUBBER CUP 4" CAN BE USED AS A VIBRATION TESTER OR A WAY OUT SOUND REPRODUCER.
STK#6C262-719 $1.00

TELEPHONE WIRE

TWO CONDUCTOR OUTDOOR 7 STRANDES COPPER WELD NEW MANUFACTURE WD-7

PRICE PER FOOT $ .02½
2500 FOOT REELS 39.00
5000 " " 75.00



T-24/M CARBON MICROPHONE WITH PUSH TO TALK BUTTON AND MODIFIED WITH 4 FT. COILED CORD & PL-68 PLUG. WT: ½ LB. PRICE: NEW $4.95

R-14 SPEAKER; 1000 OHM EAR PHONE ELEMENT IN 3" METAL CASE WITH PL-54 PLUG & CORD CALLED MINE DETECTOR RESONATOR. # 2B2156 PRICE: $1.00



SHURE CONTROLLED MAGNETIC MICROPHONE HIGH-IMPACT ARMY DUF CASE. IMPEDANCE 1500 OHM; 50 DB OR OR BETTER; 15 FOOT CABLE WITH 4 PRONG AMPHENOL PLUG, & EASY HOLD PUSH TO TALK SWITCH.
SHURE MODEL#CR5M; WT:2LBS.
PRICE: NEW $9.95

TS-365/GT LINESMANS HANDSET
135 OHM REC.
75 " XMTR.
W/SWITCH, CORD & CLIPS.
ALL METAL
USED $3.95

. SOUND POWERED HANDSET
.WITH COILED CORD 1-4'
.STK#DI73012
. NEW $7.95



PUSH BUTTON & CALL SIGNAL LIGHT SAME SIZE AS TELEPHONE DIAL. MAKE OWN INTERCOM.
$.39 EA.
3/$1.00



HB-8 HEADBAND NO CORD 1⅛" ELEMENT CLIP
$1.00

TELEPHONE EQUIPMENT

EE-8 FIELD TELEPHONE, PORTABLE HAND RINGING TYPE. CAN BE USED WITH ANY MAGNETO TYPE SYSTEM SWITCHBOARD AS BD-71,72,89,91,96 ETC. OPERATES FROM 2 FLASHLIGHT BATTERY UP 17 MILES, TWO OR MORE PHONES CAN BE OPERATED ON TWO WIRE LINE. WITH CARRING CASE, STRAP & HANDSET.

SIZE:8x10x3½; WT: 18 LBS.
USED CHECKED LESS BATT.$12.95



BD-72 SWITCHBOARD 12 LINE UNIT OTHERWISE THE SAME AS BD-71. 30x12½x14;125LBS.
USED $18.95 RE-NEW $24.95

BD-71 SWITCHBOARD,PORTABLE 6 LINE HAND RINGING MAGNETO TYPE USING FLASHLIGHT BATTERIES FOR OPERATION. REPEATING COILS ON TWO LINES FOR SIMPLEXING, DROP SIGNAL AND NIGHT CALL BELL CAN BE USED WITH ANY MAGNETO TYPE TELEPHONES SUCH AS EE-8, RM-29,BD-72,89 91,96 ETC. IDEAL FOR FACTORY, CAMP, FARM, MOTEL., WITH CHESTSET MICROPHONE & HEADSET. LESS BATTERIE
SIZE:18x12½x14; WT; 75
USED $9.95 RE-NEW $14.95



BD-89 SWITCHBOARD,SINGLE POSITION, TWO PANEL NON-MULTIPLE, MANUALLY OPERATED TELEPHONE SWITCHBOARD. MAGNETO & COMMON BATTERY LINES. 20 MAGNETO, 40 CB, 4 TWO WAY MANUAL, DIAL DROP END TRUNK CKT, 5 CONFERENCE JACKS,3 OUTGOING CKT.,2 THRU-LINE & 13 UNIVERSAL CORD CKT. WITH CHEST MICROPHONE & HEADSET.
SIZE:52x22x31; WT: 300 LBS.
USED $59.50 RE-COND. $79.50

BD-91 SWITCHBOARD, SINGLE POSITION MANUALLY OPERATED FOR SERVING MAGNETO LINES, TWO-WAY TRUNKS AND TIE LINES.RING-DOWN TRUNKS ARE PROVIDED FOR CONNECTION TO MANUAL COMMON BATT. OR DIAL SYSTEMS. DROP SIGNAL FOR INCOMING & RECALL. 20 MAGNETO, 4 UNIVERSAL,8CORD,1 DIAL,4 CONFER. JACKS & 1 OPERATOR. USES DRY CELLS FOR OPERATION.
SIZE 16x16X42 SET-UP; WT: 200 LBS. $29.50



BD-95 SWITCHBOARD: CORDLESS LOCAL BATTERRY UNIT EUIPPED WITH LINE LAMP SUPERVISION AND DESIGNED FOR SWITCHING LOCAL BATTERY LINES MAGNETO TYPE,MAY BE MODIFIED FOR COMMON BATTERY LINES ALSO CAN BE USED WITH OTHER TRUNK, TIE LINE LOCAL BATTERY SWITCHBOARDS. RE-NEW
SIZE:22x14x14; WT:250 LBS. PRICE: $24.95



MX-333/GG TAPE PULLER USED WITH CODE PRACTICE TO REEL 3/8" PAPER TAPE AS THE TAPE IS PASSED THROUGH THE RECORDER; HAS CONSTANT SPEED 110 VOLT 60 CYCLE INDUCTION MOTOR WITH VARIBLE SPEED FRICTION DRIVE ARRANGEMENT. UNIT COMES IN A WOOD CARRING BOX 10x10x15 WITH A CARRING HANDLE. WT: 27 LBS.
PRICE, RE-NEW $12.95



TG-10 KEYER IS A AUTOMATIC UNIT FOR PROVIDING AUDIBLE CODE PRACTICE SIGNALS FROM A INKED TAPE RECORDING. THE OUTPUT OF THE KEYER IS AN AUDIO FREQ. NOTE OF 800 CYCLES PER SEC. WITH SUFFICIENT POWER TO SUPPL A NUMBER OF HEADSETS OR PRACTICE TABLES DIRECT CAN ALSO BE USED AS A TELEGRAPH KEY AMPLIFIER OR TAPE PULLER FOR A RECORDER. OPERATES FROM 115 VOLT 60 CYCLE. COMPLETE WITH TUBES; 2/6N7 2/6L6,2/6SJ7,1/5U4 & 1/923.
SIZE:24x11x18¾ WT: 63 LBS.
PRICE: USED CHECKED$19.95 NOT CHECKED $14.95

VO-3 OSCILLATOR IS AN ELECT-AUDIO TONE GENERATOR WITH A 10 WATTS OF POWER OUTPUT AT A FREQ. OF 800 CYCLES PER SECOND.THIS POWER IS ADEQUATE FOR SUPPLING TONE TO 200 HEAD SETS THAT CAN BE KEYED BY THE INSTRUCTOR OR STUDENTS AND FEED INTO A SPEAKER OR RECORDER. OPERATES FROM 115 VOLT 60 CYCLE, COMPLETE WITH TUBES 1/6SN7,1/5U4 & 2/6V6GT, OUTPUT 4,8,12 & 16 OHMS. SIZE:12½x10¼x7½; WT: 24 LBS.

F-56 FAIRCHILD AIRCRAFT CAMERA

DESIGNED AS A RECORD-TYPE, QUICKWIND, AUTOMATIC CAMERA WHICH IS EQUALLY ADAPTABLE TO OBLIQUE SPOTTING & VERTICAL MAPPING. IT CAN BE OPERATED MANUALLY OR ELECTRICALLY 24 VOLT DC. FOCAL LENGTH 20", SHUTTER SPEEDS 1/35,1/50,1/100 & 1/150 DIAPHRAGM STOPS 5.6, 8, 11, 16, & 22. THE MAGAZINE USES UP TO 125 FT OF FILM 7" WIDE AND WILL GIVE APPROX. 200 NEGATIVES, 6-5/8"x7". DETACHABLE FILTERS ARE PROVIDED ALSO SPARE REELS, INTERVALOMETER FOR AUTOMATIC OPERATION & CABLES FOR ELECTRIC OPERATION.
CONSISTS OF UNUSED CAMERA,REELS,TRUNK,CABLES INTERVALOMETER AND MANUAL.THIS AI ALL $75.00

HYDROPHONE

MAGNETOSTRICTION TYPE UNIT 20 KC RESONANT FREQUENCY. THIS IS A STANDARD SECTION OF A ASSY. AS USED IN AN/SQS-10 EQUIPMENT.
(HYDROPHONE IS A TYPE MICROPHONE DESIGNED TO BE ACTUATED BY WATER BORNE SOUND WAVES AND MAGNETSTRICTION IS THE CHANGE IN THE DIMENSIONS OF A FERREMAGNETIC OBJECT WHEN PLACED IN A MAGNETIC FIELD.
SIZE:3½x5x1½;WT:3 LBS.
STK#875446 Y-901 PRICE: NEW $4.95

CN-359/GPA-23 REGULATOR VOLTAGE. 120/208 VOLTS 60 CYCLE, 3 PHASE, 27 KVA. MOTOR DRIVEN POWERSTAT ELECTRONICLY CONTROLLED. THREE SEPARATE SYSTEMS THAT WILL GIVE CONTROL, 3 PHSE IN, 3 PHASE OUT OR 3 PHASE IN, SINGLE PHASE OUT OR CAN BE DISMANTLED AND HAVE THREE SEPARATE SINGLE PHASE IN AND SINGLE PHASE OUT. CONSISTS OF 3 MOTORIZED POWERSTAT TRANSFORMERS 3 LOW VOLTAGE TRANS. 8 ELECTRONIC CONTROL CHASSIS, SWITCHES, FUSES, METER ETC. USED $150.00
SIZE:27x31x26; WT. SHPG. 420 LB. NEW 195.00



120 VOLTS 60 CYCLE SINGLE PHASE 9 KVA. ONE SECTION REMOVED FROM THE ABOVE 3 PHASE UNIT.)METER, SWITCHES, FUSES ETC. WILL HAVE TO BE ADDED, DIAGRAMS FURNISHED. ELECTRONIC VOLTAGE REGULATION, JUST SET THE VOLTAGE UNDER LOAD AND IT WILL REMAIN CONSTANT. CONSISTS OF MOTORIZED POWERSTAT TRANSFORMER, LOW VOLTAGE TRANSFORMER & ELECTRONIC REGULATOR CHASSI
SHPG. WT: 125 LBS. PRICE, AS DESCRIBED$49.95

ACOUSTICON CORDLESS MICROPHONE AND AMPLIFIER HEARING AID, HEADBAND TYPE ASSEMBLY. CONSISTS 3/4" MICRPHONE AND 3 TUBE AMPLIFIER WITH VOLUME CONTROL AND BATTERY COMPARTMENT MOUNTED IN A LIGHT-WEIGHT HEADBAND. USES MERCURY BATTERYRM-1H & MINI-MAX 15 VOLT 504E EVEREADY. PRICED WITH TUBES,LESS BATTERIES AND PHONE UNIT. NEW: $2.95 #A200



ACOUSTICON HEARING AID MICROPHONE CASE ONLY WITH TRANSFORMER, VOLUME CONTROL, RESISTORS, CONDENSERS AND BATTERY HOLDER. NO MICROPHONES, TUBES OR BATTERIES. SATIN FINISED GOLD COLORED CASE SIZE 2½x4x3/4. MODEL A-320 CASE ONLY WITH PARTS AS DESCRIBED ABOVE. NEW $.39



RD-142/UPN SOUND RECORDER-REPRODUCER IS A 24 HOUR 2 CHANNEL MAGNETIC TAPE RECORDER AND PLAYBACK UNIT DESIGNED FOR CONTINUOUS RECORDING. MAY BE USED TO RECORD ON ONE OR TWO CHANNELS OR BOTH CHANNELS AT THE SAME TIME ON 7 INCH REEL 2 INCH TAPE.PLAYBACK OF EITHER OR BOTH CHANNELS THROUGH THE SELF CONTAINED LOUD SPEAKER OR THRU PLUG IN HEADSET. OPERATES FROM 115 VOLT 60 CYCLE. WITH TUBES. CONDITION USED, NOT CHECKED FOR OPERATION, UNITS MAY NEED TO BE ADJUSTED AND HEADS DE-MAGNETIZED.
SIZE: 19" RACK MTG. 10½" x 15; WT: 100 LBS.
PRICE: USED $49.50

RADIOSONDE

AN/AMT-2 RADIOSONDE, 403 MC FM. A SINGLE PACKAGE INSTRUMENT WHICH CARRIED BY A FREE BALLOON,IS UBED TO TRANSMIT METEOROLOGICAL INFORMATION TO A GROUND STATION. THE FREQUENCY MODULATION IS CONTROLLED BY A SENSOR MECHANISM CONTAING ELEMENTS CONTROLLED BY PRESSURE, TEMPERATUREAND HUMIDITY TOGETHER WITH A COMMUTATOR ARRANGEMENT WHICH SET UP A SEQUENCE OF SIGNALS. USES 2 TUBES AND REQUIRES 1.5,6 & 115 VDC FOR OPERATION.W/TUBES, LESS BATT.
SIZE:4½x6x6½. WT: 1½ LESS BATTERIE
PRICE: NEW $2.95 EACH, 2 FOR $5.00

BC-1253 RADIOSONDE TRANSMITTER OPERATES AT 397 MC; SENDING A CONSTANT SIGNAL TO BE RECEIVED BY RADIO DIRECTION FINDER, WHILE BEING CARRIED IN THE ATMOSSPHERE BY A FREE BALLOON. COMPLETE WITH ONE 955 ACORN TUBE.REQUIRES 1.5, 6 & 115 VOL BATTERIES.SIZE3x5x6½ WT: 8 OZ.
PRICE: NEW $.59 2 FOR $1.00

TUNER ASSEMBLY for 2 to 6 MC. Part of BC-728 RECEIVER, which consists of four channel push button assy. with RF,ANT,& OSC. coils all slug tuned.Also cond. resistors etc.Size 4 x 4 x 3"11b Stock#2C4728/T4. Price $1.00



DRONE RECEIVER

FREQUENCY RANGE OF 57 TO 76 MC. WITH CHOICE OF FIVE DIFFERENT TONE CIRCUITS THAT OPERATE FIVE SERVO CIRCUITS WHICH ARE CONTROLLED BY SEALED MICRO- RELAYS IN INDIVIDUAL LC CIRCUITS. TONE FREQ. 300,650,955,1390 & 1250. COMPLETE WITH TUBES 1/12AU7,2/6AK6,1/0A2,28VDC VIBRATOR SUPPLY. PHOTO SHOWS SEALED COVER REMOVED. SIZE:5½x8. WT: 6 LBS.
PRICE: UNUSED $9.95
CONNECTOR PLUGS TO FIT UNIT, 4 REQ. EA. $1.50



ANGULAR RATE CONTROL PART OF AUTOMATIC PILOT B-1. CONSISTS OF 3 SEPARATE PLUG IN GYROS NAMELY ROLL PITCH & YAW, SIZE 4x4x5. ALSO CONTAINS RECTIFIERS, TRANSFORMERS,CONDENSERS, RESISTORS,CONTROLS ETC. STK#1JD405-G5.
PRICE: USED $12.95 SIZE:10x11½x7½ WT: 25 LBS

MAGNETIC AMPLIFIER

TRANSMITTER SUB-ASSY. FILAMENT CHASSIS, PART OF AN/ALT-8 COUNTERMEASURES SET. CONSISTS OF CK927 FULL WAVE RECTIFIE CK843 SILCON RECT.,TWO CK846 SILCON RECT., MAGNETIC AMPLIFIER TRANS. FIL. TRANS. 115/400CYC. SEC. 6.3/6A. MINIATUR POTS. AND DPST RELAY ALL MOUNTED ON CHASSIS 7½x3x3½; WT: 3LBS. PART#2527-501-G1
PRICE: NEW $1.95

SOUND RECORDER, ELECTRIC-MAGNETIC TYPE USING STANDARD DICTAPHONE WAX CYLINDER AMPLIFIER OUTPUT APPROX. 2 WATTS, RECORDING SPEED 96 TO 100 RPM DOUBLE MANDREL, CONTINOUS RECORDING, AUTOMATIC CHANGE-OVER, REPLACEABLE STYLUS. OPERATES FROM 115 VOLT 60 CYCLE. FLOOR CABINET 15½x15½x32. LESS MICROPHONE, HEADSET,RECORDING CYLINDERS & CABLES. SHIPPING WT: 100 LBS. DICTAPHONE#142

GUN SIGHT

K-14 GUN SIGHT, SIGHTING HEAD. ILLUMINATED UNIT WITH TWO 2" 8X POWER LENSES, 4" REFLECTING MIRROR, WORM GEAR ADJUSTING LIGHT SHUTTER, TWO AUTOSYN MOTORS CONNECTED BY A SPRING BELT AND TWO MIRRORS MOUNTED ON SHAFTS.
SIZE:9x5x5½; WT: 10 LBS.
PRICE: USED $2.95

INVERTERS

INPUT: 27.5 VDC 150 AMP.
OUTPUT: 115 VAC 2500 VA
400 CYC 1 PHASE
SIZE: 15 x 11½ x 8 WT58 LBS.
P/N13-2500-3
PRICE: UNUSED $24.95

JACK & HEINTZ F-45-3
INPUT: 27.5 VDC 150 AMP.
OUTPUT: 115/200 V. 400 CYC
1/3 PHASE, 2250/2500 VA
SIZE: 19x11x8; WT: 75 LBS.
PRICE: USED $49.50

MG-149F INVERTER

INPUT: 24 VDC 36 AMPS.
750 VA
OUTPUT: 115 V 400 CYCLE
1 PHASE 500 VA
26 V 400 CYCLE
1PHASE 250 VA
SIZE: 12 x 7½ x 8, WT:21LB.
PRICE: USED $14.95

CONNECTOR PLUG TO FIT $1.50

RA-87 AC RECTIFIER

Selenium type rectifier use with teletype printers operates from 115/230 volts 50-60 cycle ouput 115 volts DC .400 amps & 110 volt 50 - 60 cycle. Size 14½ x 7½ x 8 WT. 43 lbs.
NEW $8.95

RA-62 AC POWER SUPPLY

Power Supply used with SCR-522 Transmitter-Receiver supplies all the necessary voltages.
INPUT: 115/230 60 Cycle
OUTPUT: 300 VDC 230 MA.
-150 VDC 8 MA.
13 VDC 3.9 AMPS.
Completely fused & filtered.
Size 16 x 11¼ x 11 Wt. 75 lbs.
PRICE: USED CHECKED $59.50



G-24 AC & DC GENERATOR

OUTPUT
115 VAC 800 CYCLE 10.5 A.
28 VDC 60 AMP. @2400 RPM.
SPLINE SHAFT SIZE 7/8x1⅜
SIZE:6⅜x7⅛x13; WT: 45 LBS.
RE-COND. $19.95

D.C AIRCRAFT MOTOR
GE# 5BA50LJ29- HP .4
RPM 3000 ARM.V 60 FLD.V 27
AMPS. FLD. 2.3, ARM. 6.5
DUTY 10 MIN. INT. AT FULL
RATING.
SHAFT, CORK SCREW 5/8" DIA.
FLANGE MTG. 3⅛ IN CNTS.
SIZE 6⅛" LESS SHAFT x4¼x4¼
WT:11 LBS. UNUSED $4.95

AIRCRAFT MOTOR
MAXSON MODEL 118 H.P. 1
RPM 5800; 24 VOLTS DC
55 AMPS., SPLIT FIELD,
REVERSIBLE SHUNT, DOUBLE
END SHAFTS WITH GEAR 1/4"
1/3-8" FLANGE MTG. 3½" CT.
SIZE:6¼x4½x4½; WT: 15 LBS.
UNUSED $4.95

ELECT. ENG. MFG.
TYPE C-368,26VDC
35 AMPS. 600 WAT
¾ HP, APP. 3000
RPM.VERT. KEYED 12 LBS
SHAFT ½" DIA.3/16 SLOT.
FL. MTG.3¼ CT.7"LG. $4.95

INVERTER
INPUT
27.5VDC 60A
OUTPUT
115 V 400 CY
750 W 3 PHASE
26 V 400 CY
50 W 1 PHASE
SIZE 11x10x6; WT: 40 LBS.
LELAND#10285 USED $34.95

INVERTER
INPUT
27½VDC 22A
OUTPUT
115V 400 CY
3 PH 250 VA
SIZE 9x6x4; WT: 15 LBS.
ECLIPSE#E-1617-1 USED $19.5

VIBRATOR POWER SUPPLY
TWO 6 VOLT SUPPLIES ON A COMMON CHASSIS USING 0Z4 RECTIFIER TUBES, OUTPUT 540 VDC @ 150 MA. CAN BE TAPPED AT 270 VDC 150 MA.
SIZE:9x6x5; WT: 10 LBS.
STK#3H6694-5 UNUSED$9.95



MINI VIBRATOR SUPPLY
PP-855/PRC-14, AIRPAX No. A-1063, VIBRATOR TYPE WITH FILTER NETWORK, INPUT 6VDC 5.35 AMPS. OUTPUT 135 VDC 155 MA. VIBRATOR NOUNTS OF UNIT. 7¾z2⅞x2⅜; WT: 3LBI
NEW $4.95



PP-18/AR VIBRATOR TYPE CONVERTER
INPUT 12VDC 4 AMP
OUTPUT 28 VDC 1.5 AMPS, FILTERED.
USES A NITROGEN SEALED VIBRATOR. USED TO OPERATE 28 VOLT EQUIPMENT FRO 12 VOLTS. TWO OR MORE CAN BE WIRED IN PARALLEL TO OBTAIN A HIGHER CURRENT OUTPUT. WITH PLUGS, MTG & SPARI VIBRATOR, 6⅜x5⅜x8⅜; WT:9LBS.
NEW $7.95 USED $4.95

FT-498 SHOCK MOUNTING WITH FOUR 10 LB. RUBBER MOUNTS ON A ALUMINUM PLATE 13x8x1⅛; WT: 2 LBS.
PRICE: $1.00



VOLTAGE REGULATOR
INPUT 21-30 V.D.C
5 AMPS. REGULATION
18-30 VDC#451H281
SIZE:4x3; 3LBS.
$1.50

PI GENERATOR

OUTPUT: 28 VDC 200 AMPS.
2500 TO 6000 RPM.
SPLINED SHAFT 7/8 x1⅝;
SIZE 6x8x14½; WT: 48 LBS.
PRICE: USED $19.95

12 VOLT GENERATOR
50 AMPS. 38 LBS
SIZE 9x6x6
SHAFT 3/4x2
KEYED & NUT
DELCO#10646
PRICE: NEW $9.95

PE-115 PHILCO INVERTER 28VDC
36 AMP. INPUT.
OUTPUT 80 VOL
800 CYCLE 7.2
AMP. (NO VOLT
AGE REGULATOR
11x10x7;40LBS
USED $12.95

GENERATOR GAEN-211219C

OUTPUT: 12.5 VDC 4 AMPS.
240 VDC 100 MA.
INPUT DRIVE: 3/16 HP.
3450 RPM.
SHAFT SIZE: 3/8 x 1½
MOTOR SIZE: 5 x 6 x 9 WT.25 lbs.
Used: $4.95 New $6.95

DY-85 VRC-2X

INPUT: 24 VDC 8 AMP.
OUTPUT: 600 VDC 175 MA.
SIZE: 7x4x4½; WT: 10 LBS.
PRICE: NEW $3.95

INVERTERS



ECLIPSE No. 1219-1-B

INPUT: 14 VDC 2 AMP.
OUTPUT:26 VOLT 400 CYC. 6 VA
INVERTER SIZE 4x2⅛x3⅜
OVERALL " 8x5x4;4LBS.
PRICE: NEW $6.95

PU-16 INVERTER

INPUT: 28 VDC 60 AMPS.
OUTPUT: 115 VAC 6.5 AMPS.
400 CYCLE 1 PHASE
Used: $18.95
Size: 7 x 15 x 9 Wt. 38 lbs.

5D21NJ3A INVERTER

INPUT: 27 VDC 35 AMPS.
OUTPUT: 115 VAC 2.17 AMPS.
400 CYCLE 1 Phase.
Used: $14.95 Unused $24.95
Size: 9 x 6½ x 5½ WT. 20 lbs.



INVERTER
800-1-A
WT.35 lbs.
Size 4½ x 8 x 12

INPUT: 24 VDC 75 AMPS.
OUTPUT: 115 VAC 800 CYCLE
1 Phase 10.5 AMPS.
USED $12.95

PE-237 POWER SUPPLY
VIBRATOR TYPE

INPUT:	6 VDC	27 AMPS.
	12 VDC	13.2 "
	24 VDC	7 "
OUTPUT:	525 VDC	90 MA.
	105 VDC	42 MA.
	6.5 VDC	2 AMPS.
	6 VDC	500 MA.
	1.3 VDC	450 MA.
	130 VDC	17 MA.

With tubes & vibrator.
Size 10 x 10 x 17 Wt.70 lbs.
USED $14.95 RE-NEW $19.95

CARTER GENEMOTOR
MOTOROLA#259K1003
INPUT: 26.1 VDC 7 AMPS
OUTPUT: 405 VDC 270 MA.
SIZE:7x4x5; WT: 12 LBS.
USED $2.95 NEW $3.95

PE-120 Power Supply

INPUT:	6 VDC	4.5 AMP.
	12 VDC	2.5 AMP.
	24 VDC	1.5 AMP.
OUTPUT:	145 VDC	75 MA.
	90 VDC	40 MA.
	1.5 VDC	.75 AMP.

Vibrator type voltage regulated complete with tubes OB-3/VR-105,1005 & Ballast. Also vibrator for 12 VDC.
Size 4½ x 13¼ x 15½ WT.29lbs
RE-NEW $7.95

VRC-2 DYNAMOTOR

INPUT: 5.5 VDC 31 AMPS
OUTPUT: 600 VDC 175 MA
SIZE 7 x 4½ x4½ WT: 8 LBS
STK.# 3H1514-5
PRICE RE-NEW $7.95



PE-104
VIBRATOR
POWER SUPPLY
Used with BC-654
Rec-Trans. Output 84 VDC & 15VDC
Input 6 VDC OR 12 VDC. WT.8 lbs
size 4x4x7 Price Used $9.95

GIBSON GIRL HAND CRANK GENERATOR; OUTPUT 28 VDC @ 175 MA. AND 300 VDC @ 30 MA. WHEN CRANKED @ APPROX. 60 R.P.M. GEAR RATIO 72-1.#3975-1
SIZE:7x6x5; WT: 8LBS.
PRICE: USED $5.95

Size: 5 x 8 x 12 Wt. 35 lbs.

PE-98 DYNAMOTOR

INPUT:	14 VDC	21 AMPS.
OUTPUT:	300 VDC	260 MA.
	150 VDC	10 MA.

USED $5.95 UNUSED $9.95

PE-94 DYNAMOTOR

INPUT:	28 VDC	10.5 AMPS.
OUTPUT:	300 VDC	260 MA.
	150 VDC	10 MA.
	14.5 VDC	5 AMPS.

Used $4.95

TCS POWER SUPPLY
COLLINS 2188I

INPUT: 12 VDC 14.5 AMP.
OUTPUT: 400 VDC 200 MA.
225 VDC 100 MA.
Size: 7½ x 7 x 13 WT. 28 lbs.
RE-COND.$12.95



Size 6½ x 8 x 12 Wt. 30 lbs.

DY-17 DYNAMOTOR

INPUT: 27 VDC 32 AMPS
OUTPUT: 400 VDC 750 MA.
750 VDC 350 MA.
USED $12.95

PP-868/U VIBRATOR
POWER SUPPLY

INPUT:	12 DC	2.0 AMP.
OUTPUT:	6.3 AC	1.0 AMP.
	6.3 "	.45 "
	1.4 DC	1.25 "
	155 DC	15 MA.
	150 DC	5 "
	140 DC	50 "
	40 DC	.5 "

SIZE:5x6½x7; WT: 12 LBS.
PRICE: USED $9.95

DY-9B/ARC DYNAMOTOR

INPUT VOLTS	AMPS.	OUTPUT VOLTS	AMPS.
26	4.3	360CONT.	135
26	7.8	310INT..	355

SIZE:9x5x3½; WT: 10 LBS.
RE-MOVED F/EQUIP. $9.95



DYNAMOTORS



Size 6½ x 10 x 11 WT. 38 Lbs.
With fuses and starting relay.

HD-77 DYNAMOTOR

INPUT: 14 VDC 39 AMPS.
OUTPUT: 1000 VDC 350 MA.
used $12.95

PE-73 DYNAMOTOR

INPUT: 28 VDC 19 AMPS.
OUTPUT: 1000 VDC 350 MA.
used $12.95

DM-42 DYNAMOTOR
NEW $3.95
CRACKED BASE & PLUGS WILL NOT EFFECT OPERATION

INPUT: 12 VDC 39 AMPS.
OUTPUT: 515 VDC 215 MA.
" 1030 " 260 MA.
SIZE: 7x7x11 WT: 38 LBS.



INPUT: 27.5 VDC 27 AMPS.
OUTPUT: 1000 VDC 500 MA.
SIZE: 8½x4x4 WT: 13½ LBS.

PE-98
PE-94
DYNAMOTORS
ONLY

PE-98 DYNAMOTOR ONLY
INPUT: 14 VDC 21 AMPS.
OUTPUT: 300 VDC 260 MA
-150 VDC 10 MA
SIZE: 12x5x5; WT: 26 LBS.
UNUSED $5.95

PE-94 DYNAMOTOR ONLY
INPUT: 28 VDC 10.5AMPS
OUTPUT: 300 VDC 260 MA
-150 VDC 10 MA
14.5 " 5 AMPS
SIZE: 12x5x5; WT: 26 LBS.
UNUSED $4.95

DA-19A DYNAMOTOR
INPUT: 28 VDC 11 AMPS.
OUTPUT: 400 " 400 MA.
SIZE: 7½x4½x4½; WT: 13 LBS
UNUSED $4.95

BRUSH SETS

DM-21	DM-25	DM-28	DM-32
DM-33	DM-34	DM-35	DM-36
DM-37	DM-40	DM-41	DM-42
DM-43	DM-45	DM-53	
BD-83	BD-93	BD-77	
PE-73	PE-86		
DA-12	DA-14	DA-1A	
DY-21	DY-22		
SP-125			35x032

OTHER TYPES ALSO AVAILABLE
SET OF FOUR BRUSHES $.75

Size 3 x 3½ x 4½, Wt. 3 lbs.

DM-32 DYNAMOTOR

INPUT: 28 VDC 1.1 AMPS.
OUTPUT: 250 VDC 60 MA.
Price: Used $2.95 New $4.95

TYPE 35 x 032
(Same as DM-32 only 12V)

INPUT: 14 VDC 2.4 AMPS.
OUTPUT: 250 VDC 60 MA.
Price: New $4.95

DM-53 AZ DYNAMOTOR

INPUT: 14 VDC 2.8 AMPS.
OUTPUT: 220 VDC 80 MA.
Price: NEW 7.95

DM-53 DYNAMOTOR

INPUT: 28 VDC 1.4 AMPS.
OUTPUT: 220 VDC 80 MA.
NEW $6.95 USED $3.95

Size 3 x 3 x 4½, Wt. 3 lbs.

DM-45 DYNAMOTOR

INPUT: 24 VDC 1.1 AMPS.
OUTPUT: 250 VDC 50 MA.
Price: Used $2.95 New $4.95

DM-25 DYNAMOTOR

INPUT: 12 VDC 2.2 AMPS.
OUTPUT: 250 VDC 50 MA.
Price: Used $2.95 New $4.95

WEST. 12B6534 DYNAMOTOR

INPUT: 24 VDC 1.75 AMPS.
OUTPUT: 300 VDC 70 MA.
Price: Used $2.95 New $4.95

Size 3 x 3 x 4½. Wt. 3lbs.
Dynamotors listed below same size only less base.

DM-6936 DYNAMOTOR

INPUT: 28 VDC 1.1 AMPS.
OUTPUT: 250 VDC 60 MA.
Used $1.95 Unused $3.95

DMX-310A DYNAMOTOR

INPUT: 12 VDC 2.8 AMPS.
OUTPUT: 150 VDC 100 MA.
Used $2.95 Unused $4.95

TYPE 5047 DYNAMOTOR

INPUT: 27 VDC 1.75 AMPS.
OUTPUT: 285 VDC 75 MA.
Used $3.95 Unused $5.95

Size 3 x 4½ x 6½. Wt.5 lbs.

DM-34 DYNAMOTOR

INPUT: 14 VDC 2.8 AMPS.
OUTPUT: 220 VDC 80 MA.
Used $2.95 Unused $4.95

DM-36 DYNAMOTOR

INPUT: 28 VDC 1.4 AMPS.
OUTPUT: 220 VDC 80 MA.
Used $2.95 Unused $4.95



Size 3½ x 5 x 5½, Wt.3½ lbs.

PE-86 DYNAMOTOR

INPUT: 28 VDC 1.25 AMPS.
OUTPUT: 250 VDC 60 MA.
PRICE: Used $2.95 New $4.95



Size 3½ x 5 x 6½. Wt.5½ lbs.

DM-28 DYNAMOTOR

INPUT: 27.9 VDC 1.25 AMP
OUTPUT: 220 VDC 70 MA
PRICE: USED $6.95



INPUT: 12 VDC 9.9 AMP.
OUTPUT: 400 " 180 MA.
SIZE: 4x4½x7; WT: 10 LBS.
PRICE: UNUSED $6.95



INPUT: 14/28 VDC 3.9/1.6 A
OUTPUT: 230 VDC 100 MA.
SIZE: 3½x3½x6; WT: 6 LBS.
UNUSED $6.95

DM-21
DYNA-
MOTOR

INPUT: 14 VDC 3.3 AMP.
OUTPUT: 235 VDC 90 MA.
SIZE: 6x5x3; WT: 8½ LBS.
PRICE: USED $4.95 NEW $6.95



Size 4½ x 5½ x 6½. Wt.10½ lbs.

HD-83 DYNAMOTOR

INPUT: 14 VDC 6.5 AMPS.
OUTPUT: 375 VDC 150 MA.

CW21441 DYNAMOTOR

INPUT: 28 VDC 2.9 AMP
OUTPUT: 330 " 135 MA
NEW $3.95

DM-416 DYNAMOTOR

INPUT: 28 VDC 3.1 AMPS.
OUTPUT: 330 VDC 170 MA.
Used $1.95 Unused $3.95

HD-93 DYNAMOTOR

INPUT: 28 VDC 3.2 AMPS.
OUTPUT: 375 VDC 150 MA.
Used $2.95 Unused $4.95



Size 4 x 7 x 6½ Wt. 10½ lbs.

PE-133 DYNAMOTOR

INPUT: 12 VDC 2.3 AMPS.
OUTPUT: 230 VDC 90 MA.
Used $4.95 Unused $6.95



Size 5½ x 6 x 8½. Wt.12½ lbs.

TYPE 377 DYNAMOTOR

INPUT: 14 VDC 8 AMPS.
OUTPUT: 425 VDC 163 MA.
Used $6.95 Unused $9.95



Size 5½ x 3½ x 7. Wt.7 lbs.

DM-40 DYNAMOTOR

INPUT: 14 VDC 3.4 AMPS.
OUTPUT: 172 VDC 138 MA.
PRICE: USED $3.95

Size 4½ x 4½ x 8½ Wt.13 lbs.

DM-35 DYNAMOTOR

INPUT: 12.5 VDC 18.7 AMPS.
OUTPUT: 625 VDC 225 MA.
NOT AVAILABLE

DM-37 DYNAMOTOR

INPUT: 25.5 VDC 9.2 AMPS.
OUTPUT: 625 VDC 225 MA.
Unused $4.95

BD-69 DYNAMOTOR
INPUT: 14 VDC 2.8 AMPS.
OUTPUT: 220 " 80 MA.
SIZE: 6½x6x4½; WT: 10 LBS.
UNUSED $3.95

CAY-21772 DYNAMOTOR
INPUT: 12 VDC 3 AMPS.
OUTPUT: 235 VDC 75 MA.
SIZE: 6½x5x4 W/MTG. 7 LBS.
UNUSED $4.95

INPUT: 28 VDC 1.6 AMP
OUTPUT: 230 VDC 100 MA
SIZE: 3½x3½x5½; WT: 6 LBS.
UNUSED $4.95

DM-33 DYNAMOTOR

INPUT: 28 VDC 5 AMPS.
OUTPUT: 575 VDC 160 MA.

Size 3½ x 4 x 7½ Wt. 8½ lbs.

DY-22 DYNAMOTOR

INPUT: 28 VDC 1.8 AMPS.
OUTPUT: 210 VDC 125 MA.
Price: Used $4.95
Size 3½x3½x6½;Wt.5lbs.

INPUT: 13/26 VDC 12.6/6.3A
OUTPUT: 400 " 135 MA.
800 " 20 "
9 V 80 CYC 1.12 AMP.
SIZE: 14x4½x7; WT: 15 LBS.
PRICE: NEW $7.95
CONNECTOR PLUG 1.50



PE-101C

RADIO NOISE FILTER 100 AMPS. 50 VDC
GE#IC202
Size 4x4x2
PRICE: $ .50

DY-21 DYNAMOTOR

INPUT: 27 VDC 7 A
OUTPUT: 410 " 325 MA.
SIZE: 7½x3x3½ WT: 8½ LB
PRICE: USED $7.95

WINCO TYPE 41S6
DUAL OUTPUT
INPUT: 13 VDC 13 A.
OUTPUT: 300 VDC 225 MA
250 " 60 "
SIZE: 8½x4½x4; WT: 10 LB
PRICE: UNUSED $7.95

AC-DC Motors Hi-Speed Gear Reduction's Blowers

DELCO PM MOTOR 250 RPM #5067127
27 VDC WITH GEAR ATTACHED TO ¼" SHAFT REMOVEABLE MOUNTING, 8 OZ. INCH TORQUE REMOVED FROM NEW EQUIPMENT.
SIZE: 4x1½x1½
WT: 8oz.
PRICE $4.95
GE SAME AS ABOVE NOT PM #5BA10AJ8D $3.95



ELECTRIC WINDING TIMER MOTOR 6 VOLT D.C. WILL MAKE ONE REVOLUTION PER HOUR THEN AUTOMATICLY REWIND. SHAT SIZE 5/8 x 3/16 THREADED ALSO HAS A DISC WITH ARM MOUNTE TO IT. HOUSED IN METAL BOX 3½x3½x3; 1 LB
BORG#D257764 PRICE $1.50

HOLTZER-CABOT DUAL SPEED GEAR REDUCTION MOTOR, 115 v.60 CYCLE, 1PHASE, ONE SHAFT 40 RPM, OTHER 165 RPM 24 OZ. IN TORQUE, .4 AMP. MOTOR SIZE 4½x4½x5½, SHAFT 3/8x4-40RPM, 1/8x3/8-165RPM.
#RBS-3712 $9.95

RATCHET MOTOR, 24 VOLT DC 60 RPM CONTINUOUS ALSO 3 POSITION STOP. BAND SWITCH ASSEMBLY AS USED IN R-5/ARN-7 COMPASS RECEIVER. UNIT WILL ALSO OPERATE ON 18 TO 24 VDC.
SIZE: 3x4x1½: WT: 1¾ LBS. STK# 609-ARN-7
PRICE: $1.25

WESTINGHOUSE BUSINESS MACHINE MOTOR 25 MHP
115 VOLTS 50/60 CYCLE .5/.4 AMPS
TYPE FL 4.0/3.0 MFD. 1425/1725 RPM. SIZE: 4½x4x4; WT: 5 LBS. SHAFT 5/16x½ FLATENED. FOR USE IN RUBBER SHOCK MOUNTING BRACKE
PRICE: NEW $2.95

TELETYPE MOTOR AC; 110 VOLT 60 CYCLE 1 PHASE, NON-SYNCHRONOUS, 1/25 HP, 1800 RPM, 1.25 AMP., DOUBLE SHAFT 1½x3/16&5/8 x 3/16, MOTOR SIZE 5½x 5x5; WT: 13 LBS. GE#28478
USED $4.95

DC BLOWER DUAL OUTLET; @ 24 VDC 3000 RPM APPROX. 100 CFM; @ 12 VDC 1500 RPM APPROX. 50 CFM. SIZE 10x5x5; WT: 5 LBS.
#5BS25KJ501. PRICE USED $1.95



TG-10 KEYER MOTOR, 115 VOLT 60 CYCLE 1550 RPM, SHAFT 1-7/8", GEARED TO 80 RPM. SIZE: 3½x3½x4½; WT: 3 LBS. #3H3000-3
REMOVED FROM TG-10 EQUIPMENT
$2.95

ELECTRO COUNTER & TIMER MOTOR, 115 VOLT 60 CYCLE, 14 RPM, USED TO TURN TUNERS, HIGH POWER TORQUE, INTERMITTENT OPERATION
SIZE: 3x4x3; WT: 2 LBS. #MA201752 $1.50

AIR ASSOCIATES MOTOR EE-763, 1/10 H.P 27 VOLTS DC, 6 AMPS, 3500 RPM. SHAFT SIZE3/16 x 5/8, MOTOR SIZE 4x3x3, FLANGE MTG. 4 LBS. $2.95



PM MOTOR ASSEMBLY & GEAR TRAIN
USED IN R-44 RECEIVER FOR REMOTE TUNING. CONTAINS DELCO PM MOTOR #5069370, 10,000 RPM ATTACHED TO A GEAR ASSY. THAT HAS TWO SHAFTS 80 RPM AND IS GEARED TO TWO SHAFTS WITH 3" & ⅛" GEARS THAT THAT TURN AT 40 & 80 RPM. ASSY SIZE 4½x6x3; SHAFT SIZES ¼ x 3/4 WT: 3½ LBS. STK-#3H3100-15
PRICE: $4.95

GENERAL ELECTRIC 5BA25DJ300
24 VDC @ 2 AMPS., 4500 RPM, REVERSIBLE, GOVERNOR CONTROL MAGNETIC BRAKE, FLANGE MOUNT, SIZE 2½x5½; WT: 3LBS., SPLINED SHAFT 3/16x7/8
PRICE: $2.95

DELCO P.M. MOTOR #5069466, 27.5 VDC IN ALUMINUM CASE GEARED TO WORM GEAR MOTOR SIZE 1½x1½x2½, 10,000 RPM. CASE SIZE 2½x2½x2 LESS MTG. SIZE. WORM GEAR 2000 RPM, WT: 2 LBS.
STK# 3H3100A-1 PRICE: $2.95

John Oster type C 24A-1B - KS-5829-01 27 VDC 1/100 HP 7000 RPM DC Series Motor 2" D X 3" L. Shaft ¼ X 1 Wt. 1 lb.....Price $.75

6 VOLT DC MOTOR, REVERSIBLE 1/20 H.P. SHAFT ¼ x 3/4, FRONT END MOUNTING STUDS. MOTOR SIZE 3½x3; WT: 4 LBS. APP 3000 RPM
G16VDC-R PRICE: $1.25

Windshield Wiper Motor 24VDC. Very powerful. May be used wherever an oscillation motion is desired such as stirring or agetation. Size 2 X 3¼ X 3 5/8. Shaft extends out 1½" from the Motor. Wt. 1 lb. 10 oz. Stock No. 10D24. Price.....$2.95

Delco 5069370 27 VDC Reversible PM Motor and Gear assm. in an Aluminum case. Output speed is 80 RPM through a friction clutch to a double shaft ¼ X 3/4 on one side, ¼ X 1½ on the other. Size complete assm. 3 5/8 X 2 X 4¼ excluding shaft. Has built in noise filter system. Wt. 1 lb. 5 oz.
Price..... $ 4.95

Same Motor as used in above assm. Size 1 1/8 X 1½ X 2¼. Wt. 4 Oz. Price,..... $2.95

Air Associates EE1530 Gear reductior 24 VDC @ .8A. 25 lb. in Torque, 5 RPM Reversible. Size 4½ X 3½ X 5½. Keyed Shaft ¼ X 1 3/4 with a 4" arm attached. Wt. 5 lb. Price $ 4.95

BENDIX BAND CHANGE MOTOR #AC56566-2
OPERATES FROM 28 VDC. THREE POSITION POSITIVE STOP. WITH SWITCHES & WAFER ASSY. SIZE:6x3x2 WT: 1LB.
PRICE: $2.95

DELCO 5069790 PM 100 R.P.M. 27 VDC WITH GEAR ATTACHED TO ¼ INCH SHAFT ⅜ INCH LONG.
MOTOR SIZE 1¾x4. WT: 8 oz.
PRICE: $3.95

Bendix tMI08J 24VDC 1/25 HP 15,000 RPM Series Motor. Geneva Loc. Actuator. Shaft roates ¼ revoluation and stops and is locked in place until next contact is made then the cycle is repeated-time per cycle app. 3 seconds. Size 4 X 2¼ X 5½. Shaft size ¼ X ½. Wt. 1 lb. 14 oz.
Price..... $ 4.95

General Electric 5BA25MJ424 - Type BA 24 V @ 4.2A 7100 RPM 1/20 HP Flange mount Motor size 2½" X 5". Shaft size ¼ X 1 Wt. 3½ lbs. Price..... $1.95



ELECTROLUX MOTOR 28.5 VDC. 1.8 AMPS. 2200 RPM. 1/35 H.P. SHAFT SIZE 1¼ x ¼
MOTOR SIZE: 4½x3½ WT: 5 LBS.
PRICE: $3.95

Air Associates EE1220MJ-Gear Reduction. Either end or Base Mount. 27V @ 1.75A-1/75 HP 960 RPM with Governor control. Size 2½ X 2 3/4 X 5¼. Shaft ¼ X 3/8. Wt. 1 lb. 12 oz. Price..... $3.95

ELECTRIC MOTOR CORP TYPE 300, 45 VOLTS A.C, 60 CYC. 6½ RPM. LIGHT DUTY. OPEN FRA 5x2½x1¼; SHAFT 3/16x 1; 1 LB. $1.00

MOLON MOTOR V-1005 APPROX. 10 RPM, 85 VAC CONT. 110 V INTERMITTENT, GOOD TORQUE. SIZE 4x3x3; 1LB SHAFT 5/16x1½. $1.00

MERCURY MOTOR 8100, 115 VOLT 60 CYCLE, 1750 RPM, OPEN FRAME 3x2½x2, SHAFT ¼x1½, WT: 1 LB.
PRICE: $1.00

John Oster Shunt Motor B-9-1 27½ VDC @ .7A. 5600 RPM. Aluminum Cased Motor and Gear assm. Motor is flange mounted to the Gear case. 2 gear reductions 22 and 5½ RPM on ¼ X 1¼ shafts. Size 2 3/4 X 3 X 7". Wt. 1 lb. 14 oz.
Price.....
$1.00



ART-13 MOTOR 28 VOLT D.C 3900 RPM, 1/20 H.P. REVERSIABLE, BALL BEARING. (WILL OPERATE 12 VOLT SIZE 3x3x3½; 2LB. #B-101/803/800. PRICE: $1.95



OSTER 10 CFM Blower
John Oster motor C2BP-1A 27.5 VDC 1/100 HP 6000 RPM with blower 10CFM. Size 3½ x 3½ x 4½ Wt 1½
Motor & Blower $3.95 Motor only 1.95

400 CYCLE BLOWER
Eastern Air Devices 10 CFM Blower 115 Volt 400 cycle, 1/100 HP motor. Size 3½x3½x4½ Wt. 1 lbs.
PRICE: $2.95



PINCOR BLOWER
Cast Aluminum housing shunt type motor 24 VDC 5000 RPM, 10 CFM blower. Motor neise filtered. WT 1lb 10 oz. Size 3½x4½x4.
PRICE: $2.95



OPEN TYPE BLOWER
Delco motor 5069267 27 VDC 6000 RPM, reversible shunt type, flange mount. WT 1 lb size 1-3/4x2-5/8x2½.
Motor-Blower $1.95 Motor only $1.50

DELCO PM MOTOR 12 VDC 10,000 RPM, GEARED TO ASSY. APPROX 250 TO PLASTIC WHEEL & POT. 4x3½x2; 1 LB. #5092543/2 $4.95
MOTOR ONLY 3.95



PHILCO GEAR REDUCTION NO. 441-1008, 24 VDC, 3.7 RPM 40 LB.IN. TORQUE, SHAFT 5/16x5/8, MOTOR 4x3½x5½; 4 LBS
$5.95

NAVY PM MOTOR
27 VDC
1/150 H.P.
5000 R.P.M
SHAFT 3/4x3/16
MOTOR 1¾x1½x2
WT:8 oz. STK#J942-BU0-676213
PRICE: $1.95



CAMERA MOTOR
Open frame used in aircraft cameras 12 Volt AC-DC Double end shaft 1/8 x ½, motor size 2½x 2½.5000 RPM. # CM-120
Price $1.95



ACTUATOR
LINEAR, RATED LOAD LBS. STAT.-200, TEN,-25-50 COMP.-25-50, TRAVEL 2½" MOTOR 115v400CYCLE, 6000 RPM. DUTY 1/10, H.P. .04, TORQ. OZ.11 6.7 WITH LIMIT SWITCHES. USED AIRESEARCH#35906-30 $2.95

LINEAR ACTUATOR, STAT. 750, TENS. 375, COMP. 200, ARM. TRAV 5-7/8", MOTOR 115 V. 400 CYCLE 6000 RPM, DUTY 1-10, HP .04 SIZE 11x3x4; WT: 5LB. USED AIRESEARCH#31914 $3.95



D.C. ACTUATOR 26 V. 1.5 A. DUTY 3/20 HP .015, RPM 7500 STATIC 600, TEN. 130 COMPR. 90, TRAVEL 1¼" 8x5x3; 4 LB. ELA-3-139-2
$2.95



HEAVY DUTY REVERSIBLE TYPE GEAR HEAD MOTOR JOHN OSTER #KU-11-1R
28 VDC 100 - 200RPM
8 AMP 2½ lb. FT.
torque. Size 7½ x 10 x 4½ WT. 12 lbs
Shaft size 7/16 x 3/4. Price $5.95

BULL'S EYE INDICATOR LIGHTS



ALUMINUM DIMMER TYPE, RUBY LENSE, 3/4" HOLE MTG. BAYONET BASE. SIZE 2x7/8#775 39¢ EA. 3/$1.00

DULL FINISHED BRASS, RED LENSE DOUBLE CONTACT BAYONET BASE. WITH 12 VOLT LAMP LM-44, 1 INCH HOLE MTG. SIZE 1½x3. #2Z625-22 PRICE: $.39 EA. 3 FOR $1.00

FLASH LAMP

A GASEOUS DISCHARGE FLASH LAMP AS USED IN VVX-1 IDENTIFICATION EQUIPMENT. 200 WATT SECOND, 3 PRONG BASE. SYLVANIA#1073/4330 CAN BE USED IN PHOTO-FLASH $1.95 EACH. 3 FOR $5.00

CERAMIC COIL FORM F/ ART-13 ANTENNA LOAD SIZE 2"x5". NO WIRE 50¢ WITH WIRE $1.00

RUBBER SHOCK MOUNTS MTG HOLES 2" CENTERS
6 LB. #6 $.35
14 LB. #14 .50
10 LB(ILLUS)#5150 .40

CERAMIC COUPLER 2" DIA. ¼" SHAFT EA. SIDE STK#SWTU-5 PRICE: $.50

GIANT 4 CONTACT CERAMIC FOR 872, 211 ETC. 3½" RD. GE#ML7461594-G1 PRICE: USED $.39



GIANT 4 CONTACT CERAMIC SOCKET FOR 715, 718 ETC. 3½" RD STK#2Z7684.98 PRICE: NEW $.50

GIANT TUBE SOCKET 7 CONTACT FOR 813 4E27A ETC. 2½" SQ GE#M7466795-1/442 PRICE: $.75 USED

REGULATOR CURRENT AUTOMOTIVE TYPE OPEN FRAME 50 AMP. SIZE 2½x2½x1½; 1LB ORD.#G1026184433 DELCO#1884042 $1.00



TERMINAL STRIPS WITH CLIPPED WIRES

AMT. TERMINALS	-6	-8	-10	-12	-14
1" WIDE EACH	.15	.20	.25	.30	.35
1½" WIDE "	.20	.25	.30	.35	.40

8 BINDING POSTS 7 ON A BAKELITE STRIP, THUMB SCREW TYPE TERMINALS. REMOVED FROM EQUI PRICE: $.35 EA. 3 FOR $1

TELEPHONE SIGNAL DROP SWITCH BOARD UNIT WITH MOMENTARY & HOLD MULTI-CONTACT LEVER SW RING IN DROP RELAY & PHONE JACK. SIZE 1½x8x3. WT: 1 LB. #EE-2 $.39 EA. 3/$1 USED PL-11 PLUG ON 30" CORD $.35 EA.

SW-118 SWITCH ASSY. SPST, ONE SIDE HOLDING ON - OTHER SIDE MOMENTARY ON, CENTER OFF SWITCH SIZE ½x1, CASE SIZE 2½x1. PRICE: $.35 EA. 3 FOR $1.00



B-9A SWITCH ASSY SPDT CENTER OFF 5 AMP. 125 VOLTS TWO HOLE MTG. SIZE: EA. SW 3/4 x2x1. $.35 EACH BANK OF FOUR $1.

Capacitors

MFD	VDC	SIZE	PRICE
2000	15	1½x4½ RD	$ .59
1000	50	1½x4½ RD	.55
8000	55	3 x6 RD	1.75
24000	3	4 x3 RD	1.50
4	400	2⅜x3½x1¼	.25
5x5	400	3⅜x3⅜x2	.50
10	400	4 x4½x1	.75
.5	500	1¼x1½x⅛	.20
2	600	1⅜x4½x1	.25
4	600	3⅜x2⅜x1¼	.50
6	600	4½x2⅜x1¼	.75
7	600	4 x4 x2	.85
10	600	3⅜x4⅜x1½	1.10
2½/2½/5	"	6⅜x4x2	.75
1	1000	1⅜x2½x1	.50
2	1000	2 x4 x1	.75
15	1000	3⅜x4⅜x2½	2.95
1	2000	2 x3 x1	1.25
.5	2500	3⅜x3 x1	.75

MFD	VAC	SIZE	PRICE
5	660	3½x4½x1½	1.95
1	1000	3½x4 x2	.75

POTENTIOMETER 100 WATT, 100,000 OHM IN 20 STEPS 5000 OHM EACH WITH HEAVY DUTY CONTACTS & INSULATED TERMINALS 7 SHAFT. DAVEN#1373 $1.25 SIZE: 5½x3½, SHAFT 1-3/8 x 3/8. WT: 1½LB. STK#2Z7281-3

POTENTIOMETER PRECISION TYPE, WIRE WOUND, 2 SEC 10,000 OHMS EACH 6 W. 3 SOLDER LUGS EA. SEC. SIZE 3x5½. WT: 1LB. STK#2Z7284-29 $.75



MFD	VDC	SIZE	PRICE
15	1000	3⅜x4⅜x2½	$2.95
10	600	3⅜x4⅜x1¼	1.10
6	600	4⅜x2⅜x1¼	.75
4	600	3½x2½x1¼	.50

Switches

Switches removed from new equip.

TOGGLE SWITCHES

TYPE	MTG	VOLTS	ST#	PRICE
S.P.S.T. NUT		3A/125	SW-105	.20
S.P.D.T	"	"	8829K1	.35
4.P.S.T.	"	"	8883K2	.55
D.P.S.T	"	"	8822K1	.35
D.P.D.T.	"	"	SWP221	.50
S.P.S.T.	"	"	8817K2	.25
(Momentary)				
D.P.D.T.	"	"	ST-22R	.40

(Momentary one side)

SWITCH HEAVY DUTY TAP SWITCH 5 POSITION FOUR HOLE MOUNTING SIZE: 2½x2½x1¼ STK# 3Z9627 $1.50

ANTENNA CIRCUIT SWITCHING SWITCH 100 WATT Size 4½x 2-3/4" 3/Make 3/Break #3Z9626 $2.50



Vibrators

VB-16/6,12 or 24 volt for PE-237 $3.95

TYPES LISTED BELOW $1.95 Each
VB-1 /6 volt for PE-117 PE-97 & PE-237 (Same as VB-7)
VS-3 /6 volt for PE-104 (Same as Mall-5500)
G534/12 volt for PE-110
VB-8 /2 volt for PE-157
VB-9 /6 volt for PE-157
VB-11/24 " for PE-120
VB-12/6 " for PE-120
VB-13/12 " for PE-120

Rheostats

STK.#	WATTS	OHMS	PRICE
3Z7345-1	150	4500	$1.50
353-5049	50	8	.75
3Z7275-4	25	750	.60
5895 (DUAL)	50	20	1.50
489485	50	25	.75
4582	50	6	.60
15822	50	17	.60
41132	50	7.5	.50
3836	50	250	.75

Breakers

CAT. #	VOLTS	AMPS.	PRICE
P-0111	125 AC	12	$1.50
3H900-1.25	115 AC	1¼ A	1.00
3H900-3-2	115 AC	3 A	1.00
6234M6	117 AC	1.25	2.50
(3 POLE)			
8751K4	30 DC	10	.50

Relays

ANTENNA Change over RELAY 12 Volt DC 2 Break 2 Make 100 Watt
Stock # 2C6191/L1 Price $3.95

DYNAMOTOR STARTING Relay 14 volt DC S.P.S.T. 43 AMP. Stock#3H1777A/3 Price $2.50

RATCHET TYPE BAND CHANGE MOTOR AS USED IN SCR-522 FOUR POSITION 12 VDC OPERATION. STK# 3H3112 REMOVED FROM EQUIPMENT. PRICE: $2.50



SPERTI VACUUM SWITCH AS USED IN ART-13 TRANSMITTER KEYING RELAY DESCIBED BELOW, SPDT STK#3Z9847-4.5 PRICE $1.50

Kits $1.00

DISC CERAMIC CONDENSERS 33 ASST. 15MMF-.61MFD. Good Value $1.00 a KIT

TUBULAR CONDENSER 50 ASST. .00025 to .1 200 to 600 V $1.00 a KIT

MICA CONDENSERS 25 ASST. 10 MMFD To 6800 MMFD. $1.00 a KIT

TRIMMER CONDENSERS 25 ASST. 3 to 280MMF WIDE RANGE $1.00 KIT.

RESISTORS INSULATED 50 ASST. ⅛,¼,½,1 & 2 Watt wide range of good values 50 ASSORTED $1.00

RESISTORS WIREWOUND 25 ASST. 5 to 20 Watt. Wide range of values some tapped. 25 ASST $1.00

VOLUME CONTROLS 10 ASST. Popular Values $1.00

TUBE SOCKETS 20 ASST. Octals Loctals Minatures Wafers etc $1.00

PILOT LIGHT SOCKETS 25 ASST Bayonet Screw etc. $1.00

TERMINAL STRIPS, Tie lug strips, ASST types. 25 for $1.00

TERMINAL LUGS, ring spade, crimp types. Wide variety of sizes for all uses in clear plastic box. Approx 200 PCS $1.00

ROTARY SWITCHES BRAND NEW 6 for $1.00

BATHTUB CONDENSER KIT .1 MFD. to 1. MFD. up to 600 Volt. 10 FOR $1.00

HARDWARE KIT NUTS, WASHERS SCREWS, RIVET GROMMETS ETC. 1½LBS. $1.00

BUZZER FOR SWITCHBOARDS BD-91/BD-96 OPERATES 2-6 VDC 4-9 VAC, NON-POLARIZED; 10.5 OHMS. VIBRATING ADJUSTABLE TYPE. SIZE 2⅜x2 x1½; WT: 4 OZ. PRICE: $1.

PE-109B INVERTER FILTER, MALLORY NF-1-27 LELAND B-2037, REF. 120 STK.#3H2575-109B 8½x3x2½; WT: 2LB NEW $1.50



BC-603, BC-683 BC-604 & BC-684 SPARE PARTS CHEST FOR STORING TUBES & PARTS. SAME SIZ & SHAPE AS RECEIVERS 2 COMPARTMENTS. SIZE 7x11½x11 WT $1.00

METAL BOX WITH REMOVEABLE TOP, CUTOUTS FOR AC OUTLETS & SWITCH. SIZE: 6⅜x4½x4½ PRICE: $.50

ALARM BELL OPERATES ON 24 VOLTS DC OR AC. SIZE 3½x2, EDWARDS # 95606. BLACK ONLY $1.00

HORSESHOE MAGNETS
5 lb. Lift 2½x2x3/8" ½ lb. $ .50
25 lb. Lift 2½x2½x1½ 1½ lb. 2.50

HAND TYPE MAGNETO GENERATOR

USED FOR RINGING TELEPHONE LINES, OUTPUT ABOUT 100 VOLTS. CAN ALSO BE USED AS SHOCK MACHINE, LIGHT SMALL BULBS OR DRIVE WORMS OUT OF YOUR LAWN BY PLACING THE THE OUTPUT TO METAL STAKES AND DRIVING THEM INTO GND.



GN-38 WITH THREE MAGNETS $2.95

GN-38B PERMANENT MAGNETS 2"x1" $3.95

GN-41B PERMANENT MAGNETS 3"x1½". $4.95

GN-38A WITH COIL MAGNET $2.95

G-25A ROUND TYPE MAGNETO $2.50



THUMB-IT WHEEL WAFER SWITCH NUMBERED. EACH SWITCH CAN BE MOUNTED SINGLY OR IN BANKS. SIZE EACH SECTION 2½x2x⅜. REMOVED FROM EQUIP. PRICE: 11 CONTACT.... $.50
19 CONTACT.... .75

25 Precision Resistor Ass't



WIRE WOUND OR CARBON 1% OR BETTER GOOD VALUES. $1.00
50 TINY CAPACITORS SELECTED TINY ASST PAPER & CERAMIC X GOOD VALUES. $1.00

WIRE ASSORTMENT

SIX 25 FT. COILS FULLY INSULATED STANDARD SIZES TINNED COPPER ASST. COLORS $1.00

MINIMUM ORDER $3.00

Power Transformer Filament Modulation Microphone Chokes

PRI: 115/230 60 cyc
SEC: 800 CT. 120 MA
6.4 4.5 AMP
5 2 "
6.3 .6 "
6.4 450 MA
Size5x5x6 WT. 13 lbs.
Stock # 2Z9621-380
PRICE: $2.95

PRI: 115 V 60 cyc.
SEC: 1080 CT.142 MA.
6.3 1 AMP.
6.3 2 AMP.
5 3 AMP.
Size 5x5½x5½ WT.14 lbs
Stock # 2Z9613.52
PRICE: $3.95

PRI: 115 V 60 cyc.
SEC: 624 CT. 70 MA.
6.3 2.1 AMP.
5 3 "
Size3½x4x6 WT. 8 lbs.
Stock # 2Z9611.39
PRICE: $1.95



PRI: 210/230 60cy
SEC: 3000 700 MA.
TAPPED;1500,
2100 & 1050
SIZE:14x11x9 150LB
STK# 2Z9607-14
PRICE: $34.95

PRI: 115 V 60 CYC
SEC: 660 CT 100 MA.
6.3 5 AMP.
5 3 "
Size 4x5x4½ WT. 9½ lb
Stock # 6J23
Price $3.95

TWO IDENTICAL UNITS IN CASE 1/REC. 1/TRANS 600 OHM IMPEDANCE TO 2500 CYCLE UNBALANCED CIRCUIT SIZE 3½x3½x5½; WT: 4½ LBS.
3Z1892-1.4 $2.95

PRI: 115/230 V 60 cyc
SEC: 240 VCT 35 MA.
24 V .9 AMP
6.3 " .6 "
6.3 " .3 "
Size 3x3x3½ WT. 4 lbs.
Stock #RM-13-317
Price $1.25

PRI: 115 V. 60CY
SEC: 24 V. 1.5 A
5 V. 6.0 A
6x4½x2½; WT: 8LB
#2Z9621-508
$1.95

PRI: 115 V/50-60C
SEC: 720 CT/200MA
12.6 3 A
6.6 10 A
5.25 3 A
S/5x4½x5½.WT:
STK.# 203533
PRICE: $4.95

POTENTIAL TRANS
PRI:1/2/4/10/20/40/100/200/400/1000/2000 V.
SEC: 40 V 100 MA.
6x7x4½; WT: 20 LB
Espey#T-4 16,271
$5.95

PRI: 115 V. 60 CY
SEC: 1540 CT.166A
1230 CT.257A
BOTH VOLTAGES ONE WINDING
5.1 4.5A
6.5 4.0A
6.5 .5A
7½x6x6½; WT:35 LBS
STK# 2Z9613.53
$7.95



PRI: 115 60 cyc
SEC; 2400 CT 106 MA.
Size 7x4½x6½ WT.25 lb
Stock#2Z9614-152
Price $5.95

HIGH VOLTAGE
PRI: 115 V. 4 A.
115 V. 4 A.
SEC: 6000 V. 80MA.
NO TAP.
SIZE:7x6x7; 20 LBS
$7.95

AUTO VIBRATOR TRANSFORMER
VIBRATOR 12/115CY
SEC: 248CT 90 MA
1 2.4 AM
115 CYCLE
SIZE:2½x3½x3 WT4
STK#2Z9625-75
PRICE: $1.50

VIBRATOR 12/115CY
SEC: 300 CT 100MA.
27 CT 2MA.
SIZE:3x3x3½ WT:4LB
STK#2Z9625-73
PRICE: $1.50

VIBRATOR FOR ABOVE TRANSFORMERS 6.3 V 4.3 AMP. FOR 12 V USE DROPPING RESISTOR.
STK# 3H6690-15
PRICE; $1.95



AUTO - ISOLATION STEP UP-STEP DOWN
PRI: 95,105,115, 125,190,210,230, 250,50/60 CYCLE 600 WATT.
SEC: VOLTAGE DEPENDS ON WHAT PRI., TAPS ARE USED.
SIZE:5x7x5 WT.16
STK:# 2Z9605.3
PRICE:$7.95

PRIMARIES: 2/100 V 60 CYCLE
SECONDARYS
2.5v 2A
7.5v 1.25
21.v .1A
11.v10.0A
10.v 6.5A
SIZE: 8x 4x6: 19LBS
CAY30219 $3.95



PRI: 115 V 60 CY
700CT 200 MA
700CT 60 "
2/ 5.0 2 A
2/ 6.3 .7 A
1/ 6.3 8.0 A
5½x5½x6;
GARDNER #5I7
$ 3.95

PRI: 115/230 60cy
SEC: 750-0-0-750
1.66AMPS1.66
SIZE:13x10x11
WT: 115 LBS.
STK#2Z9607-16
PRICE: $29.50

SEC: 650VCT 50MA
6.3 " 5 A
10.2 " 13 A
25NCT 4 A
RCA#K90|467-502
SIZE:6x6x6;WT;25
PRICE: $5.95

PRI: 115 V 60 cyc
SEC: 6.3 V 2.7 AMP
SIZE:2½x2x2½;1½LB.
STK#5950-186-9789
PRICE: $1.50

TRANSFORMER
PRI:70/100/140/200 60 CYCLE
SEC: 12.6 CT .7 A
6.3 CT .9 A
6.3 CT 1.5 A
6.3 CT 1.5 A
2.5 KV TEST
SIZE:5½x3x4 WT 5LB
STK# GE#7465625-P1
PRICE: $2.95



PRI: 115 V 60 cyc
SEC: 2.65v 3.5 A
2.65v 3.5 A
6.3v 3.5 A
SIZE:3½x5x3½: 8LB
#BNJT-166
$2.50



PRI: 230/460 60cy
SEC: 1025 CT350MA
4 60"
SIZE:4½x6½x6½ 32LB
STK#2Z9601,84
PRICE: $2.95
USE TWO FOR 115 V

MODULATION TRANSFORMER
Watts 20 Response
Response 200-5000-1DB
Pri.Z 6000 SEC.Z 6000
Collins #677-2010-00
Size 2½x2½x3½ WT.3½lbs
Stock# 2Z9634.53
Price $2.95

PRI: 115 V 60cy
SEC: 750CT 150MA
6.3CT 5 A
5.0 4 A
4½x4x3½; 9 LBS.
TG-10/27290
$2.75

PRI: 115 V 60 cyc
SEC: 6.3CT 6 AMP
3½x3x2½; 3 LBS.
TG-10/27292
$2.75

MODULATION TRANSFORMER
WATTS: 75
PRI: 200-250 OHM
SEC: GRID 813 TUBE WITH SIDETONE
SIZE:2½x3½x3½WT2½
STK#GE7465620-1
PRICE:$2.95

MODULATION TRANSFORMER
100 Watt
RESPONSE 200 to 5000
PRI: 7000 SEC: 7000
F/BC-191/375 TRANS.
Size 3x4x5 WT. 5½ lbs.
Stock # 2c6191/T1
Price $3.95



MODULATION-TRANS. 200 WATT
200-15000CY 1DB
PRI. P.P PLATES 5400 OHM.
SEC: 600 OHM C.T
50 V.C.T.
2400 OHM 350 MA.
4x5½x4½; 12 LBS.
#677-0388-00
PRICE:$4.95

3.9 HY 950 MA.
TAPPED 2.7 HY.
25 OHM DC,2500VRMS
SIZE:11x8x7;WT:45
STK#3C315-16
PRICE: $14.95

PRI: 115 V 60 CYC.
1200 CT 200 MA.
12.5 2 AMP.
12.5 2 AMP.
5 3 AMP.
Size4x4½x4½ WT. 10 lbs
Stock # FAIR-617
Price $8.95
DESIGNED for COMMAND TRANSMITTER

TYPE AS FAIR#617
PRI: 115 V 60 CY
SEC: 550CT 150 MA
12 V 4 A.
5 V 3 A.
SIZE:4x5x4; 7 LBS.
STK# FAIR-1490
PRICE: $7.95
DESIGNED F/BC-923

TYPE AS FAIR#617
PRI: 115 V 60 CY
SEC: 500CT 125 MA
24 V 2 A.
5 V 3 A.
SIZE:4x5x4; 6½ LB.
STK#FAIR-1424
PRICE: $6.95
FOR R-77/ARC-3

PRI: 115 V 60 CY
SEC: 500 CT 80 MA.
24 V 2 A.
5 V 3 A.
SIZE:2½x2½x3½ 3LB.
STK#FAIR-818
PRICE: $4.95
FOR BC-603,683 COMM/ARC RECEIVE

PRI: 115 V 60 cyc.
SEC: 12.5 V 2 AMP.
12.5 2 "
Size 4½x4x2½ Wt.5½ lb
Stock # FAIR-5005
PRICE: $4.95

Same style as #5005
PRI: 115 V 60 cyc
SEC: 24 V 1 AMP.
Size 2-3/4x2½x2WT.2lb.
Stock # FAIR-718R
Price $1.95

Same style as #5005
PRI: 115 V 60 CY.
12.5 V 1 AMP.
Size 2½x2x2½ Wt. 1½lb
Stock # FAIR 2468
Price $1.75

OUNCER TRANSFORMERS

Transformer
Pri: 100 ohm
Sec: 4000 "
PO/BC-709 Amp.
3/4x3/4x1½
ST#2Z9931
Price $.59

Transformer
Pri: 1.5 ohm
Sec: 35-35 "
PO/BC-347
3/4x3/4x1½
Stock#2Z9947/421
Price $.59

6 HY 75 MA 150 OHM
3x3x2½ WT:2½
STK#3C316-7
PRICE: $.79

DUAL CHOKE
11 HY 100 MA. 200 OHMS.
4x4x5½"WT.8 lb
ST.#3C557F-1
PRICE: $ .75

8 HY 100 MA 160 OHMS
2½x3½x2½;4LB
#TR-1024
$1.50



MICROPHONE
PRI: 14.5 - 21 OHM
SEC: 4475 - 6500OHM
CARBON MIC.
2½x3½x2½ 2LB
#P7762352GI
$1.00

5 HY 50 MA.
250 OHM.
2x2x2½" WT. 1½
Stock# 3C367-2
PRICE: $.75

3.5 HY 200 MA
70 OHMS
3½x4x3; 5 LBS
ORD.#7629828
$1.75

Microphone Transformer
Pri: 1 ohm
Sec: 2000 "
1½x2x1½
ST#2Z9666A
Price $.59

14 HY 125MA
275 OHMS.
2½x3½x5½;
308-708-060
$1.25



5 HY 250 MA
80 OHMS
3½x4x3½;6LB
ORD#459360
$2.50

25 HY 160MA
350 OHM
3½x3½x4;8LB
3C317-38
$1.50

17 HY 80 MA.
300 OHM
2½x3x2½" WT.
STK#3C326-31B
PRICE: $.75

OUTPUT TRANSFORMER
NP/NS-1.77/6.60,50 TO 5000 cy.005A
SIZE: 2x2x2
3EM7465623-1
PRICE: $.75

AUDIO OUTPUT TRANSFORMER
PRI: 450 ohm
SEC: 300/4000 ohms impendance
PO/BC-348
STOCK#2C4348M/T
2x4x2½ WT.2½ lb
Price $ 1.00

Microphone Transformer
Pri: 15 ohm
Sec: 5000 "
1½x1½x2"
PO/M-26/AIC
ST#2Z9631.121
Price $.59

TRANSFORMERS

PRI: 115/230 60 CY
SEC: 620 VCT 60 MA
5.3 V 2 A.
6.3 V 7.8 A
3⅜x3⅛x3⅜; WT: 6 LB
FOR TG-34 KEYER
2Z9608-3 $2.95

PRI: 115 V. 60c
SEC: 30 V. 2A.
3x2⅛x2⅛; WT: 2LBS.
#EF-425 $2.25

8 HY 450 MA
THORD#T4473
P/O BC-303 TRANS.
5⅛x4⅛x5⅛; 18 LBS.
STK#3H4622.1
$6.95

PRI: 115 V. 60c
SEC:
2.5V 1.75A
2.5V 1.75A
6.3V .6 A
3⅛x5x3⅜; WT: 8 LBS
2Z9611.127 $1.95

PRI: 115 V.60
SEC:
12.6 V. 7.95 A.
5⅛x4¼x4; WT: 13 LB
2ZK9717-46937
$4.95

PRI: 120/240v 60c
SEC: 16 v 8 AMP
16 v 8 "
SERIES SECONDARY
32 v 8 AMP
PARALLEL 16v16 "
4½x4x4½; 13 LBS.
#1479-L018
PRICE: $7.95

PRI: 115 V.60 CYC
SEC: 24 VCT 6 AMP.
4x5x3½; WT: 10 LB.
5950-648-3992
$4.95

PRI: 115V 60 CYCLE
SEC: 12 V 2.1 AMP.
SIZE: 3x3x2⅜; 3LBS
STK#TR-1409/8970
PRICE:$1.50

OUTPUT
30 WATT
PRI: 8000 OHM CT
SEC: 4/8/15 OHM
3x3x3½; WT:2 LBS.
TG-10/27291
$2.95

1-177
TUBE CHECKER
TRANSFORMER
SIZE: 4½x4⅜x4,5½LB
STK.# 2Z9613.667
PRICE: $4.95

TRANSTAT
VOLTAGE REGULATOR
FIXED WINDING 115
VARIABLE RANGE
103 TO 126 V 60
CYCLE, 2.17 AMPS.
5x6x6; WT: 15 LBS.
#29144 $4.95

SOLA CONSTANT VOLT.
PRI: 190-250 60CYC
SEC: 115 V 2000 VA
31x9⅝x8; WT: 200 LB
#30M811 NEW $75.00

400
CYCLE

TRANSTAT
VOLTAGE REGULATOR
FIXED WINDING 115
VARIABLE RANGE
75 TO 120 V,400
CYCLE, 6 AMPS.
SIZE 5x6x6; 13 LB
SCNo.TF-12A $4.95

PRI: 115 V. 60 CY
SEC: 2.2 V.
ALSO TAPPED WIND.
0-60V 10 TAPS 4
VOLTS EA. 1 TAP
20V.HV AMPS 4,LOW
EST VOLTAGE 20 A.
6x4x5; WT: 25 LBS
#6120-473-6811
$7.95

PRI: 115 V 60 CYC
SEC: 36 V 12 AMP
4½x6x4; WT: 15 LB
#CON442
PRICE: $8.95

ALTEC LANSING 70 W
OUTPUT TRANSFORMER
PRI: 3300 OHM CT
SEC: 250 & 500 OHM
SIZE: 4½x5x4½,13 LB
STK# TMJ 217A
PRICE: $2.95

LOW VOLTAGE TRANSFORMERS

ALL PRIMARIES 105, 110, 11
120, 125 VOLT, 60 CYCL

SEC: 6.6 V 25 AMP.
4⅜x6x4; 17 LBS.
GE#9T35Y344 $4.95

SEC: 6.6 V 18 AMP
3½x5½x4; 12 LBS.
GE#9T35Y159 $3.95

SEC: 6.6 V 10 AMP
4x3½x4; 9 LBS.
GE#9T35Y158 $2.95

SEC: 6.6 v 10 AMP.
6.6 VCT 1 "
5x4x3⅜; 10 LBS.
GE#9T35Y181 $3.25

SEC: 6.3 VCT 5.0 AMP
6.3 VCT 1.0 "
4x3x2⅜; 4 LBS.
GE#9T35Y8012 $2.25

SEC: 6.6 VCT 2.7 AMP
2⅜x2⅜x2⅛ 4 LBS.
GE#9T35Y321 $1.25

SEC: 6.6 v 2.3 AMP
2⅜x2⅜x2⅛; 4 LBS.
GE#9T35Y241 $1.25

PRI: 117 V 60 CY
SEC: 31,32,35,
36.7 @ 6AMP.
ONE WINDING TAPP.
5⅜x5⅜x4⅝; 12 LBS.
ORD#6M3706
$7.95

SEC: 6.6 V 1.2 AMP.
2⅛x3x2; 1¾ LBS.
GE#9T35Y240 $.80

SEC: 6.3 v 3.1 AMP.
6.3 v 2.5 "
6.3 v 0.45 "
6.3 v 0.30 "
5.0 v 2.0 "
5.0 v 2.0 "
3½x4⅝x3; 4 LBS.
#TF1A01JA $3.95

CHOKES

1.25 HY @ 1.23 ADC
PWV 1070
TF1A04LB

6⅛x5x4½; WT: 21 LBS
$5.95

5 HY @ 400 MA
50 OHMS.
P.W.V. 1070
4x4½x6; 14 LBS.
#352-1746
$3.95

3.5 HY 500 MA
30 OHMS
715 V WV
4x5½x3½; 10 LBS.
TK1A04KA/A8694
$3.50

5 HY 255 MA
80 OHMS

3⅛x5x3⅛; 7 LB.
B-7406969
$2.50

8 HY 150 MA
100 OHMS
MAX. W. V. 715
3x4½x2½; 5 LBS.
TF1A04HA
$1.95

10 HY 75 MA DC
375 OHMS 1070 MV
2x2⅜x1⅛; 1⅛ LBS.
TF1A04EA
$.89

HIGH VOLTAGE TRANSFORMERS

PRI: 109,115,120,126, 60CYC
SEC: 2580 VOLTS EACH SIDE
CENTER TAP RATED AT
120 MA. 6500 P.W.V.
TESTS HAVE SHOWN THAT
UNDER LOAD TRANSFORMER
WILL DELIVER 2000 VOLT
DC 300 MA.
SIZE: 7½x6½x6½; WT: 42 LBS.
TF1A02YY $19.95

PRI: 105-110-115-
120-125
SEC: 365 V. TAPPED
335 V.
500 MA.
4½x5½x3½ IN. 13 LBS
TF1A02LA
$2.95



PRI: 115 V. 60 CYC
SEC: 1000 V. 78 MA.
CASE IS CENTER TAP.
6.3 V. 3.2 A.
6.3 V. 2.1 A.
5.0 V. 3.0 A.
4½x5½x3½;12LB#KS8877 $3.95

PRI: 105-110-115-
120-125
SEC: 365 V 775 MA
TAP.340 V 525 MA
850CT 30 MA
5 V 2 A
6x7x5" 30 LBS.
GE7415214
$4.95

PRI: 105-110-115
120-125
SEC: 560CT 75 MA
365 V 150 MA
TAP335 V
3½x5x3" 8 LBS.
TF1A02JA
$1.95

PRI: 117 V 60 CYC
SEC: 450 V 140 MA
12.6 20 AM
5.0 2 "
4½x6x4; 15 LB
EDO 10498 $6.95



PRI: 105/115
SEC: 840 CT 255MA
12.6 " 13 A.
5.0 - 4 A.
6.3CT 5 A.
4½x4½x6; 15 LBS.
#5950-688-3045 $5.95

PRI: 105-110-115
120-125
SEC: 390 V 1.23A
TAP365 V 720 MA

7x8x6" 45 LBS.
GE 745213
$6.95



HIGH AUDIO

PRI: 7000 OHM CT
SEC: 294 " "
52 " "
ONE WINDING
POWER: 64 WATTS.
RESPONSE: 1 DB
20-20,000 CPS
SIZE: 5x7x4½; WT:
TF1A13NA $4.95

PRI: 7000 OHM CT
SEC: 265 " "
80 " "
ONE WINDING
POWER: 62.5 WATTS
RESPONSE: 1 DB
20-20,000 CPS
SIZE: 4½x6x4; 20 LBS.
TF1A13MA $4.95

PRI: 115 V 60 CY
SEC: 880CT 260 MA
SIZE: 4⅜x5½x4 10LB
STK#7629825
PRICE: $4.95

PRI: 115 V 60 CY
SEC: 820CT 120 MA
5 V 2 A.
SIZE: 4x6x3½ 10 LB
STK#ORD7629820
PRICE: $2.95

PRIMARY VOLTS
81,163 & 230
50/60 CYCLE
SECONDARY VOL
11.7 CT.3¼ A.
WITH 115 VOLT
INPUT, OUTPUT
WILL BE 15 V. 3 AMPS.
SIZE: 3⅜x4x3½; 8 LBS.
GE#7465106-P1 $2.95



PRI: 115 V 60 CY
SEC:
675 VCT 500 MA.
150 " " "
27 V. " "
6.3 V. 10 A.
5.0 V. 6 A.
6x7½x6½; 45 LB.
#PT-32301
PRICE: $6.95



PRI: 120 V 60
SEC: 1170 VCT
325 MA.
5x7½x4; 28 LBS
#8568966-P1
PRICE: $7.95

PRI: 120/240
SEC: 2.5 @ 3 A.
10.2" 5 A
6.6 @10 A
420-470 @.450
347 @.03
15 @.02
6.4 @ 10A
6⅝x6⅛x5½;39 LB

PRIMARY VOLTS
81,163 & 230
50/60 CYCLE
SECONDARY VOLTS
12 CT. 3½ AMPS
12 CT. 3½ "
13 CT. 10 "
@ 115v 2/16v-3A 1/17v
10A. SIZE 4x7x7 18LBS.
GE#7466333 $5.95

10 HY 500 MA
45 OHM
4⅝x5½x5⅝; 28 LBS
#L-53601
PRICE: $6.95

PRI: 120 V 60 CY
SEC: 2.5 V 10 A.
NO C.T. INS.10M.
4½x3½x5; 8 LBS.
#2Z9611.144
$2.95

VARI TRANS

115 V. 60CYC #200-B 1AMP $6.95
115 V. 60CYC 116-U 7½ " 14.95
(PANEL MTG)
115 V. 60CYC #24926 30" 38.50
(PANEL MTG. NO DIAL)
230 V. 60 CYC G100-R 9A. 29.95
(CASED)
115 V. 350 CYCLE MIN. 10 AMP.
TANDEM, GR#M-10-3 $39.50
115V. 350 CYCLE MIN. 2 AMP. GR#M-2 5.95
(PANEL MTG.)

MIRROR-MATIC

AUTOMOBILE REAR VIEW MIRROR: AUTOMATICALLY CHANGES ANGLE OF MIRROR WHEN HEADLIGHTS OF CAR IN THE REAR STRIKES MIRROR. OPERATES 12 VOLTS D-C WITH PHOTO-CELL, 1/12K5 TUBE, SPST RELAY, RELAY THAT FLIPS MIRROR AND SENSITIVITY CONTROLS. CAN ALSO BE OPERATED BY A FLASHLIGHT OR OTHER LIGHT SOURCE.
SIZE: 10½x2⅔x1½; WT: 3LBS. PRICE:.. $3.95

UTILITY BLOWERS

THE BLOWERS LISTED BELOW ARE STANDARD SHADED POLE TYPE AND ARE QUITE RUNNING WITH NO RADIO INTERERENCE.

50 & 100 CFM BLOWERS

For Heat Boosters, Dryers, Exhausters, Drafts

No. 1C939F

$8.95 #1C939F

You can't buy a better blower for forced drafts for warm air heating systems, heat boosters, exhausters, dryers, etc. Lowest priced, best made blowers of their kind. Single and twin types, 50 and 100 CFM respectively. Sturdy 3" dia. blower wheels are direct-driven by 115V, 60 Cy., quiet running Dayton motors. Steel housings are rubber mounted. 2½" discharge. Outlet velocity is 2030 ft./min. 9" wire leads. Black finish. Shpg. wts. 5 and 6 lbs.



No. 1C880F

$12.95 #2C721F

340 CFM TWIN BLOWER

For Hot & Cold Air Circulation, Exhaust, Etc.

$20.95 #2C069F

for this 275 CFM Dayton Twin Blower. Ideal for air circulation, forced draft, and exhausting jobs requiring more air than possible with single blower. Efficient, dependable and quiet. 4½" dia. balanced wheels powered by 1550 RPM, 115V, 60 Cy. motor with 12" leads. Rubber mounted pressed steel housings with 3¼x3" outlets. Each outlet has 4¾" square flange to facilitate mounting. Outlet velocity is 1960 ft./min. 4½" dia. air intakes. 11¾" W x 8⅜" H x 8½" D. Black baked-on enamel. You'll like this blower's performance and the way it is built. Wt. 12 lbs.

15 CFM BLOWER No. 2C782F

$ 8.75

100 CFM BLOWER No. 2C781F

$10.95

2C781 100 CFM 115 VOLT 60 CYCLE
INTAKE 3½ OULET 2-1/8 FL 4-1/8
SIZE 3-13/16H x 6-3/4 x 6-5/16
SHPG. WT.5 LBS. PRICE:$10.95

2C782 15 CFM 115 VOLT 60 CYCLE
INTAKE 2-7/8 OUTLET 1½ FLG 2¼
SIZE 3-13/16H x 4W x 3-7/8D
SHPG. WT. 2½ LBS. PRICE:$8.75

108 CFM 'PANCAKE' BLOWER

Compact—Motor is Inside Blower Wheel

$12.95 #2C067F

Dayton "pancake" moves 108 CFM where installation space is limited. Only 4¼" wide—because motor has been built inside blower wheel. Fits into 4-5/16" W x 8⅜" H x 8½" space. Discharge 3⅜" W x 3" H. Outlet velocity is 1530 ft./min. 4½" dia. squirrel cage blower wheel and air intake. Steel, rubber mounted housing with baked on black enamel finish. 1550 RPM, 115V, 60 Cy. motor with 12" leads. Shpg. wt. 6 lbs.

140 CFM UTILITY BLOWER

For Exhausting, Forced Draft, Cooling, Etc.

Delivers blasts of air



$11.95 2C610F

Compact, 140 CFM single-inlet blower. Top performance for forced draft, ventilating, exhausting, cooling and drying applications. 5⅛ x 4" mounting flange with 2½" square discharge. Outlet velocity is 3230 ft./min. 3½" dia. blower wheel direct-driven by 2800 RPM, 1/15 HP, 115V, 60 Cy. motor with conduit box and 20" leads. 7½" W x 7¼" H (less flange) x 6¾" D. Order sample and test best 140 CFM utility blower. Wt. 9 lbs.

350 CFM DAYTON BLOWER

6¼" Wheel. 1/10 HP. 115 V, 60 Cy. Motor

2C841F $22.75

Designed for applications that require more air than average shaded pole blower provides. Ideal for many exhausting, heating, cooling, drying, circulating, etc. applications. 350 CFM at 0.0" SP, 3500 ft./min. outlet velocity in free air. 6¼ x 2⅞ W. blower wheel is direct driven by 1/10 HP, 1300 RPM, 115 V., 60 Cy. rubber mounted shaded pole motor. 190 F/L watts, 2¾ F/L amps. 12" No. 18 wire lead. Precision steel housing with 5⅝ x 5½ mtg. flange. 4 1/32 x 3 1/32" discharge. 5¼" dia. intake. 11¼ H x 7⅝ W x 10 9/32" D. Baked black finish. Shpg. wt. 12 lbs.

MINE DECTECTOR

SCR-625 Famous ARMY MINE-DETECTOR

UNUSED CHECKED LESS BATTERIES $32.95

$37.95 WITH BATTERIES

BATTERIES ONLY $5.95

USED TO DETECT HIDDEN METAL OBJECTS IN THE GROUND OR OTHERWISE HIDDEN UP TO 24 INCHES DEEP DEPENDING ON THE SIZE, AND GROUND CONDITIONS. DETECTION IS NOTED BY A TONE SIGNAL THAT IS FED INTO THE HEAD SET OR SPEAKER UNIT THAT ARE SUPPLIED WITH THE SET SHIPPED IN CARRING CASE WITH INSTRUCTIONS, 75 LBS

CRY BUTTONS REFLECTORS, CAN BE USED TO MAKE SIGNS OR MARKERS. SHINE WHEN LIGHT STRIKES ⅜" DIA. REQUIRES #10 NUT FOR MTG. NC#15-1. CARD OF 100 $2.00

FLASHER



SUNBEAM#1567 115 VOLT 60 CY ½ MINUTE ON ½ MINUTE OFF. 2 OUTPUT RECEPTACLES, LINE CORD, SWITCH, MOTOR ETC. 4½x4½x3; WT: 3LBS. $1.75

SWITCH HEAVY DUTY 8 CONTACT WITH 6 DIFFERENT COMBINATIONS OF MAKE & BREAK. S#40373, SIZE: 3x4½x6; 4 LBS. $1.50



SELECTOR SWITCH FOUR DECK, 11 CONTACTS EACH DECK. SIZE 2x3 IN. PLUS SHAFT. 3Z9825-55-STK#3Z9825-55-29 $1.00

ROTARY SELECTOR SWITCH, ONE DECK CERAMIC, 11 POSITION, 2" DIA. STK#3Z9825-62.178 PRICE: $.59 EA. 2 FOR $1



KNIFE SWITCH D.P.D.T. 1½x2-5/8 LEVITON9919 PORCELIAN BASE. $.39 EA. 3 FOR $1.00



SWITCH ROTARY SELECTOR OPERATES 18-28 VOLT D.C, 12 POSITION SINGLE DECK, 3½" FLEXIABLE SHAFT, SW. SIZE 2½x1½; WT: 3 Oz. #3360-074-570-914 $1.25

ROTARY SELECTOR SWITCH OPERATES FROM 18 - 28 VOLTS D.C ONE STEP AT A TIME, TOP DECK 12 POS LOWER DECK ONE CIRCUIT 3 POS. 2 CIRCUIT 4 POS SIZE: 2x2x2½; WT: 4 OZ. LELAND # B-7439 $1.50

TIMER MOTOR SWITCHING ASSEMBLY. 6 VOLTS D.C 4 R.P.M. S.P.D.T MICROSWITCH VARIABLE TIMING CAMS FOR ACTUATING SWITCHES. #H9200 PRICES: WITH(1) SW. $1.95 W/2 SW.$2.95-W/3 SW. 3.95

TS-164 FREQUENCY METER CASE (GOOD FOR BC-221, TS-174, TS 175 ETC.) WITH TWO BALLAST TUBES, VR-105 REGULATOR TUBE WITH MOUNTING &RELAY INSTALLED IN THE REAR COMPARTMENT WHICH IS 2" DEEP, FRONT COMPARTMENT 9⅜x7½x7½, HINGED COVER WITH PLASTIC COVER FOR CHART. UNUSED $3.95

PPI RADAR SYNCHRONZER OFFSET CHASSIS ASSY WITH TUBES 2/6AT6 1/6100, 1/6096, 1/6101, CERAMIC SOCKETS, 5 TEST PIN JAC PRECISION RES., COND, TRANS, SIZE 7½x5x3; 4 LBS. $1.50 STK. No. 1013 $1.50

MX-303A MAGAZINE FOR WIRE RECORDERS ANQ-1A, VRW-1 ETC. W/WIRE ON SPOOLS, MAGNETIZING HEAD, TIMERS, SWITCHES ETC. SIZE: 8x4½x3; 5 LBS. RE-NEW $1.95



ELECTRICAL CIRCUIT TESTER: PLASTIC UNIT CONTAINING 3 ROWS OF LIGHT BULBS 3 IN EACH ROW, WITH PLASTIC WINDOWS ON BOTH SIDES, 2, 4,6 ONE SIDE 1, 3,5 OTHER, SEPARATE LEADS FOR EACH ROW, CABLE 3½' LG. WITH ALLIGATOR CLIP SIZE 7x3⅜x1; WT: 1 LB. BAYNOET TYPE BULBS 24 V. MX-241/ PRICE: $.75



CAPACITOR BANK IN METAL BOX. TOTAL CAPACITY 15 MFD 600 VDC 1/1,2/2 & 2/5) 6¾x4½x5; 6 LBS. #R16-11687-500 $.75



BC-610 OSCILLATOR PLUG IN UNITS FOR 500 WATT TRANSMITTE WILL MAKE A GOOD FOUNDATIO FOR A 25-40 WATT TRANSMITT CONTAINS VAR. CAPACITORS, COILS KNOBS, CRYSTAL SOCK. SWITCH ETC.(ALL UNITS ARE USED AND HAVE CRACKED INSULATION ON THE PLUG IN PIN

TU#	Freq. Mc.	TU#	Freq. Mc.
47	2.0-2.5	48	2.5-3.0
49	3.2-4.0	50	4.0-5.0
51	5.0-6.3	53	8.0-12.0
62	1.0-1.5		

SIZE: 2x8½x4½; 2½LBS. $1.75



COILS PLUG IN AIR TYPE 5 BANANA PINS. 3½x4½; 1 LB. $1.95

FOR BC-610 C-#	Freq. Mc.	FOR BC-610 C-#	Freq. Mc.
389	4.5-5.7	447	8.0-11.
448	11.0-14.	455	1.0-1.5
FOR T-4/FRC		C-14	7.1-9.
" " "		C- 2	5.1-7.1



COMMAND RECEIVER VARIABLE 3 TO 6 Mc. 3 GANG WITH TRIMMERS & DIAL ASSY. 147 MMF. # 4601 4x3x3; WT: 1 LB. $1.95



ALLIGATOR CLIP WITH SCREW CABLE HOLDER & PINCH SPIKE AT JAWS. 2 INCHES LONG. 6 FOR $.50



GLOBE INDUSTRIES TYPE A PHOTO-CELL ASSY. BATT. OPERATED. W/ 921 PHOTO-CELL TUBE & 1S4, SENSITIVY ADJUSTMENT, RELAY, SWITCH, OUTLET ETC. SIZE: 3x4x5; WT: 2 LBS. PRICE: USED $2.50



IMMERSION HEATER 24 VOLT AC/DC, 50 WATTS 2 GALLON, 3" PRESS CAP, 4½" SCREW CONE, 5 FT. CORD. HEATING SHAFT 12". WT: 4LB LFC#EA8801. PRICE: $1.50



PHOTO-CELL LIGHT RESISTANCE TYPE 1000 OHM, 1/2" SQUARE. #5169A USED $1.00



MEISSNER COIL KIT FOR SIGNAL SHIFTERS. PLUG-IN TYPES, 3 COIL OSC. PLATE, OSC. GRID & BUFFER COILS.

EACH SET OF 3	$1.00	
ALL 3 SETS...	2.50	
A-18-2951	2040 to 2410 KC.	
3C368-14	1000 to 1170 KC.	
3C2501-17	40 METER BAND	



ARGUS AUTOMATIC TIMER No. 586 12 STOPS, 5-60 SECONDS, AUTOMATIC HOLD OR REJECT ON ANY PRE-SELECTED STOP. MADE FOR SLIDE PROJECTORS CAN BE ADAPTED TO OTHER USES. 2½x3x2½; 2LB $2.95

HEATING ELEMENT

115 VOLT 500 WATT SINGLE SECTION STRIP 23⅜ LG. X 1⅜" WIDE X 7/16", METAL SHEATH & MTG. HOLES. 2LBS 2Z5015-24 $1.50 EA.

SAME AS ABOVE 150 WATT, 7⅛ IN LG. 3H2503.1 $.75 EA.



CHROMALOK HEATING ELEMENT 115 VOLT 50 WATT STANDARD SCREW BASE, 4½x1½; 1 LB. #CHR-SCB $.75



T-67/ARC-3 C129 POWER AMPLIFIER PLATE TUNING 4-17 MMF, 2500 V .0243 AIR GAP. SHAFT 13/16 x.31; 1/7/8x2½ $1.50



BC-624/522 RECEIVER, 3 GANG 6-36 MMF EACH SECTION WITH SLUG TUNED TRIM. SHAFT 5/16 STK#3D9036V SIZE 4½x2x3¾; 1LB. $1.50



351-1013 3.5 TO 27 MMF, 13 PLATE SIZE 1-5/8x1-5/8x1-5/16, SHAFT 1½x3/16. $.75 $.75



T C S VARIABLE CAPACITOR 2 SECTIONS 10-280 MMF 1 SECTION 10-360 MMF, 4" 3 BAND DIAL CALIBRATED 1.5-3 MC 3-6 MC & 6-12 MC. WITH GEAR ASSY & LOCK. SIZE 7x3½x3½; WT: 5 LBS. #W-881 PRICE: NEW $3.95

CAPACITORS



VARIABLE CAPACITOR 5 SECTION 20-402 MMF EA. SECTION. WITH GEAR TR. AND SPLINED SHAFT, STRAIGHT SIZE: 9½x4x3; 4 LBS. #C-ARN-6 $3.95



BC-348 C&S VARIABLE CAPACITOR, 4 SECTION 16 TO 241 MMF, WITH GEAR & COMP. 6½x2½x3½; 2½ LBS. #3D9016V-1 PRICE: $1.50



BUD 40 METER TRANSMITING COIL MOUNTED ON 5 PIN CERAMIC BASE, 18 TURNS 1½ DIA. #3C804 $.75



BC-924 TRANSMITTER COIL

SLUG TUNNED COIL 27 TO 38 MC. WITH ADJUSTING DIAL & TUNING SCALE MOUNTED ON CAST BASE. SIZE 8x1x1½, 1LB. PRICE: 1.00



HAMMARLUND MFG #FI-475 PRICE: $7.95

TRANSMITTER VARIABLE CAP. 42 TO 420 MFD. 3200 VOLTS. 52 PLATES, 3/32 SPACING. SIZE 8½x2½x4 3 LBS.



TRANSMITTER VARIABLE CAP. 42-420 MFD. 2000 VDC. 40 PLATES 1/16 SPACING. SIZE: 6x2½x4; 2½ LB. GE#7765659-P1 PRICE: $5.95

20 TO 156 MMF 31 PLATES; SIZE 4x2x3, SHAFT ¼x 3/8 GE#T7660443-6 PRICE: $1.95



22 TO 118 MMF 31 PLATES SIZE: 4½x2x3 SHAFT ¼x3/8 GE#7463006-1 PRICE: $1.95

6 TO 146 MMF 37 PLATES SIZE: 1-5/16 x 15/16x1½; SHAFT 7/32x7/8 #309140V-7 PRICE: $.69

50 MMFD VARIABLE 7 PLATE ¼x½ SHAFT, MTG. BRK. #351-1037 $.79



PA TUNING CAPACITOR FOR COMMAND TRANSMITTERS WITH GEAR TRAIN & DOUBLE END SHFT SIZE 4x2½x3. STK#2C6397A/C8 PT#C-65/7321 PRICE: $1.50



VARIABLE CAPACITOR 7 SECTIONS 1/80, 4/100 & 2/200, DRUM DIAL. 11x11x3; 5 LBS. #CA-325/BC-223 $2.95

VACUUM CAPACITOR



VACUM CAPACITOR 3 MMFD 15 KV.DC, PLUS OR MINUS 10% W/CONNETCORS. SIZE 5/8x4 JENNINGS TYPE Y-3 N.$1.95

MINIMUM ORDER $3.00

ANTENNAS



3 ft. Tubular steel, cooper coated and painted sections. These screw together to make any desired length. MS-49 being the top & smallest section increasing in size through MS-50-51-52-53 to MS-54 being the larger one. Either the MS-53 or MS-54 will fit together to form any additional heighth desired. Example a 33 ft. vertical may consist of one each MS-49, 50,51,52, and 7 each of MS-53 or it may be finished out on the bottom with 6 MS-54 sections. Self support to about 18ft. Average Wt.app. 3/4lbs. MS-49-50-51-52-53 .50ea. MS-54 .75ea

Mast Bases

MP-22 Side mount swivel mast base will tip to 90° either right or left. Has a spring snap lock in the vertical position, will take either the MS-53 or MS-54 mast sections. Size Mtg. plate 5" 6" X 10½" high. Wt. 9 lbs. Price.....$2.95

MP-22A Same as above except mounting hole is for the MS-51 with the MS-49, MS-50 and MS-51. This will make a 9 ft. tapered antenna. Price $2.95

MP-33 A heavy weight spring mast base for the MS-53 or MS-54 with 5" phenolic insulator. 10½" high. Requires a 2" Mtg. hole. Wt. 8½ lbs. Price$3.95

MP-37 Heavy coil spring with an 8" climeter ceramic Insulator. Requires a 2" Mtg. hole. 12" high WT 10½ lbs. Price.....$5.95

MP-48 A rugged mast base with the insulator above the spring will take the MS-53 or MS-54 mast sections. Size 3"D. X 16½"H. Wt. 11 3/4 lbs. Price.....$2.95

PARABOLIC ANTENNA



DISH PAN TYPE, FOUR (4) FOOT DIAMETER ALUMINUM PAINTED GREY, 21" FEED FOR APPROX. 7100 MC. THREE INCH ROUND MTG. FOR WAVE GUIDE SIZE 1-5/16 x 5/8, FOUR (4) MOUNTING STUDS WITH HARDWARE.
PHILCO # 463-2252-1.
SHIPPING WT. IN CARTONS 75 LBS. CRATE 225
PRICES: WITH FEED $29.95 LESS FEED $25.00
DEFROST ATTACHMENT $5.00 EXTRA.

SIX HALF FT ANTENNA ANDREW # N-14519, DISH TYPE UY-2B 1700 TO 1850 MC. WITH FEED STUB, PIPE MOUNTING, ALUMINUM PAINTED GREY, 6 FT. 6 INCHES. SHPG. WT. 415
UNUSED $49.50

REFLECTORS

MICROWAVE, PLANE TYPE CONFIGURATION, ALUMINUM, NOT PERFORATED. MOUNTED BY FRAME WORK OF REFLECTOR AND BRACKETS WITH HARDWARE, GUYS AND ADJUSTMENT FOR AZIMUTH. SIZE: 8 FOOT x 6 FOOT, NET WT. 125 LBS. SHPG. WT. 375. PRICE: $50.00

AS-65/APQ-2A ANTENNA ASSEMBLY CONSISTING OF 2 3" BASES WITH UG-23 COAX. CONN. AND ALUMINUM RODS 3/12",1/9",1/7 1/5⅛,1/4". WT: 4 LBS. PRICE: $.50

AN-75D WHIP ANTENNA TELESCOPING TYPE. SEVEN (7) FT. EXTENDED 14" COLLASPED, WITH MOUNTING BRACKET & BINDING POST. PRICE: EACH $1.50

AT-35 DIPOLE ANTENNA 200-250 Mc. COAXIAL CONN. WT: 2LBS. WITH UG-22 2A288A-35 $1.50

SPREADER INSULATORS WHITE CERA 3/4"x4",2¾" HOLE CENTERS. $.25 EACH 5 FOR $1.00
3/4"x 12",10" HOLE CENTERS $.45 EACH, 3 FOR $1.25

AN-109 WHIP ANTENNA; 5 FT. TAPERED 1/4 TO 1/8 PRICES: $1.50 EACH SIX (6) FOR $3.00

AN-117 WHIP ANTENNA; 6 FT. TAPERED 5/8 TO 1/8 PRICES: $1.50 EACH SIX (6) FOR $3.00

AN-75 TELESCOPING WHIP 7 FT. TAPER 5/8-1/16 PRICES: $1.00 EACH SIX (6) FOR $4.00

AN-745 TELESCOPING WHIP 8 FT. TAPER 5/8-1/8 PRICE: $1.00 EACH SIX (6) FOR $4.00

AN-130 GOOSENECK WHIP 30", SCREW BASE FITS INSULATOR LISTED BELOW. PRICE: $1.00 EACH SIX (6) FOR $4.00

AN-20T CHROME TELESCOPING 20" PRICE: $.50 EACH SIX (6) FOR $2.00

2A-124 ALUMINUM ROD 3/8"x 6 FT. NO TAPER PRICE: .75 EACH SIX (6) FOR $3.00

A-27 PHANTOM ANTENNA

USED WITH BC-653 & BC-191 TRANSMITTERS FOR TUNING & LOADING WITHOUT REGULAR ANTENNA BEING CINNECTED. CONTAINS A 0-150 MMF. WIDE SPACED 3/16, VARIABLE CAPACITOR, 2/12 OHM 40 WATT NON-INDUCTIVE RESISTORS, MOUNTED IN A CASE 3½x7x4½ THAT HAS A PONITER KNOB AND 0-100 SCALE, ANTENNA & GND LEADS WITH COVER. WT:2 LBS. PRICE: RE-NEW $1.50

$1.25

A-62 PHANTOM ANTENNA

USED WITH BC-604 TRANSMITTER FOR LOADING TRANSMITTER WITHOUT USE OF REGULAR ANTENNA. CAN BE USED FOR ANY TRANSMITTER IN THE 21 TO 28 MC. BAND. HAS A VARIABLE CAPACITOR 55 MMF., 2/RESITORS, COIL SLUG TUNED, BINDING POSTS AND INDICATOR LAMP THAT LIGHTS WHEN TRANSMITTER IS LOADED. SIZE 3x6. WT: 4 LBS



AS-150/ ART Whip Antenna 30" long with 8ft. matching coax cable & SO-239 plug. $1.50
AS-97/ART Whip same as above except 72"rod. 1.95
AS-27/ARN-5 Horizontal folded dipole as used with RC-103, BC-733, ARN-5 Equip. on airplanes. 108-110 MC. UNUSED $5.95
AN-148 Dipole Antenna 150 to 180 MC. 2.95
AN-104A Stub Antenna f/SCR-522 100-156MC. 1.25

AS-27

AN-148



APS-2 REFLECTOR

POLISHED SPUN ALUMINUM. BAND CAN BE REMOVED. DIAMETER 29" x 27" FOCAL LENGTH 5" HOLE DIAMETER 2⅝" SHPG. WEIGHT 6 LBS.
PRICE: $5.95

IN-86

STRAIN INSULATOR Size 1x3 4 for $1.

GROUND PLANE ANTENNA

Ground plane antenna to cover 20 to 50 MC. Made from surplus insulated base & screw in type mast sections. Mounts on 1 to 2 inch pipe. Specify operating frequency range.

GROUND PLANE ANTENNA $10.95

Antenna Telescoping
AN-29 for BC-659
12 FT,10". $2.95

AN-45 for BC-620
8 foot $2.95



INSULATOR TERMINAL STRIP

8 feed thru insulators size ½ x 1, mounted on 1 x 9 terminal strip.
Each strip $.35
Four strips $1.00

ANTENNA PHOSPHOR BRONZE #16 1 CONDUCTOR WITH 2 SNAPS & SLIDE CONNECTOR, INSULATED.

AN-22 " 20 " .65

AB-52/TRC-8 HALF WAVE DIPOLE ANTENNA & REFLECTOR 230-250 MC. 50 OHM COAX. CABLE FEED DIPOLE ½" DIA X 20" LG. 14" SUPPORT, UG-22 COAX FITTING, REFLECTOR 36x30, FOLDS TO 30"x23"x8", MOUNTS TO MAST HEAD BY MEANS OF ADJUSTABLE CLAMPS AND CAN BE USED FOR HORIZONTAL OR VERTICAL POLARIZATION. WT: 20 LBS.
PRICE: $3.95
UG-21 COAX. CONN. TO FIT ANTENNA $.75

DU-1 LOOP ANTENNA FOR ARB REC. USED AS A DIRECTION FINDER IN THE 200 TO 1600 KC RANGE, OPERATING VOLTAGE IS NORMALY SUPPLIED BY THE RECEIVER WHICH IS APPROX. 200 VDC AND 12 OR 24 VOLT DC. WITH 2/12 SK7 TUBES. SIZE;17x12x12:10LBS
PRICE: NEW $18.95
CONNECTOR PLUG " $1.00

AN-190 LOOP ANTENNA; FREQUENCY RANGE 3.5 TO 6 MC. CONSISTS OF 5 TURNS OF WIRE ON A COLLAPSIBLE WOOD FRAME WITH HANDLE, 3FT OF CABLE WITH PLUG AND COUPLING ADJUSTMENT. CAN BE USED ON OTHER FREQUENCY SIZE: OPEN 21½x27½, CLOSED 17x3; WT: 4 LBS. $1.50

AS-26/APR-2 ANTENNA USED WITH R-34/APR-2 RECEIVER FREQUENCY 400 TO 1000 MC. WITH UG-22 COAXIAL RECEPTACLE. SIZE: 8x6; WT: 3 LBS.
PRICE: NEW $5.95
UG-21 COAX. CONNECTOR TO FIT UG-22..... $.75

AS-313/ARN-6 LOOP ANTENNA WITH MOTOR AND AUTOSYN TRANSMITTER. USED WITH ARN-6 RADIO COMPASS THAT TUNES FROM 200 TO 1750 KC, OPERATES FROM 26 VOLT 400 CYCLE SIZE:10x11x5; WT: 15 LBS.
PRICE:(AS ILLUSTRATED) USED $7.95

RADAR ANTENNA RCA#636500-1 24" PERFORATED REFLECTOR, 12" STUB. 1/4 H.P. MOTOR 208 v. 400 cyc. 3 PHASE 360 DEG. ROTATION, 22.5 VARIABLE ANGLE, AY-221s RESOLVER, 36/11.8 v. 400 CYC, 2 PHASE, RELAYS ETC. SIZE: 24 x 24 x20: WT: 40
PRICE: USED $19.95



A P R ANTENNA

AS-125/APR ANTENNA; FOR USE WITH RECEIVERS OPERATING IN THE 1000-6000 MC. FREQ. RANGE, 6" MOUNTING RING W/HARDWARE, UG-22 COAX. CONN. RECEPTACLE.
SIZE:6x8; WT: 4 LBS. $1.95
UG-21 TO FIT UG-22.....50

AS-158/APA-24 DIPOLE ANTENNA CONSISTS OF TWO DIPOLES THAT EITHER CAN BE USED IN A HORIZONTAL OR VERICAL POSITION, FREQUENCY RANGE 450 TO 750 MC. MOUNTED ON 34" MAST, TWO LENGTHS OF TWIN COAX. WITH PLUGS 4½ FT.
PRICE: $2.50

NEON LIGHTING ARRESTOR HI-POWER 4 for $1

SMALL ANTENNA INSULATORS

Insulating material made of polestyrene
Size 1½x1½ Mtg.hole 3/4"
Receptacle size 3/8x24 TH.
STOCK # 2Z3021-227
Fits ANT. AN-130,131,
Size 7/8x1½ MTG.hole 5/8"
Receptacle size ½ x 20.TH.
Fits any of the UHF Rods
Stock # 2Z3062-237
Specify type each $.75

R-58/ARQ-8 RECEIVER USED WITH T-51 TRANSMITTER AS A SEARCH AND JAMMING SET IN 25 TO 105 MC RANGE. THE RECEIVER FREQ. WAS CONTROLLED BY THE TRANSMITTER OSCILLATOR AND FEED THROUGH THE COAXIAL CONNECTOR ON THE FRONT OF THE RECEIVER WHICH HAS A 20 MC. IF. A BAND-PASS CIRCUIT 5 MC. WIDE TUNEABLE BETWEEN 25 & 105 MC IS USED BETWEEN THE MIXER CONTROL GRID AND THE ANTENNA. UNIT REQUIERS 115 VOLT 400 CYCLE & 24 VOLT FOR POWER. COMPLETE WITH TUBES 1/9001, 3/6SG7, 1/6SQ7, 1/6AG7 AND 1/5Y3GT. SIZE: 5½x7x22; WT: 25 LBS.
PRICE: USED $5.95
ILLUSTRATED COVER REMOVED. POWER PLUG, $1.50
RECEIVER SCHEMATIC $1.00/ POWER PLUG. $1.50

RADAR INDICATOR $24.95

PPI RANGE INDICATOR FOR T-9 TRACKER RADAR SET AN/GPG-1. OPERATES FROM 115 VOL 60 CYCLE WITH TUBES, 13/6J6, 2/12AH7, 1/6AG5, 1/6AR6, 1/6AG7, 2/6C4, 1/12AU7, 1/3DP1, 1/5ADP7 & 2/3B29 ALL FOCUSING CONTROLS ON FRONT PANEL, CHASSIS ONLY, NO COVER. SIZE: 13x11x24; WT: 80 LBS.

PANORAMIC RECEIVER

R-61/ARQ-5 DOUBLE SUPERHETRODYNE RECEIVER WITH MOTOR DRIVER CAPACITOR TUNING FOR SCANNING AM, FM, CW & WB VIDEO SIGNALS IN THE 18 TO 50 & 48 TO 80 MC BAND ON A 5CP1 CATHODE RAY TUBE THAT IS CALIBRATED AS TO FREQ. PRESENTATION IN THE LOW & HIGH BAND. SELECTION OF BAND TO BE VIEWED, SELECTIVITY & CLIBRATION ARE ALL ON THE FRONT PANEL. SET IS OF UNITIZED CONSTRUCTION AND IS COMPLETE WITH 20 TUBES; 4/6AG5, 2/9002, 2/12SK7, ONE EACH 5Y3, 2x2, VR-90, 927, 12SG7, 12SA7, 12H6, 12SQ7, 12SH7, 6SN7, 2050 & 5CP1. OPERATING VOLTAG REQUIRED 80-115 VOLTS 400-2600 CYCLES 120 WATTS & 28 VDC WITH OPERATING MANUAL & SCHEMATIC. SIZE; 10½x8x22. WT. 51 LBS. PRICE, NEW... $49.50

ID-169/APN-12 RADAR RANGE INDICATOR OSCILLISCOPE, USED WITH VARIOUS TYPE SETS FOR INDICATION OF INCOMING SIGNALS IN ORDER THAT THE RANGE MAY BE DETERMINED. HAS VERTICAL, HORIZONTAL, FOCUS, SWEEP & INTENSITY CONTROLS, COAXIAL ANTENN. CHANGE-OVER MOTOR ALSO TUBES 3BP1, 2/6H6, 2/6SN7, 1/6G6, 1/6X5 & 1/2X2. OPERTAES FROM 115 VOL 400 CYCLE & 24 VDC. SIZE: 10x8x22; WT: 40 LBS
PRICE: USED $9.95

AMPLIFIER

NAVY INTERPHONE AMPLIFIER USED WITH TCS EQUIPMENT. PUSH-PULL 2/12A6 TUBES, CARBON MIC. INPUT 75-200 OHM ALSO 600 OHM. OUTPUT 125 OHM. VOLTAGE REQUIRED 12 VDC & 250 VDC 60 MA. HAS MOUNTING FOR DYNAMOTOR 35x032, 12 VOLT.
(SEE CONVERSION INFORMATION LISTED BELOW.)
SIZE: 7½x10x7; WT: 15 LBS.
PRICE: AMPLIFIER WITH TUBES $2.95
" " " & DYN. 6.95
KIT FOR CONVERSION TO SPEAKER OUTPUT, APPROX 5 WATTS, INCLUDES OUTPUT TRANSFORMER, MIC & PHONE JACKS, SWITCH, CABLE AND PLUG FOR PLUGING INTO LIGHTER AND INSTRUCTIONS. $2.00

AUTO PILOT

MISSILE AUTOPILOT AMPLIFIER 35 TUBES, 10/5814, 4/6AQ5, 4/6AQ5, 4/12AL5, 6/5879, 6/6AL5 & 1/5751 CIRCUITS, ROLL & PITCH, NORTH, SOUTH, EAST, WEST, GAIN & BALANCE CONTROLS, RESISTORS, CONDENSERS, TRANFORMERS, RECTIFIERS LOADS OF PARTS MOUNTED ON A 3 SECTION ALUMINUM FRAME THAT CAN BE DISMANTLED.
SIZE: 28⅛ x 4⅛ x 12½; WT: 35 LBS.
PRICE: USED $14.95

GYRO INTEGRATING HIG UNIT MFG. BY HUGHES AIRCRAFT PART NO. 420-57-0013, CONTROL RATE OF TURN. SIZE 2⅝x5½; WT: 3 LBS. USED $4.95

DEFLECTION PREDICTION SERVO ARMA #93600, CONSISTS OF FOUR RESOLVERS #93170, PRECISION POT. CONTROL MOUNTED ON GEAR TRAIN ASSY WITH INDICATOR DIAL SIZE: 6½x3⅝x4; WT: 4 LBS.
PRICE: USED $4.95

AZIMUTH LINE OF SIGHT SERVO ARMA #2-00003-239. CONSISTS OF RESOLVER 93170, INDUCTION GENERATOR 2-00003-903, SERVO MOTOR BM-1541A, PRECISION POT. MOUNTED ON CHASSIS WITH GEAR TRAIN ASSY.
SIZE 6⅝x4x4½; WT: 5 LBS. $4.95

P OR R ELEVATION COMPUTER ASSY; CONSISTS OF TWO SYNCHRO RESOLVER, KETAY #D-13810-1 0-100V 350 CPS, #D-13350-1 0-10 V. 400 CPS, KOLLSMAN INDUCTION MOTOR #1515J-0430, WE MAGNETIC AMP. GA-52140, FOUR TUBES IN SEALED CIRCUITRY, A&B CONTROLS, TEST JACKS ETC. STK.# 15264
SIZE: 11x7x6; WT: 12 LBS. PRICE: USED $6.95

INDICATOR AZIMUTH & SIGHTING ANGLE TYPE C-1A. OPERATES 26 VOLT 400 CYCLE, TWO 3" IND PART #SYA-3710.
SIZE 6⅛x3⅛x3; WT: 4 LBS. $2.95

SYNCHRO INDICATOR

INDICATOR ASSEMBLY FROM CRV-55ABL CONSISTS OF 2 SYNCHRO MOTORS MARK 4, MOD. 2 SIZE 5F, 115/90 V. 60 CY CONNECTED TO A 7⅛" SCALE 0-360 DEGREES INNER AND OUTER FIX. ALUMINUM CHASSIS NO COVER 14x14x14; WT: 40 LBS.
AS DESCRIBED $14.95 SYNCHRO MOTOR ONLY 8.95

SYNCHRO CONTROL TRANSFORMER MARK 3, MOD. 2.5CT 90-55 VOLT TO BE USED WITH ABOVE UNIT. $9.95

ARMA 5A INDUCTION MOTOR No. 213079 COUPLED TO KOLLSMAN CONTRANS. 799-05, GEARED SHAFT.
7⅛x3½x3⅜; WT: 7 LBS. $2.95

SYNCHRO RECEIVERS

RECEIVERS TYPE 23TR6 PART NO. 76766355, 115 V 60 CYCLE, 2"x4" SAME AS USED IN THE ABOVE UNIT. WEIGHT PER PAIR 5 LBS.
PRICE: $10.95 EACH
20.00 PAIR

A-1C SIGHT HEAD FOR GUN BOMB OR ROCKET. CONTAINS LENSES, MIRRORS, BEARINGS, GEARS, LAMPS, INDICATOR SWITCHES ETC.
SIZE: 13x16x5; WT: 30 LBS. $9.95

AUTOMATIC PILOT COMPONENT; GYRO DIRECTIONAL STABILIZER UNIT FOR "M" SERIES BOMBSIGHT AND E-6 AUTOPILOT. OPERATES FROM 24-28 VOLTS D.C.
SIZE 17x12x12; WT: 50 LBS.
PRICE: USED $22.95

TS-13/AP TEST SET; CONSISTS OF SIGNAL GENERATOR, X BAND WAVEMETER, WATTMETER, PLUMBING ETC. OPERATES FROM 115 VOLT 60 TO 800 CYCLE. USED FOR BENCH FIELD TESTING OF RADAR EQUIP. ASD, A1A, APS-3 ETC.
SIZE: 20x10x12; WT: 65 LBS. PRICE: USED $40.

TS-14 TEST SET; SIGNAL GENERATOR USED FOR FIELD TESTING OF "SA" BAND RADAR SUCH ASG, ASC, APS-2 ETC. OPERATES FROM 115 VOLT 60-800 CYCLE. SIZE 17½x10x12; WT: 30 LB. USED $30.00

TS-92/AP AMPLIFIER ALIGNMENT UNIT; CONSISTS OF A RECEIVER WHICH CAN BE USED TO CHECK THE OUTPUT OF XMITTER JAMMING FOR MAX. GAIN IN THE 20 TO 250 MC. RANGE. OPERATES FROM 115 V. 60 TO 2600 CYCLE.
SIZE 14x8x7⅛; WT: 40 LBS. PRICE: USED $29.50

SYNCHRO SELSYNS

SYNCHRO GENERATOR SPERRY PT#R5663642 MFG. BY BENDIX FOR IBM. SIMILAR TO BENDIX # AY-401-2. OPERATES FROM 26 VOLTS 400 CYCLE SINGLE PHASE WHEN USED IN CONJUNCTION WITH BENDIX # AY-201 SYNCHRO CONTROL TRANSFORMERS IT WILL OPERATE UP TO 20 UNITS. WILL ALSO OPERATE FROM 6 VOLT 60 CY. WITH A SLIGHT LOSS. SIZE: 2½x2½; SHAFT 1/16x⅜; WT: 12 OZ. PRICE: NEW $2.95 2 FOR $5.00

AY-201 SYNCHRO CONTROL TRANSFORMER MFG. BY BENDIX, ROTOR 1 PHASE 26 VOLT 400 CYCLE, STATOR 3 PHASE 11.8 VOLTS. SIZE: 1⅝x1⅛ SHAFT 1/2 x1/16; WT; 3 OZ. CONDITION REMOVED FROM EQUIPMENT.
PRICE: $1.95 EACH 3 FOR $5.00

KEARFOOT R-200 SYNCHRO CONTROL TRANSFORMER. ROTOR 26 VOLT 1 PHASE 400 CYCLE, STATOR 11.8 VOLT 3 PHASE. SIZE: 1x1-3/4, SHAFT 1/16 x 1/2 ; WT: 3 OZ. CONDITION REMOVED FROM EQUIPMENT. PRICE: $2.95 EACH

KEARFOOT SYNCHRO RESOLVER R-235, ROTOR 2 PHASE 26 VOLTS, STATOR 2 PHASE 11.8 VOLTS 400 CYCLE. SIZE: 1x1-3/4; SHAFT 1/16x⅜; 3oz. REMOVED FROM EQUIPMENT. PRICE: $2.95

2J1F1 SELSYN GENERATOR
NORMALLY OPERATES FROM 115/57.5 VOLTS 400 CYCLE BUT WILL OPERATE FROM 36 VOLT 60 CYCLE AS SHOWN IN WIRING DIAGRAM TO THE RIGHT. SIZE 2⅛x4½, WT: 8 oz.
PRICE: WITH CONNECTOR CAPS. $2.95

SELSYN SYNCHRO



NAVY TYPE SYNCHRO GENERATOR 5G MK1, MOD. 5; 115/90 V. 60 CYCLE. CAN BE USED FOR DIRECTIONAL CONTROL TO A REMOTE POSITION IN PAIRS AS TRANSMITTER & RECEIVER. EACH UNIT WILL FOLLOW OTHER UNIT IN DIRECTION AND SPEED OF ROTATION.

HEAVY DUTY GEAR TRAIN WITH SELSYN/SNYCHRO AS ILLUSTRATED, SIZE 10x8x5, WT: 12 LBS. $7.95
SELSYN/SYNCHRO ONLY 6½x4 WT: 5 " 5.95
GEAR TRAIN ONLY 10x3x5 WT: 7 " $1.50



LP-21LM LOOP ANTENNA AS USED ON AIRCRAFT WITH RADIO COMPASS RECEIVERS FOR USE IN THE 200 TO 1750 KC. COMPLETE LOOP ILLUSTRATED TO THE LEFT. ILLUSTRATION TO THE RIGHT IS WITH HOUSING REMOVED AND IN THE CENTER ARE ILLUSTRATED THE GEAR TRAIN MOTOR, REVERSIABLE CK-2 AND AUTOSYN SELSYN MC-217/MC-507 WHICH ARE INSIDE THE BOTTOM HOUSING ALSO CONTAINED THEREIN IS A SLIP RING ASSY. MOTORS OPERATE FROM 26 VOLT 400 CYCLE BUT CAN BE OPERATED FROM 60 CYCLE AS SHOWN IN WIRING DIAGRAM BELOW.
SIZE: OVERALL 20x16x10, WT: 12 LBS. COND. USED.

LP-21-LM LOOP COMPLETE WITH HOUSING	$9.95
LP-21-LM " " LESS "	6.95
CK-2 GEAR TRAIN MOTOR ONLY	4.95
MC-217/MC-507 AUTOSYN SELSYN	3.95
PL-112 PLUG TO FIT LOOP 9 CONTACT	2.50
PL-108 PLUG " " " 4 "	1.50



1-82A INDICATOR 5" ILLUSTRATED TO LEFT ABOVE 0-360 DEGREE SCALE CONTAINS A MATCHING AUTOSYN MOTOR TO BE USED WITH THE LP-21LM LOOP. OPERATES FROM 26 V 400 CYC. (60 CYC SEE BELOW)
1-81A INDICATOR 3" ILLUSTRATED TO RIGHT ABOVE 0-36 DEGREE SCALE CONTAINS A MATCHING AUTOSYN THAT WAS USED WITH THE LP-21LM LOOP. OPERATES FROM 26V 400 CYC. (60 CYC. SEE BELOW)

1-82A INDICATOR 5"	USED $3.95
1-81A INDICATOR 3"	USED 2.95
PL-118 CONNECTOR PLUG FOR INDICATORS	2.50EA

P 4 COMPUTER

MFG. BY SPERRY GYROSCOPE CO. THIS UNIT WAS GIVEN MUCH OF THE CREDIT FOR THE SUCCESS OF THE B-29 BOMBER SQUADRONS. CONSISTS OF A INTRICATE OPTICAL SYSTEM MFG. BY EASTMAN - KODAK THAT INCLUDES TWO PERISCOPES THAT REVOLVE, ONE 22" OTHER 68" AND ARE INTERCHANGEABLE. THE MAIN UNIT IS 35x25x11 AND CONTAINS VARIOUS TYPES OF SMALL 24 VOLT DC MOTORS, PRECISION SEXTANT, SWITCHES, GEARS CAMS, BEARINGS AND THOUSANDS OF OTHER PARTS. SHIPPING WT: 250 LBS.
PRICE: UNUSED $59.50

SIGNAL LIGHT

SIGNAL LIGHT NAF# 1171-2, 26 VOLT D.C. SEALED BEAM WITH FOUR FILTERS, RED GREEN & AMBER. TRIGGER SIGNALLING OR CONSTANT AS A SPOT LIGHT. WITH 10 FT. RUBBER CORD, MOUNTING BRACKET AND FIBER CARRYING CASE. SIZE 6x8; WT:8 LB. UNUSED $4.95

I 177 TUBE CHECKER

USED $29.95
NEW 49.50

PORTABLE DYNAMIC MUTUAL CONDTANCE TYPE WITH 3" METER FOR INDICATING GOOD, BAD OR QUESTIONABLE ALSO GASES, SHORTS & NOISE. WILL CHECK 4 TO 7 PIN LARGE, SMALL, OCTAL, LOCTAL, ACORN ETC. WITH CHART FOR TUBES BEFORE 1953 LATER TYPES SEE BELOW. SIZE 5½x15½x8½; 16 LBS

I-177 TUBE CHECKER ADAPTER; NEWLY MANUFACTURED UNIT TO REPLACE THE MX-949/U MILITARY TYPE. HAS SOCKETS TO TEST 7&9 PIN MINIATURE, OCTAL, LOCTAL, NOVAR AND COMPACTRON TUBES. PIN PLUGS ARE USED FOR THE TUBE SET-UP. $26.50

BIGELOW I-177/MX-949 SPEC. ADAPTER I-177 SERIES TUBE SET-UP CARDS FOR USE WITH THE ABOVE DESCIBED ADAPTER TO CHECK THE MORE MODERN TYPE TUBES. MANY TYPE ARE NOW SET UP AND YOU GET A ONE YEAR TUBE DATA SUBSCIPTIOI FOR ADDITIONAL TYPES.
ORDER BIGELOW I-177 CHART.... $4.99

MICROWAVE GENERATOR

TS-147B/UP MICROWAVE SIGNAL GENERATOR
PORTABLE UNIT DESIGNED TO TEST AND ADJUST RADAR, BEACON AND MICROWAVE COMMUNICATION SYSTEMS OPERATING IN THE FREQUENCY RANGE OF 8500 TO 9600 MC. PROVIDES EITHER FM OR CW TEST SIGNALS OF KNOWN POWER LEVEL & FREQUENCY. THIS UNIT CONTAINS A DIRECT READING FREQ. METER AND POWER LEVEL METER WHICH POWER REFERENCED TO ONE MILLIWATT (DBM). USED TO MEASURE THE FREQ. AND POWER LEVEL OF THE INPUT AND OUTPUT SIGNALS. SPECTRUM WIDTH, FREQ. CHANGE, RECOVERY TIME AND STANDING WAVE RATIO. CAN ALSO BE MODULATED EXTERNALLY. OPERATES FROM 115 VOLT 50-1600 CYCLES. LESS CABLES, PLUGS, ADAPTER, PICK UP HORN. SIZE: 11½x18½x12½; WT: 35 LBS. USED
TS-147B/UP SIGNAL GENERATOR AS PHOTO $59.50
TS-147A/UP " " SIMILAR TO " 49.50

TESTER ASSEMBLY T-101001

STABILIZATION TEST SET FOR AUTOMATIC PILOT. CONTAINS A 2½" AC METER WITH CENTER SCALE 50-0-50 & 15-0-15, 5 POSITION METERING SWITCH FOR RANGE & 11 POSITION SWITCH FOR MEASURING VOLTAGE FROM THE EXTERNAL PIN-JACKS OR CONN. PLUG. ALSO HAS 7 TOGGLE SWITCHES, 4 LIGTHS, 2/6AL5 & 1/2C51 TUBES. IN ALUMINUM CARRING CASE. SIZE: 13½x11x11. WT: 22LBS.
PRICE: USED $6.95

WAVEMETER

TS-117 WAVEMETER; 2400 TO 3400 MC P/M 3 MC TRANSMISSION RANGE; P/M 6 MC. ABSORPTION RANGE; 0-50 MICROAMP METER D.C. IN21B CRYSTAL RECTIFIER, AS-23/AP ANTENNA, UG-57U, UG-131/U ADAPTERS AND CG-183/U CABLE. TUNING CAVITY WITH CALIBRATION CHART. WOOD CARRING CASE. SIZE: 8x6x6½; WT: 10 LBS.
PRICE: USED $18.95
RE-NEW 24.95

TS-170/ARN-5 TEST OSCILLATOR

332.6 333.8 335.0 MC
BATTERY OPERATED, CRYSTAL CONTROLLED ON THREE PRESELECTED FREQUENCIES, 90 & 150 CYCLE MODULATION; USED TO ALIGN GLIDE PATH RECEIVER & DETERMINE SENSITIVITY 2", 0-1 DC MILLIAMPERE METER FOR MEASURING CIRCUITS. HOUSED IN ALUMINUM CARRING CASE 12½x9½x8, WT: 12 LBS. NEW 16.95
PRICE: USED $12.95

I-199 TEST SET

DYNAMOTOR & HAND GENERATOR TESTER USED TO CHECK EQUIPMENT UNDER LOAD CONDITIONS. INPUT VOLTAGE READINGS 0-60 VOLTS DC & 60 AMPS. D.C. OUTPUT VOLTAGES 0-1200 VOLTS D.C. & 600 MA. D.C. ALSO PERCENTAGE OF RIPPLE IN THE INPUT & OUTPUT, ALL SHOWN ON 3" RD. METERS ALSO CONTROLS FOR VARING VOLTAGE & CURRENT UNDER LOAD. SIZE; 18x12x11, WT: 40 LBS.
PRICE: USED $29.50 NEW $39.50

BC-638 FREQUENCY METER 100 TO 156 MC

CRYSTAL CONTROL ON FOUR PRE-SET FREQUENCIES; VARIABLE TUNING WITH MAGIC EYE CONTROL. USED WITH SCR-522 AND OTHER SETS. OPERATES FROM 115 VOLT 60 CYCLE ALSO PROVISIONS FOR BATTERY OPERATION AND HAS SELCONTAINED MODULATOR. RACK PANEL MTG. 19" x7x9, WT: 35 LBS.
PRICE: USED $12.95

MD-16/TPS-3 MODULATOR FOR TPS-3 RADAR SET. P3E EMISSION, RESONANT CHARGING SYSTEM & TYPE E LINE WHICH IS DISCHARGED THROUGH SPARK GAP AND PULSE TRANSFORMER. 8 KV OUTPUT, 500 OHM IMPEDANCE, PULSES 200 PER SECOND, 1.2 SECOND DURATION, WITH TUBES 2/705 & 1/1B32/532. OPERATE 115 VOLTS 400 CYCLE AND WAS USED WITH APPROX. 600 MC RADAR SET. SIZE: 12½x14½x11
SHPG. WT: 125 LBS. PRICE: NEW... $9.95

ALTIMETER TEST SET TS-10B APN



USED FOR CHECKING SENSITIVITY, TUNING, ANTENNA SYSTEMS, CALIBRATION AND LIMIT CALIBRATIONS OF ALTIMETERS. CONTAINS 370 FT & 70 FT 58OHM RG-54A/U COAXIAL CABLE DELAY LINES, L-101 COAXIAL ATTENUATOR, ID-98 INDICATOR, 2/8 FT 1/20", 1/12" OF RG-8 52 OHM COAXIAL CABLE WITH PL-259 CONNECTOR EA. END AND 4/SO-239 CONNECTORS. COMPLETE IN CARRING CASE 19x15x7 WT 36
(SEE PAGE 5 FOR COAXIAL CABLE & CONN. ONLY)
PRICE: USED $15.00 UNUSED $18.00

I-61 TEST SET FOR TRANSMISSION MEASURING

PORTABLE BATTERY OPERATED UNIT USED TO MEASURE LOSSES OR GAINS IN CIRCUITS OR APPARATUS. AUDIO OSCILATOR FREQUENCIES OF 500, 1000 AND 2500 CYCLES WITH LEVELS OF -40DBM, -20 DBM OR 0 DBM INTO A 600 OHM LOAD, THE RECEIVING AMPLIFIER IS CALIBRATED TO MEASURE LEVELS FROM A 600 OHM SOURCE BETWEEN -50 DBM & 15 DBM IN STEPS OF 0.5 DBM OVER THE FREQUENCY RANGE OF 100 TO 10,000 CYC THE 0 DBM IS ONE MILLIWATT IN 600 OHMS.
UNIT ALSO CONTAINS A EE-8B FIELD TELEPHONE, BATTERY OPERATED ASSY. WITH A TS-9 HANDSET. AND BE PURCHASED WITHOUT THIS ASSEMBLY. COMES IN WOOD CARRING CASE 18½x10x11, WT: 47LB
PRICE, COMPLETE WITH TELEPHONE ASSY & TS-9
USED $29.95 RE-NEW $39.50
LESS TEL. ASSY " 19.95 " " 29.50



CONDENSER & COIL ASSEMBLY AS USED IN TS-47/APR TEST SET. FREQ. RANGE 40 TO 500 MC. CONSISTS OF VARIABLE BUTTERFLY CAPACITOR ASSEMBLY INCLUDING OSCILATING CIRCUIT THA USES 9002 TUBE. SIZE 4x5x3; WT: 3 LBS. STK#3F3901-47/C2
PRICE: NEW $9.95

URC-4 TEST SET

TS-684/URM-30 ANALYZER FOR URC-4 RADIO SET, ALIGMENT AND TESTING CONTAINS 0-1 MA METER, METERING SWITCH, CRYSTAL OSCILLATOR, ANTENN CABLES ETC. IN METAL CARRING CASE. SIZE:6x6x4; WT: 4 LBS. NEW $8.95

U.H.F. TUNERS

ULTRA HIGH FREQUENCY ASSY. TUNNING UNIT USING 2C39 TUBE AS DRIVER AND A 2C39 AS A POWER AMPLIFIER, FREQ. OUTPUT 225-350 MC., 6F4 TUBE OSCILLATOR 112-175 MC. AND 6F4 DOUBLER CIRCUIT, TUNED CIRCUITS ARE GANGED FOR SINGLE KNOB CONTROL. ALSO HAS HAYDON 4.5 V. 75 MA. 12R.P.M. TIMER MOTOR. REMOVED FROM ARC-12 EQUIPMENT. SIZE: 10x6½x4; WT: 7 LBS. #KS10362
PRICE: LESS TUBES $3.95

ULTRA HIGH FREQUENCY TUNER; CONSISTS OF REC. R.F AMPLIFIR MIXER, AND H.F. OSCILLATOR 225-350 MC. OUTPUT TO I.F. 15.1 MC., USES6/6AK5 AND 1/12 AS6 TUBES, ALSO CRYSTAL BETWEEN 13 AND 41.5 MC., VARIABLE CONDENSERS ONE FOUR GANG 4-24 MMFD PER SECTION, OTHER 4 GANG 3 SEC. 4-25 AND ONE SEC. 5-41 MMFD, SINGLE DIAL CONTROL. REMOVED FROM ARC-12 EQUIPMENT. SIZE: 8½x5x3; WT: 4 LB
STK# KS-10329 PRICE: LESS TUBES $2.95



TS-36/AP X BAND RADAR POWER METER; GENERAL PURPOSE TEST INSTRUMENT USED FOR CHECKING RADAR SETS IN THE X BAND. W/0-200 DC MICROAMP METER, 3½" RD. BATTERY OPERATED. ALSO HAS SQUARE WAVE GUIDE ATTACHMENT SAME AS USED ON TS-35 X BAND SIG BAND SIGNAL GENERATOR. SIZE:9x7x6 WT; 9 LBS.
PRICE: LIKE NEW $9.95

LAF-2 R.F. SIGNAL GENERATOR USED FOR FOR ALIGNING, TESTING AND SERVICING OF RADAR & ELECTONIC EQUIPMENT IN THE 90 TO 700 MC. RANGE, PULSE EMISSION, VOLT OUTPUT 0-100,000 MV. IMP. INPUT 10M OHMS, OUTPUT 50 OHMS, PULSE DELAY 3-300 USEC. DURATION 2-300 USEC. REP. RATE 60-2500 PPS. ACC. 1%.
SIZE: 13x14½x18; WT: 75 LBS. PRICE USED $75.00

TS-118/AP R.F. WATTMETER 5-500 W. UNTUNED THERMOCOUPLE TYPE FOR CHECKING OUTPUT OF XMTR OR AMPLIFIER, R.F. POWER 2 WATT TO 500 W OVER 20 MC. TO 750 MC. RANGE. 20-100 MC. 300 W. 100-300 MC. 500 W. 300-750MC. 100 W. OPERATES FROM 115 AC-DC. INDICATION ON 3½" METE
SIZE: 18x10x24; WT: 35 LBS. PRICE USED$39.50

OAP/CHZ-60ABN WAVEMETER-OSCILLATOR 140 TO 240 MC. R.F VTVM CIRCUIT WITH 6E5 MAGIC EYE INDICATOR TUBE. SO-239 CONNECTORS FOR INPUT CIRCUITS, WAVEMETER, V.T.V.M OUTPUT OSCILL. OSCILL, CALIB. 50 OHM NONINDUCTIVE LOAD. 115 VOLT 50-70 CYC
SIZE: 9x15½x10; WT: 35 LBS.
PRICE: USED WITH CALIBRATION CHART $19.95



TS-28/UPN OSCILLOSCOPE; SYNCHROSCOPE TESTING 5" SCREEN, INCL SWEEP CIRCUITS MODIFIED FROM USUAL TYPES TO PROVIDE MARKER AND TRIGGER PULSES, SWEEP FREQ RANGE 20 TO 3000 CYC. 5 MC. VIDEO AMP. SWEEP, INPUT IMPED. 40 MMF LOAD. OPERATES FROM 115 VOLT 50/70 CYC
SIZE 18x21x22; WT: 85 LBS. USED $50.00

C-113/TRA-2 CONTROL UNIT, USED FOR REMOTE CONTROL OF T-14/TRC-1 TRANSMITTER, OPERATES FROM 115/230 V 60 CYCLE SUPPLIES 56 VDC @ 130 MA. FOR OPERATION OF MIC. & PHONE CIRCUITS UP TO 2 MILES FOR INTERCOM USE FROM A TWO WIRE CIRCUIT. WITH PORTABLE CASE, CABLES, RELAYS ETC.
SIZE 14x9x12; WT: 30 LBS.
PRICE: UNUSED $4.95

STROWGER RELAY



STROWGER STER BY STEP RELAY ASSEMBLY IS USED IN CENTRAL OFFICE DIAL TELEPHONE EXCHANGE. THIS IS THE HEART OF THE DIAL TELEPHONE SYSTEM AS IT HAS THE TEN STEP BANK SELECTION AND 10 STEP LINE SELECTION TRUNK LINE SENSING MECHANISM WITH NECESSARY HOLD AND RELEASE RELAYS. (THE BANK OF ROTARY STEPPING SWITCHES IS NOT PART OF THIS ASSY) SIZE 14x5x7; WT:13LBS. WE#ED55242-31G1
PRICE: USED $5.95

TELEPHONE BANK

TELEPHONE RELAYS FOR LINE USE. OPERATES FROM 48 VDC, 1000 OHM Z A SINGLE CONTACT, 500 OHM Z BB DOUBLE CONTACT, 20 OF EACH RELAY MOUNTED FOR 26" RACK. SHPG. WT:35 LBS. REMOVED FROM EQUIPMENT. PRICE 40 MOUNTED RELAYS $9.50 EACH RELAY 35¢

MULTIPLEX

PHILCO SIGNALING & TERMINATION UNIT CST-2 STANDARD 19" RACK AND IS USED IN MULTIPLEX SYSTEMS FOR TRANSMISSIC OF NORMAL DIAL OR RINGDOWN SIGNALING AND TERMINATES THE FOUR-WIRE CIRCUIT OF THE MULTIPLEX INTO THE TWO-WIRE TELEPHONE CIRCUIT. A 3.5 KC OSCILLATOR TONE IS USED FOR SIGNALNG WITH THE USE OF HYBRID COILS AND T PAD ADJUSTMENTS PROPER ATTENUATION OF THE VOICE LEVEL IS MAINTAINED. OPERATES FROM 115 VOLT 60 CYC AND IS COMPLETE WITH 2/12AU7 TUBES, FOUR RELAYS AND INSTRUCTION BOOK. COND. UNUSED. SIZE:4½x19x12; SHPG. WT.50 LBS. $9.95

CAY-52 TRANSMITTER, SELF-PULSED EMISSION, 515 MC. PER-SECOND APPROX. 2 MICROSECONDS DURATION KEYING FREQ. 400 CYC. PER. SEC. APPROX. 5 KILOWATTS POWER

CAY-46 RECEIVER,510 TO 525 MC. TUNEABLE, 1ST IF 55 MC. 2ND IF 16 MC. POSITIVE VIDEO PULSE OUTPUT,INPUT IMP. 50 OHMS, OUT PUT 230 OHMS. WITH 11 TUBES.

CJP-55 INDICATOR, CR TUBE 5BP1 VERTICLE TRACE,HORIZONTAL DEFLECTION, 400 CYC. SWEEP, APPROX RANGE 0-2,7,28 & 70 NAUTICAL MILES.

CJP-20 RECTIFIER POWER SUPPLY SUPPLIES ALL THE VOLTAGES NEEDED FOR OPERATION OF THE EQUIP. POWER INPUT 115 VOLT 600-1400 CYCLE, 1 PH. 3 AMPS. 345 WATTS.

CJP-14 ANTENNA SWITCHING UNIT, USED FOR SWITCHING FROM ONE ANTENNA TO ANOTHER, 24 VDC

CJP-23 CONTROL UNIT, FOR MANUAL CONTROL EQUIP.

ONE OF EACH PIECE EQUIPMENT DESCIBED ABOVE ACTUAL WEIGHT 90 LBS, SHPG. WT. 130 LBS. CONDITION UNUSED, PRICE..$49.75

AUTO CONTROL



ELECTRIC AUTOTUNE ASSEMBLY THAT OPERATES FROM 115 VOLT 60 CYCLE,1/100 HP CAPACITOR TYPE MOTOR WITH AUTOMATIC GEAR & RACHETT ASSEMBLY THAT ENABLES YOU TO PRE-SET MOTOR ANY 10 POSITIONS IN 360 DEG. UNIT IS GEARED TO A TWO DECK 12 POSITION CERAMIC WAFER SWITCH THAT TERMINATES INTO A PLUG-IN SOCKET. TAKE OFF OF POWER CAN BE MADE AT BACK OF MOTOR OR CERAMIC SWITCH MAY BE REMOVED. ADJUSTMENTS FOR STOPS ARE MADE AT THE MOTOR AND THE CONTROL PANEL CAN BE LOCATED AT A REMOTE POSITION WHERE THE MOTOR STOP CAN BE SELECTED, PANEL ALSO HAS LIGHT DIMMER CONTROL AND LOCAL & REMOTE POSITION SWITCH. PART OF RDZ AUTOTUNE, COLLINS#596A RDZ#23491 SIZE:9x4x6, WT: 7 LBS. PRICE: NEW $5.95

MD-34/ARA-8
MODULATOR KEYING UNIT



AUTOMATIC HOMING KEYING ASSY. THAT OPERATES FROM 24 VDC MOTOR THAT IS CONNECTED TO A WORM GEAR WHICH ACTUATES THE CODED WHEEL THAT INTERRUPTE THE SIGNAL AND TRANSFERS FROM ONE ANTENNA TO ANOTHER. ALSO HAS RELAY AND THREE SO-239 TYPE COAX. CONN. CAN BE USED AS A REMOTE ANTENNA CHANGE-OVER. SIZE:3½x10x4½,WT: 5 LBS.
PRICE: USED..... $1.95

TP-7 REPEATER, VOICE FREQUENCY FOR USE ON FOUR WIRE LINES AS A THROUGH OR TERMINAL REPEATER. CONSISTS OF TWO, TWO-STAGE AMPLIFIERS THAT THE INPUTS AND OUTPUTS CAN BE SWITCHED FROM 300, 600 OR 1200 OHM IMPEDANCE. COMPENSATING CONTROLS FOR VARIATION OF TRANMISSION LOSSES DUE TO THE LINE AND TO ALLOW ADJUSTMENTS IN ORDER TO OBTAIN A FLAT FREQ. RESPONSE. EACH AMPLIFIER HAS A OPERATING GAIN OF 35 DB AT 1000 CYCLE.OR A POWER LEVEL OF 20 DB. OPERATES FROM 12 VDC OR 110 V. 60 CYCLE. FOR PORTABLE USE OR RACK MOUNTING. SIZE:1'x9½x20; WT:40 LBS. UNUSED $12.95

TG-30 REPEATER,TELEGRAPH TERMINAL FOR TRANSMITTING OR RECEIVING ON A HALF DUPLEX ONE CHANNEL OPERATION.CAN BE USED TO INTER CONNECT NEUTRAL AND POLAR ENTIAL OR TWO PATH POLAR TELEGRAPH OR TEEETYPEWRITER SYSTEMS ON SIMPLEXED OR COMPOSITED RETURN CIRCUITS.SPEED 60/66. OPERATES FROM 115/230 V. 50/60 CYC & 115 VDC SHIPPED IN WOOD CHEST 25x16x14; 175 LBS
PRICE: USED $12.95 RE-NEW $16.95

TELEGRAPH REPEATER WE#61824A, TWO COMPLETE UNITS WITH RECTIFIERS THAT OPERATE FROM 115 V. 50-60 CYCLE. THE REPEATERS ARE DESIGNED TO OPERATE AT TELETYPE SPEEDS, OPEN WIRE COMPOSITED OR SIMPLEX CIRCUITS, 2 PATH POLAR OR OTHER FORMS OF TRANSMISSION. METERING, PATCHING JACKS, TESTING, MONITORING AND ADJUSTING CONTROLS ARE ALL AVAILABLE ON THE FRONT PANELS. THE UNIT IN HOUSED IN A METAL CABINET WITH A HINGED DOOR FRONT & BACK. SIZE: 22½ x 17 x 42; WT: 200 LBS. RE-NEW
PRICE: LESS PLUG-IN RELAYS RE-NEW $19.95
WITH " " " RE-NEW $34.95

TEST METER

WESTON 301 METER 3", 500 MICRO AMP FULL SCALE (SCALE NEEDS TO BE RE-DONE), TWO DECK 14 CONTACT CERAMIC WAFER SWITCH 2½", (1) 20K PRECESION POT, (6) DIODES, RESISTORS, SWITCHES ETC SIZE: 6x6x4; WT: 4 LBS. $3.95

MODEL 14AT TELETYPE TYPING UNIT, USES 3/8" TAPE THIS EQUIPMENT WAS RECENTLY TAKEN OUT OF SERVICE AND WAS OPERATING AT THE TIME BUT IS NOT GUARANTEED TO BE IN OPERATING CONDITION. SIZE: 15x15x15; WT: 100 LBS.
PRICE:....$49.95
PAPER TAPE 3/8" FOR TELETYPE MACHINES, NOT GUMMED, 30 ROLLS $3.00/60 ROLLS $5.00

PE-250 TELERING GENERATOR INTERUPTER RINGING MACHINE FOR TELEPHONE LINES. OPERATES FROM 110 VOLT 60 CYCLE 50 WATT, OUTPUT 90 VOLT 20 CYCLE, REQUIRES 50 WATT LAMP FOR INDICATING SHORT OR HEAVY LOAD. 8½x4x12; 15 LBS.
USED $4.95

USED $3.95

PORTABLE REPEATER

EE-89 TELEPHONE PEPEATER; PORTABLE BATTERY OPERATED, 2 WAY LINE UNIT, CAN BE USED AS TERM. OR INTERMEDIATE AMPLIFIER, USES ONE 3Q5GT TUBE, INCLUDES HEADSET ELEMENT FOR MONITORING AND GAIN CONTROL, BATTERY VOLTAGE REQUIRED 1.5 & 90 VDC. IN WOOD CASE W/CARRING STRAP.SIZE;6x9x8; WT: 12 LBS.

SONAR DRIVER; 17 TO 26 KC. C.W & F.M EMISSION ONE BAND, 400 WATTS, INPUT 440 VOLT 60 CYCLE 3PHASE, TRANSFORMERS CAN BE REMOVE FOR 1 PHASE, USES 6/866,2/803,1/801 TUBE NAVY # CRV-52329. SIZE: 17½x48x24½ SHPG. WT; 450 LBS.
PRICE: WITH TUBES.... $59.50
" " 35.00

SELECTOR CONTROL ASSEMBLY AS USED IN R-278 RECEIVER AND T-217 TRANSMITTER. UNIT CONTAINS 33 NUMBERED THUMB-IT WHEEL WAFER SWITCHES WHICH CAN BE MOUNTED SINGLY OR IN BANKS, 23 11 CONTACT, 10 19 CONTACT, ALSO 4 A.C. RELAYS ON A 10 CHANNEL GEAR TRAIN WITH 115 VOLT 60 CYCLE MOTOR, CHANNEL SELECTOR SWITCH, RESISTORS CONDENSERS ETC SIZE: 16x9x9; WT: LBS.
USED W/MOTOR $12.95 LESS MOTOR $8.95



THERMO-GRIP ELECTRIC SOLDERING IRON MFG BY IDEAL INDUSTRIES, MODEL 5C. OPERATES FROM 115 VOL 60 CYCLE 10 AMPS. OUTPUT OF TR TRANSFORMER IS 3-4 VOLTS AC,2-300 AMPS. PLIER ATTACHMENT IS INTENDED TO BE USED FOR SOLDERING LUGS UP TO 150 AMPS OR COPPER PIPE UP TO 3/8". PLIER IS 12" LONG AND CABLES 52". WITH SUITABLE ATTACHMENTS TRANSFORMER CAN BE ALSO USED FOR HEAVY SPOT SOLDERING AND ETCHING. WT: 30 LBS.
PRICE WITH CARRING CASE $19.95
" LESS " " 16.95

THERMO-GRIP MIDGET SIZE SOLDERING PLIERS IDEAL NO.12-023. THESE PLIERS ARE ONLY 9" LONG AND HAVE A 54" CABLE WITH CONNECTORS AND IS INTENDED TO BE USED WITH A 300 WATT TRANSFORMER FOR LIGHTER WEIGHT WORK. WT: 2 LBS.
PRICE: CABLE & PLIERS ONLY $2.95



BC-1141 MINE DETECTOR AMPLIFIER AS USED IN SCR-625 MINE DETECTOR. HAS SENSITIVE AMPLIFIER & TONE SYSTEM THAT WAS USED TO DETECT METALS. OPERATES FROM 2 FLASHLIGHT & 90 VOLT DRY CELLS. COMPLETE WITH TUBES 2/1N5GT & 1/1G6GT, LESS BATTERIES.
SIZE:14x6x5 WT: 10 LBS.
PRICE: USED $3.95

BC-611 TEST SET

IE-17 TEST EQUIPMENT USED FOR TESTING & ALIGNMENT OF REC-TRANS, TESTING CRYSTALS AND MEASUREMENT OF VOLTAGE OF BATTERIES BA-37 & BA-38. CONSISTS OF THE FOLLOWING I-135 TEST UNIT IN CASE WITH HINGED COVER & HANDLE CONTAINS MICROPHONE, EARPHONE, MULTI-RANGE 3" METER FOR CHECKING 0-3 & 0-150 VDC 0-1.5/15/60/600 MA DC & 0-60 VAC WITH MASTER SWITCH,RF & AUDIO OSCILLATOR CRYSTAL TEST & BATTERY COMPARTMENT ALSO CABLE HARNESS. CS-81 TEST CASE WHICH IS THE SAME SIZE AS THE BC-611 AND IS USED TO HOLD THE CHASSIS UNDER TEST, HAS PRESS TO TALK SWITCH AND AND ALIGMENT OPENINGS. (NO MIC OR EARPHONE OPENINGS.) FT-252 TEST STAND FOR HOLDING CS-81 CASE & A-82 PHANTOM ANTENNA WHICH CONSIST OF A 3" 0-40 MA. RF METER, VARIABLE COND. & REC.-TRANS. SWITCH MOUNTED ON A BAKELITE PANEL. COMPLETE UNIT AS DESCIBED ABOVE WITH INSTRUCTION MANUAL AND WOOD CHEST SIZE: 19 x16x9 ALL IN NEW CONDITION. SHPG. WT: 44 LBS

VISUAL FLASH LAMP

USED BY AIRCRAFT OR GROUND UNITS FOR INDENTIFICATION PURPOSES. DESIGNED TO DELIVER EXTREMELY BRIGHT FLASH OF LIGHT 1 FLASH PER 1½ SEC. WHICH CAN BE SEEN BY AIR IN BRIGHT SUNLIGHT FOR 3 MILES OR 1 MILE ON THE GROUND. AVAILABLE FOR 6,12 OR 24 V. OPERATION.CONSISTS OF A HIGH VOLTAGE CONVERTER USING A VIBRATOR TYPE POWER SUPPLY,SLYVANIA TUBE #1073. COMPLETE WITH 20 FT. CABLE SPARE PARTS & MANUAL. IDEAL FOR BOATS, PLANES, AUTOS BOAT LANDINGS, COTTAGES, PHOTOGRAPHIC WORK ETC.(CAN BE OPERATED FROM 115 VOLT BY USING OUR D.C. POWER SUPPLIES LISTED ON PAGE 7)
SIZE:17x10½X4½; WT: 50 LBS. UNUSED $29.50

ART-13 TRANSMITTER

100 WATT AIRCRAFT AUTOTUNE TRANSMITTER

MAKES A VERY SATISFACTORY AMATEUR UNIT FOR 80 40,20 AND 10 METERS. THE AUTOTUNE FEATURE PERMITS YOU TO PRESET THE FREQUENCY DESIRED ON ON ANY 10 PRESELECTED CHANNELS. (FOR CONVERSION INSTRUCTIONS SEE MANUALS #2 & #3 $3.00 EA. TUBE LINEUP 1/837, 1/813, 2/1625, 1/12SJ7, 2/6V6, 2/811, 2/12SL7, 1/12SA7. VOLTAGE REQUIRED 28VDC 10AMP, 400VDC, 225MA & 1250VDC 250MA.
SIZE: 23½x16x11½ WT. 70LBS
PRICE: USED $59.50

CONNECTOR PLUGS FOR TRANS. U/7 & U/8 $2.50 EA.
DYNAMOTOR FOR ART-13 WITH FILTERS & RELAYS 28VDC INPUT. PRICE: USED $12.95
NEW

CONNECTOR PLUGS FOR DYNAMOTOR U-9 OR U-10 EACH $2.50
CU-24/ART-13 ANTENNA SHUNT CAPACITOR CONSISTS OF 3 CAPACITORS 25MMF 10KV
PRICE USED $1.00

O-17/ART-13 LOW FREQUENCY OSCILLATOR PLUGS INTO THE FRONT OF THE TRANSMITTER AND COVERS THE FREQ. RANGE OF 200 TO 600 KC IN 3 BANDS WITH VFO AND CRYSTAL CONTROL ON THREE PRESELECTED FREQ. COMPLETE WITH ONE 1625 TUBE. ALL OPERATING VOLTAGES ARE OBTAINED FROM THE TRANS. POWER SUPPLY. SIZE 5½x5½x9; WT4LBS.
USED $5.95

SA-22/ART-13 ANTENNA SWITCHING UNIT CONTAINS A BENDIX VACUUM RELAY LM-26G, 24VDC, 2 POSITION CERAMIC SWITCH & 4 LARGE INSULATORS SAME AS USED ON TRANSMITTER, ALSO SO-239 COAX. CONNECTOR. SIZE: 11x7x7 WT10LBS
PRICE: NEW $4.95

VARIOMETER COIL FOR ART-13 L-112, ROTOR & STATOR COILS WITH GEARED COUPLING. 4½x5x3; 2LB. USED $1.95

RELAY, OUTPUT CIRCUIT SELECTING, 24 VDC #K105 6x2x3: 2 LB. USED $2.95

ART-13 AUDIO SPEECH AMPLIFIER CONTAINS TWO 6V6GT & ONE 12SJ7 TUBES, CAN BE USED FOR CARBON OR DYNAMIC MIC. SIZE: 7x4x3½, WT: 4LBS, USED STK#2C254 PRICE $5.95

ART-13 CFI CALIBRATION FREQUENCY INDICATOR & MCW OSCILLATOR ASSY. USED TO PROVIDE A CONSTANT CRYSTAL CONTROLLED STANDARD OF 200 KC. IN ORDER THAT FREQ. CAN BE CHECKED. ALSO 1000 CYCLE TONE. WITH 200KC. CRYSTAL & 2 TUBES SIZE6x5x3 WT.3LBS STK.#8Q1 PRICE USED $6.95

POWER AMPLIFIER & SWITCHING ASSY. FOR ART-13. CONTAINS COILS L-114, 113, SWITCHING DEVICE 113B, C, D, CONDENSERS ETC. USED
SIZE 8½x5½x3½; WT: 4LBS. $4.95

FREQUENCY MULTIPLIER CONTAINS, 2/TUBE SOCKETS, CERAMIC CONDENSERS, SWITCHING DEVICE, RESISTORS ETC. (SOME INSULATORS OR TUBE CAPS MAY BE MISSING. USED, REMOVED FROM ART-13. SIZE6½x2½x5; WT: 5LB. $6.95

SN-17/APS-10 SYNCHRONIZER, $9.95 TRANSITTER & RECEIVER ALSO SWEEP AND CONTROL CIRCUITS FOR THE INDICATOR. GENERATES CONTROL FOR THE PULSE RECURRENCE RATES OF 410 TO 820 CPS AND RANGE MARKS OF 0-4-25 MILES. SIZE 8x6x13; WT: 30 LBS.

TEST SET

TS-3A/AP RADAR FREQUENCY METER 2400 TO 3400 MC USING A TUNEABLE CAVITY ALSO HAS 3" METER FOR TESTING POWER OUTPUT, 0-2 MA. MOVEMENT 0-20 SCALE. USED WITH SCR-717/720 RADAR SET. WITH CABLES, TEST LAMP, COMPUTER RULE ETC. SIZE: 8½x8½x8½: WT: 25 LBS.
PRICE: UNUSED $9.95

AIRPORT MARKER BEACON 75MC TRANSMITTER RECEIVER

CDE-52326 NAVY MODEL MARKER BEACON TRANSMITTER PORTABLE UNIT THAT OPERATES FROM 115 VOLTS 60CYC WHICH TRANSMITTS A KEYED OR A CONTINUOUSLY MODULATED SIGNAL VERTICALLY IN A BALLON-SHAPED PATTERN ON 75MC. USED AT AIRPORT LANDING FIELDS RUNWAYS IN CONJUNCTION WITH MARKER BEACON RECEIVERS THAT ARE INSTALLED IN THE PLANE THUS ENABLING THE PILOT TO KNOW WHEN HE IS OVER THE RUNWAY. (IN CONJUNCTION WITH HIS OTHER INSTRUMENTS.) WATTAGE OUTPUT(1) ONE WATT, MASTER OSCILLATOR & MODULATED CW, 400CPS, 1300CPS, 3000CPS
TUBE LINEUP 4/6V6, 2/6SN7, 1/6SR7, 1/65, 2/VR150-30 & 1/5Y3. COMPLETE WITH TUBES & DIPOLE ANTENNA & OPERATING MANUAL. SIZE: 17½x10x11 WT 35LBS
PRICE UNUSED $29.95

BC-1033 MARKER BEACON RECEIVER 75MC. USED TO RECEIVE SIGNALS FROM ABOVE TRANSMITTER. WHEN SIGNAL IS RECEIVED IT OPERATES A RELAY IN THE RECEIVER WHICH IN TURN CAN BE USED TO OPERATE SIGNALS, LIGHTS, MOTORS, TURN ON EQUIPMENT ETC. VOLTAGE REQUIRED 24VDC. COMPLETE WITH TUBES 1/12SN7, 1/6SH7, 1/6SL7
SIZE: 3x5½x5½ WT. 3LBS. PRICE: USED $2.95

C-1 CONTROL BALLISTICS BOX; FOR BOMBING NAVIGATIONAL COMPUTER PT#654573; HAS 4 DIALS WITH CONTROLS CONNECTED BY GEARS TO AUTOSYN RESOLVERS SPERRY #6624-28 SIZE 1½x1½ 5 EA. #662426 1½x1½ 2 EA. #5663478 3x2½ 2 EACH. ROTARY BAND SWITCH 4 DECK 10 POS.
SIZE 9x12x8; WT: 20 LBS. $7.95

AMMUNITION FIRE CONTROL POWER DISTRIBUTION PANEL 171E608G1 & 519E147G1; TWO DIALS THREE GEAR CONTROL, 2 THREE DIGIT COUNTERS WITH MANUAL RESET AND HOLD 24 V OPERATION, 7 SWITCHES, TERMINAL STRIPS ETC.
SIZE: 11x11x5; WT: 15 LBS.
PRICE: USED $4.95

OSCILLATOR



R.F OSCILLATOR. PART OF GKA-1 EQUIPMENT. CONTAINS SEVERAL TYPES OF BAND PASS FILTERS, VARIABLE CONDENSER, TUBE SOCKETS TEST JACKS, RESISTORS 1%, CAPACIOTRS, 2/UG-88 BCN COAX. CONNECTORS, PILOT LIGHT, SWITCH, POTS ETC. OSCILLATOR FREQ. APPROX. 24 KC.
SIZE: 12x12x4½; WT: 13 LBS. USED $1.95

SCOPE MONITOR CONVERTER



CONVERTER-MONITOR PANEL ASSEMBLY CV-399/GPA23 PART OF COMPUTER SYSTEM. CONTAINS A GOOD 3" SCOPE FOUNDATION ASSY. USING 3CP1A C.R TUBE MOUNTED ON A PANEL 10" x 12". SCOPE PANEL HAS 0-100 VERNIER DIAL 1½" PLUS CENT, FOCUS CONT. SWITCHES ETC. THE MASTER PANEL HAS 10 SEPARATE SUB-PANELS WITH LOADS OF CONDENSERS, RESISTORS TERMINAL STRIPS ALSO AUTOSYN, CONNECTORS, CONTROLS, TRANSFORMERS AND LOTS MORE. $9.95
SIZE: 25½x25½x14; WT: 55 LBS. USED



COMPUTER TEST PANEL PART OF GPA-23 COMPUTER SYSTEM HAS ONE SYNCHRO RECEIVER 23TR6 115 VOLT 60 CYCLE, SIZE 2"x4", CONNECTED TO 360 DEG. 5" INDICATOR DIAL, TWO AUTOSYNS AY-201S, 1 SIX POSITION 5 DECK ROTARY SWITCH, 6 PILOT LIGHTS, 10 TOGGLE SWITCHES VARIOUS TYPES, 5 BARRIER TERMINAL STRIPS, SOCKETS, POTS, CONDENSERS, RESISTORS. A REAL BONNANZA. SIZE: 17x8x11; WT: 17 LBS.
PRICE: USED $9.95

GP-7 TRANSMITTER

GP-7 NAVY AIRCRAFT TRANSMITTING, FREQUENCY COVERAGE 350 KC. TO 9050 KC. BY THE USE OF SIX PLUG IN TUNNING UNITS, AM, CW & MCW OPERATION, 30-50 WATTS VOICE & 85 TO 125 WATTS CW DEPENDING ON THE FREQUENCY AND TYPE INSTALLATION. COMPLETE WITH TUBES 2/1616, 1/803, 1/801 1/843 & 1/5Z3, ANTENNA LOAD COIL, PILOTS & OPERATORS CONTROL BOX, COVER & MANUAL. SET OPERATES FROM 115 VOLTS 800 CYCLE AND 12 OR 24 VOLTS D.C. AS IT HAS ITS OWN SELF CONTAINED A.C. POWER SUPPLY. THE 2½" METERS ARE USED FOR MEASUREING PLATE, FILAMENT & OUTPUT. THE SET IS CONSTRUCTED OF ALUMINUM AND FIVE TUNING UNITS HAVE CARRING CASES WITH SNAP-SLIDE COVERS AND CARRING HANDLES.
TRANSMITTER SIZE: 23½x11x13; WT: 50 LBS.
TOTAL WEIGHT OF ALL THE EQUIPMENT, PACKED 200

PRICE FOR COMPLETE SET AS DESCIBED..$29.50

GP-7 COMPONENTS INDIVIDUALY PRICED

CAY 52173	TRANSMITTER - POWER SUPPLY PLUG-IN TUNING UNITS		$16.95
CAY 47150A	R.F UNIT	350-800 KC BAND	3.95
" 47151B	" "	800-1500 " "	3.95
" 47155C	" "	1500-3000 " "	4.95
" 47152D	" "	3000-4525 " "	4.95
FOLLOWING TUNING UNITS HAVE ROTARY INDUCTORS			
" 47153E	" "	4525-6500 " "	7.95
" 47154F	" "	6200-9050 " "	7.95
"	EMPTY CASES FOR THE ABOVE TUNING UNITS WITH SNAP COVER AND HANDLE		1.75
" 47125	ANTENNA LOAD COIL		1.95
" 23219	PILOTS CONTROL BOX		1.95
" 23220	OPERATORS " "		2.95
	INSTRUCTION BOOK		7.50

APS-4 RADAR

AIRBORNE SEARCH INTERCEPTION WITH FOLLOWING ANGULAR COVERAGE 78 DEG. AZIMUTH, ELEV-30-10 DEG. ELEVATION INTERCEPT 30-30 DEG. CONSISTS OF REC. TRANS ANT. IN ONE UNIT, TWO INDICATORS, 2 AMPLIFIERS, JUNCTION & CONTROL BOXES, WITH TUBES 2/723, 2/1B22, 4/3B24, 3/5U4, 30/6J6, 11/6AK5, 4/6SL7, 2/724, 1/725, 1/807, 1/VR-105, 4/VR-150. AS SHOWN WITH THE EXCEPTION OF CABLES CIRCLED 1,2,3,4 WHICH ARE USUALLY INSTALLED IN THE AIRCRAFT. OPERATES FROM 115 VOLT 800 CYCLE & 24 VDC. SHPG. WT: 350 LBS.
PRICE: USED $79.50 UNUSED $99.50
SET OF FIVE PLUGS LESS DETACH PLUG..$10.00
INVERTER 800-1D FOR ABOVE, INPUT 24 VDC, OUT-115 V. 800 CYC. USED $9.95

RC-58 FACSIMILE

USED TO TRANSMIT AND RECEIVE MESSAGES ON 3/8" PAPER TAPE BY WIRELESS OR OVER WIRE THE UNITS ARE USED WITH A STANDARD A.M. TRANSMITTER AND RECEIVER THE SAME TYPE EQUIPMENT MUST BE USED ON BOTH ENDS OF THE SERVICE. MESSAGES ARE WRITTEN ON THE PAPER TAPE AND FED INTO THE MACHINE WHICH IS THEN TRANSMITTED TO THE RECEIVER ON THE OTHER END FED INTO THE MACHINE WHICH RECORDS ON THE PAPER TAPE. EQUIPMENT CONSISTS OF AMPLIFIER AND RECORDER. OPERATES FROM 12 VDC.
SIZE: 11x10x11 & 14x10x9; WT: 75 LBS. USED
PRICE: USED $39.50 WITH 30 ROLLS TAPE.

SONOBOUY

TRANSMITTER WITH PARACHUTE USED TO DROP FROM AIRCRAFT IN ORDER TO MARK LOCATIONS. SENDS MCW SIGNAL 70-90MC BATT. OPERATED WITH TUBES 3/1L4, 1/3A4 & 1/3A4. WHEN UNIT IS DROPPED, 6' RAYON PARACHUTE OPENS, WEIGHT ON BOTTOM OF SET IS LOWERED BY A SPINNER TYPE REEL & NYLON LINE THAT TURNS A PROPELLER STABILIZER AND CONTROLS THE RATE OF FALL. UNIT ALSO HAS A 40" FLEXIBLE WHIP ANTENNA AT THE TOP & A COIL TYPE DIPOLE ON THE BOTTOM. IN WATERPROOF CONTAINER 50" LGX7½DIA. WT 30LBS.
STK# AN/CRT-4 PRICE: $9.95

POWER SUPPLIES



RECEIVER POWER SUPPLY & SPEAKER FOR THE FOLLOWING SETS

R-23/ARC-5	BC-453	BC-342
R-24/ARC-5	BC-454	BC-344
R-25/ARC-5	BC-455	BC-348
R-26/ARC-5	BC-946	BC-429
R-27/ARC-5	RAX	

COMPLETE WITH 6" DYNAMIC SPEAKER HOUSED IN A METAL CABINET WITH CONNECTING CABLE, PLUG, PHONE JACK, VOLUME CONTROL, BFO SWITCH ETC. IF REQUIRED. CAN ALSO BE USED FOR OTHER SETS. OUTPUT 200/250 VDC @ 90/60 MA. & 24 VAC @ 2A. INPUT 115 VOLT 60 CYCLE. SECIFY FOR WHAT SET.
SIZE: 10x10x6; WT: 15 LBS. No. P.S(SET NUMB.)
PRICE; KIT OF PARTS $15.00 WIRED $18.95

BC-652 RECEIVER POWER SUPPLY WITH SPEAKER SAME AS ABOVE; KIT $20.00; WIRED $23.95



BC-603/BC-683 RECEIVER P.S. DESIGNED TO BE PLUG IN-TO THE SAME PLACE AS THE DYNAMOTOR WITH NO CONVERSION TO THE SET THAT WILL EFFECT THE OPERATION FROM THE DYNAMOTOR. ONLY WORK REQUIRED ID ADD ON/OFF SWITCH IN PLACE OF SPAR FUSE HOLDER. TRANSFORMER TYPE USING 5Y3GT TUB
OUTPUT 220 VDC, 80 MA, & 24 VDC 2 A. WT: 5LBS.
No. P.S.603/683 KIT $10.00 WIRED $14.95

BC-923 RECEIVER POWER SUPPLY

OPERATES FROM 115 VOLT 60 CYCLE; SUPPLIES OUTPUT OF 275 VOLTS DC, 150 MA. & 12.6 VOLTS AC. 4 AMPS. COMPLETE WITH TRANSFORMER, CHOKE, CAPACITORS, SWITCH, PILOT LIGHT, LINE FUSE, 5U4G TUBE, CHASSIS, WIRING DIAGRAM, LINE CORD ETC.
SIZE: 5½x6½x9½; WT: 15 LBS.
PRICES: KIT OF PARTS...$16.00
#PS-923 WIRED.... 20.95

R-77/ARC-3 RECEIVER POWER SUPPLY

OPERATES FROM 115 VOLT 60 CYCLE; SUPPLIES OUTPUT OF 210 VOLTS DC @ 125 MA. & 24 VOLTS AC @ 2 AMPS. COMPLETE WITH TRANSFORMER, CHOKE, CAPACITORS, SWITCH, PILOT LIGHT, LINE FUSE, 5Y3GT TUBE, CHASSIS, LINE CORD ETC. #PS-R77/ARC-3
SIZE: 5½x6½x9½; WT: 14 LBS. (LAYOUT SAME AS 923)
PRICES; KIT OF PARTS..$15.00 WIRED $19.95

POWER SUPPLY No.7630019.
OPERATES FROM 115 VOLT 60 CYCLE DUAL HIGH VOLTAGE OUTPUT 400 DC 200 MA & 400 DC 200 MA. ALSO 6.3 VAC 2.75 A. & 6.3 VAC 5.5 A WITH 2/5R4GY TUBES.
SIZE: 10x7x15; WT:
PRICE:$19.95

CABLE WITH 18 CONTACT PLUG TO FIT P.S $2.00

POWER SUPPLY No.7630020VR VOLTAGE REGULATED, OPERATES FROM 115 VOLT 60 CYCLE, OUTPUT 200-250 DC. @ 150-250 MA. ALSO 6.3 VAC 2.75A & 6.3 VAC 5.5 TUBES 2/6AS7G, 1/VR-105, 1/6AK7 & 1/5R4G. WT: 30 LBS.
SIZE: 11½x10½x6 $18.95

CABLE WITH 18 CONTACT PLUG TO FIT POWER SUPPLY PLUG, 4 FOOT $2.00

POWER SUPPLY 763003 (MODIFIED)
OUTPUT 375 VDC @ 225 MA & 6.3 VAC @ 2.75 A, 6.3 VAC @ 5.5 A.
INPUT 115 VOLT 60 CYCLE. WITH 2/5R4GY TUBES.
SIZE: 9 x 13 x7; WT: 35 LBS.
PRICE: $14.95

CONNECTOR 18 CONTACT $2.00



PP-662/GPN POWER SUPPLY, VOLTAGE REGULATED, 300 VDC 10 TO 90 MA. PLUS POTENTIAL, 210 VDC MINUS. WITH TUBES 4/5651, 2/6AH6, 1/12AT7, 2/6AS7, 1/5Y3 & 1/5R4.
OUTPUT PIN JACKS WITH ADJUST METERING SWITCH, FUSED OUTPUT & INDICATOR LIGHTS.
SIZE: 10x8x20; WT: 35 LBS.
No. COVER OR PLUG IN RELAY.
PRICE: USED $14.95

DC. SUPPLIES

OPERATE FROM 115 VOLTS 60 CYCLE AND ARE COMPLETE WITH TRANSFORMER, RECTIFIER, CAPACITOR, SWITCH, LINE CORD, PILOT LIGHT, LINE FUSE ETC. INDICATED RATINGS ARE FOR LOAD CONDITIONS.

DUAL OUTPUT 12/14 OR 24/28 VDC @ 6 AMPS. SIZE 7x6½x13; WT: 17
STK#PS-12/24VDC6A
KIT OF PARTS...$20.00
WIRED COMPLETE.... 24.95

OUTPUT 12/14 VOLTS DC @ 6 AMPS.
SIZE: 5½x9½x5; WT: 20 LBS.
STK#PS-12VDC6A
KIT OF PARTS...$14.00
WIRED COMPLETE.... 18.95

OUTPUT 24/28 VOLTS DC @ 4 AMPS.
SIZE: 5½x9½x5; WT: 12 LBS.
STK#PS-24VDC4A
COMPLETE WIRED..$17.95
KIT OF PARTS.... 13.00

OUTPUT 12/14 VOLTS DC @ 4 AMPS.
SIZE: 5½x9½x5; WT:
STK#PS-12VDC4A
COMPLETE WIRED..$14.95
KIT OF PARTS.... 10.00

OUTPUT 24/28 VOLTS DC @ 1½ A.
SIZE: 7x6x5; WT: 6 LBS.
#PS-24VDC1.5A WIRED..$10.95
KIT OF PARTS $8.00

OUTPUT 12/14 VOLTS DC @ 2 AMP
SIZE: 7x6x5 WT: 7 LBS.
#PS-12VDC2A WIRED...$9.95
KIT OF PARTS..... 7.00

MOBILE SUPPLY

AVA-126 VIBRATOR POWER SUPPLY; OUTPUT 300 VDC 100 MA. OPERATES FROM 6, 12 OR 24 VOLTS D.C WHEN THE PROPER VIBRATOR IS USED, OCTAL BASE. SUPPLIED WITH 6 VOLT VIBRATO (USED WITH AVT-112 AIRCRAFT TRANS) ILLUST. COVER REMOVED. UNUSED
SIZE: 7¼x7½x7½; WT: 12LBS. $4.95

RA-42A POWER SUPPLY; RACK MOUNTING 19", 115/230 VOLT 60 CYCLE OPERATION, OUTPUT 200 TO 250 VOLT D.C. 100 MA 2½" VOLT AND MILLIAMP METER HOUSED IN CABINET 19"x7"x8"; WT: 30 LBS.
RA-42A WITH METERS RE-NEW ~~$12.95~~ USED $9.95
RA-42B LESS " " " 9.75 " 6.75

POWER CONVERTER

TRANSISTORIZED POWER CONVERTER 12 VOLTS D.C. TO 117 VOLTS A.C. POWERFUL 125 WATTS CONTINOUS DUTY WITH POWER TO SPARE FOR EXTRA YEARS OF SERVICE. PLUGS INTO CIGAR LIGHTER OF AUTO OUTLET AND WILL OPERATE LIGHTS, SHAVERS, RADIOS PHONOS OR MOST ANY EQUIPMENT DRAWING 10 TO 125 WATTS. SIZE 5x5x4; WT: 4½ LBS.
PRICE: $29.95(NEWLY MANUFACTURED)

DC AC CONVERTER

D.C. 6 OR 12 VOLT TO 115 VOLT 60 CYCLE CONVERTER 15 TO 50 WATTS EXCELLENT REGULATION, VIBRATOR TYPE. CAN BE USED TO OPERATE ANY ELECTRICIAL DEVICE SO LONG THAT THE AC WATTAGE REQUIREMENT OF THE DEVICE DOES NOT EXCEED 50 WATTS. A.C. RECEPTACLE, FUSED LINE, 6 FT. BATTERY CORD.
#PP-68B.. SIZE: 10x9x8½; WT: 29 LBS.
PRICE: USED $9.95 LIKE NEW $14.95



RA-94 POWER SUPPLY USED WITH BC-779 SUPER-PRO OR BC-794 REC. 115/230 VOLT 60 CYCLE INPUT, 19" RACK PANLE MTG. 10¾" H x 11" D. P.S OUTPUT 270 VDC & 140 VDC 150 MA. ALSO 6.3 FOR FILAMENTS. W/ 5Z3 & 80 TUBE. SHPG. 100 LBS.
USED $19.95 USED CHECKED $22.95

PP-115/TRC-8 POWER SUPPLY OUTPUT 550 VDC 350 MA & 6.3 VAC CT. 6 AMPS. WITH 2/5U4G, 115/230 V 60 CYCLE
SIZE: 12x8x14; WT: 50 LBS.
ILLUSTRATION SHOWS 115 V APPROX. 100 CFM BLOWER.
WITH BLOWER...$19.95
LESS " ... 16.95

NEW COAXIAL CABLE

NEW MANUFACTURE AND BRANDED WITH STANDARD TYPE NUMBERS TO MIL-R-17A SPECIFICATIONS.

PRICES LISTED FOR LENGTHS INDICATED, IN-BETWEEN LENGTHS USE THE HIGHER PRICE. LESS THAN 100 FEET ADD 10% TO HIGHEST PRICE

		100 FEET	500 FEET	1000 FEET	5000 FEET
RG-8/U	52 OHM	.10	.09	.08½	.08
RG-11/U	75 "	.09½	.08	.07½	.07
RG-58/U	53½ "	.04¾	.04	.03½	.03
RG-59/U	73 "	.04½	.04½	.04	.03½

PRICES ARE PER FOOT

NEW COAXIAL CONNECTORS



SO-239	PL-259	M-359	PL-258 JUNCTION
$.45 EA.	$.45 EA.	$.45	$.89
10 OR MORE $.39 EA.	10 OR MORE $.39 EA.	10 OR MORE $.39	10 OR MORE $.80

TYPES MAYBE ASSORTED TO OBTAIN THE LOW PRICE

Coaxial Cable FOR LESS THAN 3c Per Foot!

RG-54 A/U CABLE–

DESIGNED FOR LONG LIFE & CONSTANT ATTENUATION 58 OHMS, .250 OD. WITH POLYETHYLENE JACKET.

370 FOOT ROLL $10.00 70 FOOT ROLL $ 1.95

LESS THAN SPECIFIED LENGTHS .03 PER FOOT

COAX CABLE ASSY

TYPE	OHMS	LENGTH	CONNECTOR	STOCK#	PRICE
RG-8/U	52	15½ FT.	2/PL-259	CG-107	$ .95
RG-8/U	52	30 FT.	2/UG-21	CG-55	1.75
RG-11/U	75	32 INCH	2/UG-21	CD-1259	.25
RG-11/U	75	21 FT.	1/PL-259	CD-876	.95
RG-21/U	53	10 FT.	UG-21/22	CD-780S	.50
RG-22/U	95	40 FT.	1/PL-284	CD-879	1.00
RG-22/U	95	46½ FT.	1/PL-284	CD-878	1.15
RG-22/U	95	50 FT.	1/PL-284	CD-877	1.25
RG-26/U	48	30 FT.	2/UG-34	3E4392-	1.95
RG-62/U	93	10 FT.	2/UG-88	CG-1410	.40
RG-62/U	93	22 FT.	2/UG-88	CG-1410	.80
RG-62/U	93	35 FT.	2/UG-88	CG-1410	1.25
RG-62/U	93	130 FT.	2/UG-88	CG-1410	2.50
RG-58C/U	53½	20 FT.	2/UG-88	CG-409D	1.00
RG-8/U	52	8 FT.	2/PL-259	CA-102	.75

ATTENUATOR

IMPEDANCE MATCHING ASSEMBLY WITH 52 OHM CABLE 20" LONG, PL-259 CONNECTORS EACH END AND ATTENUATOR WITH 3" SLIDING ADJUSTMENT AND FEED THRU CONNECTORS EACH END.
ATTENUATION 30 DB TO 100 DB 30 TO 450 MC. STOCK# 2Z396-7
PRICE: USED $1.25 UNUSED $1.95

CABLES

CABLE NO.	PLUG NO.	LENGTH	USED WITH	PRICE
3E7243-2	GK12-23½	52"	TCS/REC-PS	$2.75
3E7273-19	SKC16-23½	29"	TCS/TRS-PS	2.75
CD-515		48"	BC-669	5.95
CD-548	2EA.PL-118	9 FT.	TEST SET	4.95
CD-549	2 " PL-112	9 FT.	TEST SET	4.95
CD-526	2 " PL-153	5 FT.	274N SERIES	4.95
CD-532	2 " PL-152	5 FT.	" "	2.75
CD-509		8 FT.	BC-659/620	2.75

MULTI OUTPUT SUPPLY

RA-105 POWER SUPPLY; INPUT 115 VOLT 60 CYCLE, OUTPUT D.C VOLTAGES 2400 VDC (FOR SCOPE) 544, 415, 295, MINUS VOLTAGES 1480, 290, 110, FILAMENT VOLT. 6.45@12 AMP. AND 6.45 @ 10 A WITH TUBES 3/5U4G, 3/2X2 AND 1/6X5GT ALSO HAS FUSED LINES, CIRCUIT BREAKERS AND LIGHT INDICATORS.
SIZE: RACK MTG. 24"x24x10; WT: SHPG. 200 LBS.



$14.95

BOOKS



SAVE TIME AND MONEY SURPLUS CONVERSION MANUALS ARE A MUST FOR BEGINNERS AND ARE A BIG HELP TO THE OLD HAM.

SURPLUS RADIO CONVERSION MANUAL VOL. NO. 1 $3.00
SURPLUS RADIO CONVERSION MANUAL VOL. NO. 2 $3.00
SURPLUS RADIO CONVERSION MANUAL VOL. NO. 3 $3.00

SURPLUS CONVERSION HANDBOOK INCL. COMMAND SETS CQ $3.00
CQ SURPLUS SCHEMATICS HANDBOOK. $2.50
CQ ANTHOLOGY CONVERSION THE BEST OF CQ45-52 $2.00

THE SURPLUS HANDBOOK $3.00
VOL.1 RECEIVERS-TRANSMITTER

FOR LIST OF CONTENTS FOR THE ABOVE BOOKS SEND $.25

ARRL BOOKS

Radio Amateur Handbook	$4.00
Mobile Manual	2.50
Single Sideband	2.00
Hints & Kinks	1.00
A Radio Course in Radio Fundamentals	1.00
How To Become A Radio Amateur	1.00
Operating an Amateur Radio Station	.25
CQ Mobile Handbook	$2.95
Radiotelephone License Manual. (Study Guide)	$5.75

MANUALS

RADIO SET MANUALS

$3.00 EACH	$5.00 EACH
BC-191	AN/ARN-6
BC-229/230	AN/ARQ-5
BC-312/342	AN/GRC-3-8
BC-603/604	AN/GRC-9
BC-620	AN/GRC-26
BC-652/653	AN/TRC-1
BC-659	BC-221 AH
BC-683/684	BC-610
I-208	TS-175
BC-1000	S-36
R-48/TRC-8	ARC-3
BC-1335	OPERATING INSTRUCTIONS $5.00
BC-223	
BC-375	
I-176	

SCHEMATICS $1.00 EACH.

BC-929	BC-229	BC-230
BC-191	BC-224	BC-312
BC-375	BC-456	BC-457
BC-458	BC-459	BC-603
BC-604	BC-624	BC-625
BC-652	BC-653	BC-654
BC-659	BC-683	BC-684
BC-696	BC-733	BC-779
BC-923	BC-924	BC-1000
BC-1203	BC-1306	ID-80/AP17
RTI/APN2	ARB	R-77/ARC-3
R-4/ARR2	TBY	AM913/TRC
RAX-1	RAX-2	RAX-3
FMR-13V	RA-105	R-48/TRC-8

CRYSTAL OVEN 110 V. 60-1000 CYC. FOR HC-6/U, CR-26/U ETC CRYSTALS, WELL FILTERED, OCTAL BASE MOUNTING WITH 254.72 CRYSTAL. 1¾x4x1½: WT: 4 OZ. #HUG 945550-1 $2.95

APPROACH LIGHT GRIMES #NAF1024-2 24 V, SPLIT GREEN & AMBER LENS & CLEAR 3x3x4½; 1 LB. $.75

STEEL CABINET 20½x8x9, OPENS AT TOP, FRONT PANEL CUT OUT 11x4, ALSO 7/16 HOLE. SIDES LOVOURED, ROUNDED FRONT/TOP #ECEC, SHPG. WT:15; $2.95



LENSE 2" FROM A K-14 GUNSIGHT. APPROX. 3 POWER.

4 FOR $1.00

GRAB BOX

35 LBS. FIBER BOARD COVERED PLYWOOD CARRYING CASE W/ HINGED COVER STEEL REINFORCED CORNERS LEATHER CARRING HANDLE & LATCH FASTNERS. WILL MAKE A GOOD PORTABLE TOOL/TEST EQUIPMENT CASE. SIZE: 19x14 X7, SHIPPING WEIGHT 35 LBS INCLUDES CASE.

PRICE: $3.00

50 LB. " WOOD BOX $5.00
100 " " " " $9.00
ABOVE WEIGHTS DOES NOT INCLUDE WOOD BOX.

FREIGHT CHARGES ARE BASED ON A MINIMUM RATE OF 100 LBS.(EXCEPT RAIL EXP) IF YOU ARE ORDERING OTHER ITEMS WEIGHING LESS THAN 100 LBS. YOU CAN ORDER ONE OF THE ASST. GRAB BOXES TO FILL OUT THE 100 LBS. AT PRACTICLY NO EXTRA CHARGE. OVER 100 LBS. IS BASED ON PER POUND RATE.

TUBES

1LC6	.75	6H6	.50
1LH4	.75	6AC7	.75
1LN5	.75	6SL7	.75
1R4	.75	6AC7	.75
1G6	.75	6J5	.75
1N5	.75	6V6GT	.75
3B7/1291	.75	6K6GT	.75
3D6/1299	.75	6SN7	.75
3Q5	.75	6X5	.75
3FP7	.95	12A6	.75
3HP7	.95	12SA7	
		12SC7	.75
316A	.50	12SG7	.75
717A	.75	12SJ7	.75
1619	.50	14H7	1.50
1624	.50	14J7	1.50
1625NU	.50	14R7	1.50
1626	.50	28D7	1.50
10Y	.95		
211/VT4c.	.95	5Y3	.75

CRYSTALS

465 Kc CRYSTAL, RESONATOR TYPE FILTER AS USED IN BC-794, BC-1004 ETC. $1.50

200 Kc CRYSTAL IN OCTAL TYPE TUBE HOLDER $3.50

SET OF 80 CRYSTALS FOR BC-604 TRANSMITTER WITH FT-241 HOLDERS. $7.95

IN-21A CRYSTAL DIODE $.25 EACH 5 FOR $1.00

CRYSTAL OVEN 6.3V FOR TEN HC-6/U, CR-26/U ETC. HOLD. MOUNTED ON PRINTED CIR. BOARD W/10NPO CAP. 3-12MMF. SIZE 2x2½x3; 4 OZ. $1.25

SELECTOR SWITCH FOR ABOVE 3Z9825-63.178 .59

CABLE ASSY

CONNECTOR SET CONTINENTAL #26-20H, 26 CONTACTS, POLORIZED LOCKING DEVICE, MATCHE SET, 1-5/8x5/8. $1.00 SET. REMOVED FROM NEW EQUIPMENT

C-810 CABLE, RUBBER COVERED 8 CONDUCTOR, PER FT. $.10

C-162 CABLE, RUBBER COVERED 10 CONDUCTOR PER FT $.12

CD-464 CABLE, COTTON COVERED, 2 COND. #12, 9 FT. $.50

FT-384 CABLE ADAPTER FOR TESTING BC-603-683 $3.95

TELEPHONE JACK STRIPS
#4C4426-14 20 JACKS 3 COND. J-2 $2.50
#4C4322-25 JACKS 10 COND. 3 J-2-1A $1.95
TEL. CORD & PLUG TO FIT $1

JK-38 JACK FOR PLUGING IN TWO PL-55 PHONE PLUGS, WITH 4 FOOT 4 COND. CABLE #4JK-38 $1.00

ONE " #8 SHIELD 8 FT. .75
ONE " #8 PER FOOT. .12

UTILITY CABLES



3 COND. #18 PLASTIC COVER, SAME AS USED ON ELECT. DRILL 15 FOOT $.35 3 FOR $1.00

WIRE SPECIAL PRICE #18 COPPER, STRANDED, NYLON COLORS, 1000' ROLLS ONLY $5.

Fair Radio Sales Co.

2133 ELIDA ROAD
P. O. BOX 1105
LIMA, OHIO 45802
Telephone 227-7886

Name — Please Print Clearly — DATE

Street Address — R. F. D. — P. O. Box

Postoffice — State

REMARKS:

PLEASE DO NOT USE	CATALOG STOCK No.	Page No.	Quantity	Shipped	✓	DESCRIPTION	Price Each	Total Price Add This Column	Do Not Use

TERMS: Our terms are cash. We ship C.O.D. on orders with deposit. All trade and cash discounts have already been deducted in our catalog quotations. All prices are net, f.o.b. shipping point.

MINIMUM ORDER $3.00

IMPORTANT. Any correspondence not connected directly with this order should be placed on a separate sheet. This will speed handling of both order and letter.

HOW SHALL WE SHIP

- ☐ PARCEL POST
- ☐ EXPRESS
- ☐ FREIGHT
- ☐ AIR EX.
- ☐ BEST WAY

Include sufficient money for postage. We refund unused amounts. Please send cash by registered mail only. FILL IN AMOUNT ENCLOSED

Money Order		
Cash		
Check		
Credit Memo		

PLEASE DO NOT USE

ON FREIGHT OR EXPRESS ORDERS

If your station has an agent do not send money for shipping charges. If no agent, send money to pay the charges in advance. Charges are the same either way.

THANK YOU FOR YOUR ORDER

TOTAL FOR GOODS			
STATE TAX (Ohio)			
For Postage and Insurance			
Due from Previous Order			
TOTAL			

RECTIFIERS

SELENIUM RECTIFIER; INPUT 54 VAC OUTPUT 27.5 VDC AT 50 AMPS. HALF WAVE. SIZE:18x5x6; WT:10 LBS. STK#3H4860-435 $12.95

SELENIUM RECTIFIER; FULL WAVE BRIDGE,RESISTIVE,IND. 36v. IN 28v. OUT 2 A.$3.00 36v. IN 28v. OUT 4 A. 7.50
------NEW MANUFACTURE------

SELENIUM RECTIFIER; INPUT 28 VAC 60 CYCLE; OUTPUT 24 VDC 1.5 AMP., ROUND TYPE SIZE:4x3 WT: 12 OZ.#RM313 PRICE: $2.95

SELENIUM RECTIFIER; INPUT 33 VAC 60 CYCLE, OUTPUT 24 VDC AMP. SIZE: 1x3½ STK#3H4859-12 F/TRC-1 PRICE: $.79

SELENIUM RECTIFIER; FULL WAVE BRIDGE,RESISTIVE IND. 18v. IN 14v. OUT 2 A.$2.10 18v. IN 14v. OUT 4 A. 3.60
-------NEW MANUFACTURE------

COPPER OXIDE RECTIFIER INPUT 36 VAC 50/60 CYCLE; OUTPUT,12.6 VDC 5 AMPS. SIZE:2⅜x2⅜x10, WT: STK#3H4845 P/O RA-62/522 PRICE: $7.95

SILICON RECTIFIERS
SR-151 100 PIV 15 A 1.95
IN-345 200 PIV 400 MA .50
IN-337 200 PIV 200 MA .40

150 VOLTS 40 AMPS WITH RADIATORS SIZE:2 x 1 #N5089-C $5.95

RELAYS

PLATE RELAYS

CLARE#	OHMS	CONTACTS REG.	CONTACTS OPEN	CONTACTS CLOSED	CURRENT OPERATE	CURRENT RELEASE
A-102627	3500	4PDT	2PST	-----	11 MA	3 MA
A-211261	5000	SPDT	4PST	2PST	12 MA	4 MA
C-211261	6000	SPDT	4PST	2PST	10 MA	5 MA
A-102366	4500	4PDT	----------		17 MA	5 MA
DUAL-COIL	7000	"	---------		25 MA	5 MA

ALL THE SAME SIZE 1x1⅛x1⅛..PRICE: $1.00 EACH

LEACH RELAY NO. 9059, 5 AMP.TPDT NORMALLY OPEN, 24-28 VDC. SIZE;5x2x2⅜; WT: 4 OZ. $.75

ROTARY RELAY 18-32 VDC 2 WINDINGS,275 OHMS, TOP WAFER 12 POSITION, BOTTOM WAFER 6.

#2ZK7705-18 PRICE: $1.00

RELAY, THERMAL TYPE SPST NORMALLY CLOSED,CONTACTS 2 AMPS. HEATER 6.9 DC,10 SEC. OPENING TIME. TUBE TYPE PLUG-IN OCTAL SOCKET. STK# 2Z7598-129 $.39 EA. 3 FOR $1

AUTOMOTIVE RELAY 12 VOLTS D.C. 40 AMPS. SPST CONTACTS NORMALLY CLOSED. AUTO-LITE#TCA4001 PRICE: $1.50

HEAVY DUTY CONTACTOR 110 VOLT 60 CYCLE 4 POLE 13 AMP. CONTACTS. C&H#D531674 SIZE:3½x3x4: WT: 1 $3.95

SMALL 400 OHM 3 VOLT RELAYS USED IN RADIOSONDES $1.00

MERCURY RELAY,DURA KOOL #BEV-106, COIL 24 VDC .1 A. CONTAC 120 D.C 6 A. NORMAL OPEN, 1.3 SEC. OPERATE. SECONDS RELEASE 0, MTG. SIZE 4½x2⅜ S.P.S.T. PRICE: $1.95

HEDIN RELAY #100-BH S.P.D.T. 5 AMP. CONT. 4 OHM COIL. $1.50



RELAY, OCTAL PLUG IN TYPE, 115 VOLT 60 CYCLE,D.P.D.T 20 AMP. CONTACTS. 1⅞x1⅞x2⅜ #BOHRX-20 $1.95

TELETYPE ROLAR RELAY WESTERN UNION #41C OPERATES 110-160VDC 110 OHMS, FAST ACTING, ADJUSTING KNOB ON TOP,7 CONT. FEMALE CONNECTOR. USED W/ BE-77,EE-97, 98,102,TC-16,17 ETC. SIZE:4½x2x1½; 4 OZ. $1.50

MIXED ITEMS

BC 683 LCU 3 COIL

R.F OSCILLATOR TUNING UNIT FOR BC-683 RECEIVER ALSO USED TO CONVERT BC-603 TO BC-683. #BC-683/LCU3 $2.00

BARBER-COLMAN CONTROL BOX W/ MICROPOSITIONE AYLZ, RELAYS 2/DPDT CYZP175 AYLF 357, RES ISTOTS COND. ETC. WT: 5LBS. 5x5x3;#CYLZ $2

ANTENNA RELAY USED IN BC-604 684, 3PDT FOR SWITCHING FROM REC. TO TRANS.2C6494A/R-2 $1.50

RELAY, 115 VAC, DPDT 5 AMP CONTACTS, RES. 10M OHM. 1½x1½x1 $1.50

24 VOLT D.C RELAYS 4PDT, SEALED TYPE 3 HOLE MTG.#C-7703 869-1. $.50 EA.

24 VOLT D.C. RELAY 3PDT,SEALED TYPE, FLANGE MTG.1⅝x2⅜x1⅛;C7706795,60¢

THERMAL TIME DELAY SPST, HEATER 120 V SECOND ADJUSTMENT AP. 30 OCTAL BASE. TYPE RV-40 $1

OVERLOAD RELAYS
D.C CURRENT ADJUST. .175-.700 AMP. WEST. #SC-1-808522 $2.95
A.C. VOLTAGE ADJUST. 55-120 60 CYC. WEST. SV-1878204 $2.95

COILS

EXPERIMENTERS ASSORTMENT ALL FOUR ITEMS FOR $1.00

1 DUAL VARIABLE CAPACITOR & COIL ASSY, APPROX. 165 MC.
2 DUAL VAR. CAP. COIL, ACORN SOCKET ETC. APPROX. 200 MC
3 SLUG TUNED VAIABLE COIL ASSY FOR BROADCAST BAND RF & OSCILLATOR F/455KC IF
4 1ST RF TUNING STAGE FOR PART OF BROADCAST BANDS, 3 VAR. CAP. COILS, COND. RESISTORS,WAFERS ETC.

85 KC IF

STANDARD 85 KC IF AS USED IN BC-453/R-23 COMMAND RECEIVERS. PART# 4677 $1.50 EACH 3 FOR $4

COIL ASSY. 190 TO 550 KC. SAME AS USED IN THE LATER SERIES COMMAND SETS,SIMILAR TO ONE USED IN THE BC-453/R-23 SERIES. PART#12721 PRICE: $1.50 EA.

60 MC IF BROAD BAND USES 10 TUBES 5/717A,3/6AK5 1/6SL7 & 1/6SN7; HAS MIXER PANEL, RELAYS, CABLES ETC. SIZE:14x4x5; WT:4½LB.USED STK# D-152229 PRICE: WITH 5/717A $2.95 WITH 10 TUBES 6.50

PLEASE DO NOT USE	CATALOG STOCK No.	Page No.	Quantity	Shipped	✓	DESCRIPTION	Price Each	Total Price Add This Column	Do Not Use
							TOTAL FOR GOODS		

Control Boxes Filters Indicators Tuning Units Amplifiers

BRITISH MARK II CONTROL JUNCTION BOX No. 3. CONTAINS PUSHBUTTON AND CHROME BUZZER THAT CAN BE ADJUSTED TO OPERATE FROM 6-12 VOLT D.C ALSO TERMINAL STRIPS AND CORD. SIZE 4½x5x2½; WT: 2LB USED $1.00 NEW $1.50

OTHER BRITISH MARK II EQUIPMENT IN STOCK. TELL US WHAT YOU MAY NEED.

TEN PUSH BUTTON LEVER SWITCH
3 SWITCHES 7 MAKE | BREAK
3 " 5 " | "
| " 5 " NONE
| " 3 " MOMENTARY
| " 4 BREAK MOMENTARY, RELEASES 1-7, HOLDS #8. SIZE: 8x6x1½; 3 LBS. $2.95

RM-21 CONTROL BOX WITH HANDSET HANGER, 3 MOMENTARY SWITCHES, CABLE AND PLUG. USED WITH BC-669. $3.95

C-87/ART-13 CONTROL BOX, WITH 11 CHANNEL SWITCH, OFF, VOICE, C.W-MCW, IND. LIGHT, MIC JACK & CODE KEY. $2.95

C-626/ARC-27 CONTROL BOX. AUTOMATIC CHANNEL SELECTOR PRESET MECH. W/ 24 V. DC MOTOR, RELAYS, GEARS ETC. SIZE 6½x6x5; WT: 13 LBS. PRICE, USED $4.95

BC-1303 CONTROL UNIT USED IN IE-36 TEST SET FOR SCR-522. HAS ALL FACILITIES FOR OPERATION, OFF-A-B-C-D CHANNEL SWITCH, MIC, PHONE & ANT. JACKS, TRANS, REC & REMOTE SW. & PL-170 RECEPTACLE. $3.95

VERNIER DIAL 6" 0-100 SCALE ADJUSTABLE STOPS 5 POS. USED IN TAJ TRANS. 4 LB. $2.75

BC-1366 BC-345

C-4/ARN-7 RADIO COMPASS CONTROL BOX USED W/R-5, 5A ARN-7, THREE BANDS 200-1750 2" TUNING METER & GRAIN OF WHEAT LAMPS. TAKES MC-124 CONTROL SHAFT. USED $3.95

FT-224 MOUNTING FOR C-4 BOX WITH TERMINAL STRIP & PLUG USED $1.50

BC-1366 CONTROL BOX CONSISTS OF 5 POSITION ROTARY SWITCH, VOLUME CONTROL & MICROPHONE & PHONE JACKS PRICE: $.75

BC-345 CONTROL BOX WITH 3 POSITION SWITCH MICROPHONE & PHONE JACKS. PRICE: $.50

Beam Filter

NAVY TYPE RANGE BEAM FILTER 1020 CYCLE ACCEPTANCE OR REJECTION.
PRICE: WITH PL-55 $1.95
NO PL-55 1.50

TL-150 TUNNING WAND FOR BC-659, BC-620 $.75

SIDE BAND Loading Coil C-114 - $1.50

PHONE PATCH TRANSFORMER C-161 - $1.50

ID-304/APA-70 COURSE INDICATOR WITH 2 CROSS-POINT MICROAMP-METER MOVEMENTS 50-0-50 & -25-0-75, ON/OFF SWITCH. WESTON #888, SIMILAR TO I-101C F/GLIDE RECEIV 3¼x3½x4; 3 LBS. NEW $4.95 CONNECTOR TO FIT... 1.50

KLAXON HORN USED ON AIRCRAFT LANDING GEAR SIGNAL. OPERATES 24 VDC, CAN BE ADJUSTED FOR 12 VDC ALSO FOR SOUND, GIVES OUT RASP. NOISE 5x5x3; 4 LBS. UNUSED $1.50

FLASHER POSITION LIGHT, PERIODIC AIRCRAFT TYPE C-2, CONTAINS 2 FLASHER G-107 BALLAST TUBE, 24 VDC RELAY DPDT, COND, RES SIZE: 4x4x4; WT: 2 LBS. USED PRICE: $1.00 EA. 2/$1.50

THREE DIGIT COUNTER AS USED IN BC-461 REEL BOX HAS RESET & SPLINE SHAFT EXTENSION. 2½x1½x1½. $1.00 #6ZK3414A

THREE DIGIT COUNTER OPEN TYPE, BEVEL GEAR STK.#773 $.50

FOUR DIGIT COUNTER FULLY ENCLOSED & BEVEL GEAR. VR# S-30 $.65

C-60/AP CONTROL BOX. METER 2½" 0-150 VOLT 400 CYCLE, TWO MICRO SWITCHES AND ADJ CONTROL. SIZE 6½x6½x3; WT: 3LBS. USED $1.95

C-30/ARC-5 BC-451 BC-136/2

C-30/ARC-5 CONTROL BOX with 7 push button switches marked A, B, C, D, OFF, 1&2. Also tone, CW & voice switch & connectors.
Price....$1.00

BC-451 CONTROL BOX with switches tone-CW-voice, on-off, 1/2/3/4 also code key, mic & phone jacks. used $.75 Price New $1.50

BC-136-2 Control unit with mic & phone jacks, volume control & two binding post. $.35 each Four for $1.00

I-101 CROSS POINT INDICATOR FOR COMBINED USE FROM LOCALIZER REC. & GLIDE PATH REC. PART OF ARN-5 & RC-103. SIZE 3½x3½x3 WT: 3LBS. USED $1.95

ARC-12 ANTENNA CHANGEOVER RELAY BNC CONNECTORS FOR EQUIP. UG-23-UG-21 F/ANT. REGULAR & AUX ANT. CONN. 24 VDC RELAY. W/BNC CABLES. $2.75
UG-21 ANTENNA CONN. $.75

ANTENNA CHANGE-OVER S.P.D.T FOR COAXIAL CABLE 28 VDC ROTARY ACTUATOR WAFER, LOW-LOSS HIGH-POWER. GENERAL COMM. #2LN180RC-1 NEW $4.95

SIZE: 4½x3x2½; WT: 1LB.
TYPE "N" CONN. CUT-OFFs 50¢ AN CONN. 7 CONTACT $1.00

C-2193 ANTENNA SELECTOR; CONTAINS 4 SMALL RELAYS DPDT 24 VDC, 6/906 TRANSISTORS, 2 DIODES, 15 RES. 6 COND. PRITED CIRCUI BD. SIZE: 4x4x4; 2LB. $1.95

BATTERIES

BB-212 PLASTIC BATTERY NON-SPILLABLE, BALL INDICATOR 2 VOLT 40 A. 7x4x2½; WT: 7 LBS. $1.95

BB-208/AMT RADIOSONDE DRY CHARGE BATTERIES, 4 IN A VACUUM PACKED CAN, ONE 6V 2½HR THRU 30 OHMS, 3 36V EA. 3A HR. THRU 1200 OHM. EA. BATT. SIZE 1-5/16x29/32x4-5/32; WT. EA. BATT. 4½ OZ.
BATTERY PACK (4) $1.95

N-T-6 PLASTIC STORAGE BATTERY DRY CHARGE, 6 VOLT 4 AMP, 3½x2½x2; 1½LB $3.95

BB 54

WILLARD PLASTIC STORAGE BATTERY
2 VOLT 28 AMP. HOUR NON-SPILLABLE, BALL INDICATOR DRY CHARGE, ADD ELECTROLYTE SIZE 4x5x3; WT: 4LB. $2.95

AUTOTUNE HEAD FOR ATC/ART-13 TRANSMITTERS. MULTITURN UNIT WITH DIAL 0-100, KNOB, REVOLUTION COUNTER, LOCKING DEVICE FOR PRESETTING. CONTROL "B". Cat#23518
PRICE: $1.95

$1.00

MAGNESYN INDICATOR

GEAR TRAIN INDICATOR

MAGNESYN INDICATOR 3", 26 VOLTS 400 CYCLE OPERATION; 200-0-200 SCALE ILLUMINATED USED WITH APA-44 EQUIPMENT FOR INDICATION OF WIND IN KNOTS, N-S-E-W. SIZE: 3x3x3, WT 3/4LB USED BENDIX#20004-64J-A1 $1.00

GEAR TRAIN INDICATOR ASSY. 10 TO 1 RATIO; INSIDE SCALE 10-0-10, OUTSIDE SCALE 0-10 DIAL KNOB ADJUSTMENT FOR DIAL READING. GEAR TRAIN IS COUPLED TO A 20,000 OHM 1% MICROPOT. USED WITH APA-44 EQUIPMENT FOR NAUT. MILES CONTROL. SIZE: 3½x3½x4½. 1LB. ASSY#D-153223 OR EQUAL.
PRICE: USED $1.95

COUNTER

CHAFF DISPENSER CONTROL WITH 5 DIGIT DECLINING COUNTER 2 AT A TIME 24 VDC OPERATION ALSO 12 POSITION WAFER SWITCH. LESS DIAL LIGHT ASSY & SW. 6x4½x3; 2 LBS. $1.50

FREQUENCY METER CAVITY TUNEABLE 2400 -3400 MC, AB ABSORBTION TYPE, W/DIGIT COUNTER, LESS CRYSTAL DIODE, W/CABLES. P/O TS-3 SIZE: 5½x2; WT: 1 LB. #3F2747-3.2 $2.95

BK-23A RELAY CONTROL FOR RAD 10 COMPASS CONTROL BOX RATCHET MOTOR ASSY. THAT OPERATES 10 P.D.P CONTACT ASSY MOUNTED TO BARRIER TERMINAL STRIP, (MAKE 10, BREAK 10) ALSO S.P.S.T RELAY AND 5 12 TERM. BARRIER STRIPS. OPERATES FROM 18 TO 30 V.DC SIZE: 12x2½x6; WT: 8 LBS.
PRICE: USED $1.50

BK-22K RELAY CONTROL BOX SAME USE AS ABOVE ONLY USES ROTARY RELAY FOR TRANSFER OPERATION AND HAS D.P.S.T RELAY. NEW $2.95

RIGHT & LEFT ANGLE DRIVE SHAFT 3/16" SIDE ¼ MALE & ¼ FEMALE. 2½x2½x1¼ $1.50

VERNIER DIAL 2½" 100 TO 0 SCALE. TAKES ¼" SHAFT.
PRICE: $1.50

ID-14/APN-1 RADIO ALTITUDE METER, 3" SCALE 0-6 MA MOVEMENT. CAN BE USED AS A BASIC METER MOVEMENT AND CHANGE SCALE AS DESIRED.
PRICE: USED $1.50

BC-347 AIRCRAFT INTERPHONE AMPLIFIER

Used in small planes for speaking. Has two ouncer transformers Carbon mivrophone input & standard headset output. Requires 12 Or 24 volt & 250VDC. Uses 6F8G tube. Size 3x2x5 WT 3lbs. With tube $1.95 Less tube $1.25

BC-216 MICROPHONE AMPLIFIER

Aircraft type amplifier use tubes 1/39/44 & 1/6F7. Two carbon microphone inputs. Voltage required 12 volts & 150VDC 40 Ma. Size 8½ x 6½ x 2. WT. 3 lbs With tubes $1.95 Less tubes $1.

AMPLIFIER USED IN TANK FOR INTERPHONE. W/TWO 6V6 TUBES, LESS DYNAMOTOR. REQUIRES 250 VDC 50 MA. & FILAMENT VOLTAGE. SIZE: 9x9x3; WT: 10 LBS.
BC-367 NO CASE F/12V $1.95
BC-667 W/ " F/24V 2.95

BATTERY CHARGER FOR BB-51 & BB-52 BATTERIES. TRICKLE CH OPERATES FROM 6 OR 12 VOLT STORAGE BATTERY. HAS 2-3" METERS 0-100 DC VOLTS AND 0-30 & 0-300 DC MILLIAMPS SCALES. SIZE: 12x8½x7; WT; 20 LBS.
PRICE: $14.95

3 DIGIT COUNTER SIZE: 3½x1x1 SHAFT ¼ x ½ #VR7604916 75¢

A-61 PHANTOM ANTENNA

RE-2/ARC-5

RE-2/ARC-5 NAVY TYPE ANTENNA SWITCHING & CURRENT INDICATING UNIT. AS USED WITH COMMAND TRANS. & REC. CONTAINS A 24 VDC SWITCHING RELAY, 2" 0-10 ANTENNA CURRENT METER, 50MMF 7.5 KV VACUMN CAPACITOR ETC. SIZE: 4x5x4 WT: 2 LBS
PRICE: NEW $3.95

PHANTOM ANTENNA

A-61 PHANTOM ANTENNA, USED WITH COMMAND TRANSMITTER AS A DUMMY LOAD, POWER RATING 50 WATTS, RES. 5 OHMS, 100MMF 5KV VAC. COND. 0-4 RF METER 7x5½x2½; WT: 4LBS. USED $4.95

TS-279 DUMMY ANTENNA LOAD

Three inch pyrex feed thru insulator, 1000 ohm 100 watt resistor with two test lead & clips. Cabinet size 13 x 6 x 4". Can be used for a chassis.
Stock # TS-279
Price $1.95

MINIMUM ORDER $3.00

See 75 Catalog for a CORRENT PRICE!

Fair Radio Sales Co.
2133 ELIDA ROAD
P. O. BOX 1105
Lima, Ohio 45802

Pray Ta-Day
Attend The Church of Your Choice This Week



NOTICE

IF YOU NO LONGER WISH TO RECEIVE OUR CATALOGS CROSS OFF YOUR NAME & ADDRESS AND RE-MAIL. NO POSTAGE REQUIRED.

RETURN REQUESTED

Bulk Rate U. S. POSTAGE PAID Lima, Ohio Permit No. 74

MOBILE EQUIPMENT

MOTOROLA TRANSMITTER FMT-25V 30-40 MC. F.M. CRYSTAL CONTROL SINGLE CHANNEL, 25 WATT, 6 VOLT POWER SUPPLY WITH TUBES 3/7C7, 2/7A8, 1/RK391807, 1/5V6. SIZE 15½x9½x9; 30L PRICE: WITH COVER $14.95
(USED) LESS " 9.95

MOTOROLA TRANSMITTER FMTU30D 152-172 MC. F.M. 6 VOLT DYNAMOTOR SUPPLY, CRYSTAL CONTROL, 25 WATT, WITH TUBES 3/7C5, 2/7A8, 1/7C7, 3/2E24. SIZE: 15½x9½x9; WT: 30 LBS. LESS CRYSTALS, USE PRICE: W/TUBES & COVER $19.95; L/COVER $15.00

PHILCO TRANSMITTERS PRT150GT 154-172 MC. FM. 30 WATT, 6 VOLT DYNAMOTOR P.S. CRYSTAL CONTROL SINGLE CHANNEL TUBES, 2/3A4, 1/9003, 1/6BJ6, 2/2E24, 1/6C4, & 1/2E30. USED COND SIZE: 15½x10½x8; WT: 35 LBS. PRICE: W/TUBES, L/CRYS. $14.95

PHILCO RECEIVER PRT72G 70-80 MC.F.M 6 VOLT VIBRATOR POWER SUPPLY, CRYSTAL CONTROL; SQUELCH CIRCUIT, WITH TUBES 3/6BJ6, 3/6AK5, 2/6AQ6, 1/6C4, 1/7F7 & 1/7A8. USED LESS CRYST. SIZE: 15½x10½x8; WT: 30 LBS. $14.95



6 OR 12 VOLT $59.50

COMMERCIAL TYPE MOBILE COMMUNICATION RADIO SET MFG. BY LINK. TRANSMITTER #1906 50 WATT USING 2/2E26 TUBES DRIVING 829 IN THE FINAL ALSO 1/7AG7, 1/7F7 & 1/7W7 TUBES. WITH 12 VOLT DYNAMOTOR POWER SUPPLY. RECEIVER #1905 SELECTIVE DOUBLE CONVERSION WITH SQUELCH CIRCUIT & 2/7A6, 7/7AG7, 1/7F7, 1/7B5 & 2/6AK5 WITH 12 VOLT VIBRATOR POWER SUPPLY. BOTH UNITS ARE CRYSTAL CONTROL PHASE MODULATED 15 KC.
UNITS HAVE RECENTLY BEEN REMOVED FROM CARS AND HAVE TUBES, CONTROL BOXES, CABLES WITH PLUGS (THAT MAY HAVE TO BE SPLICED) ETC.
PRICE, AS DESCRIBED $59.50

GIBSON GIRL

GIBSON GIRL TRANSMITTER ASSEMBLY 500 Kc. SINGLE CHANNEL, CONSISTS OF TRANSMITTER SECTION OF THE SCR-578/BC-778 EQUIPMENT, USES 1/12SC7 & 1/12A6 TUBES. W/ GOLD PLATED VARIABLE CONDENSER 20 TO 245 MMFD. COILS, COND, RESISTOR TRANSF. SOCKETS ETC. REQUIRES 24 VOLT FOR FILAMENTS (CAN BE REWIRED FOR 12) AND 300 VDC 25 MA. FOR HIGH VOLTAGE. SCHEMATIC SUPPLIED. (CRANK GENERATOR AND GEAR TRAIN LISTED PAGE 8 SIZE: 6½x7x8: WT: 3 LBS. NO TUBES. PRICE $2.95

S.O.S CODER WHEEL WITH GEAR TRAIN, SWITCHING ASSY. RELAY, PILOT LIGHT ASSYS, ETC. FOR ABOVE TRANSMITTER. PRICE: $1.00

THANK YOU

YOUR ORDERS ARE APPRECIATED AND WILL RECEIVE OUR PROMPT CAREFULL ATTENTION

701A TETRODE

THIS TUBE IS INTENED FOR PULSE MODULATOR OPERATION AND WILL MAKE A GOOD HIGH POWER R.F. AMPLIFIER. IT HAS A INDIRECTLY HEATED CATHODE, FILAMENT 7.5 @ 7 AMPS. PLATE 2000/3500 VDC, 350/250 MA. SEE SURPLUS CON. MANUAL #3 OR TUBE MANUAL FOR OTHER INFORMATION.
TUBE SIZE: 7½x4½; WT: 5 LBS.
PRICE: $3.95 EA. 2 FOR $7.00

AUTOSYN TESTER

AUTOSYN INSTRUMENT FIELD TESTER; AAF #43G18624 IS A SIMPLE TESTER THAT IS DESIGNED TO TEST THE ELECTICAL CIRCUITS OF ALL MINIATURE 26 v. 400 CYC. AUTOSYNS. WHEN CONNECTED TO THE SUPPLY IT CAN BE USED AS A TRANSMITTER OR INDICATO ALSO HAS ELECTRICAL ZERO TESTING CIROUIT. SIZE: 6x10x5; WT: 8 LBS.
PRICE: METAL CASE HINGED COVER & CABLES. USED.. $8.95
WOOD CASE NO COVER/CABLES 3.95

FREQUENCY METER



BC-906 FREQUENCY METER; ABSORPTION TYPE USING THE DIP OF A 500 VDC MICROAMMETER 2" FOR FREQ. INDICATION. REQUIERS BATTERIES FOR OPERATION. WITH ANTENN 4" DIAL ETC. SIZE: 6½x12x10 WT: 20 LBS. USED... $9.95

VAPOR DETECTOR

WATER VAPOR DETECTOR 128; CONSISTS OF VALVING ASSY. WITH 25" 3000 LB. PER. SQ. IN. GUAGE CONNECTED TO A BRASS BLOCK WITH 3 VALVES COPPER TUBING CONNECTS TO SATUATOR BOTTLE AND ANOTHER BLOCK WITH VALVE WHICH ONE OUTLET CONNECTS TO A ELECTRIC AMPLIFIER THRU DETECTOR ELECTRODE AND THE OTHER OUTLET TO A GAS PRESURE REGULATOR. THE ELECTRIC AMPLIFIER IS HOUSED IN METAL CASE WITH 3" METER 50 MICRO-AMP. WITH TUBES 1/1G6GT & 1/1G4GT IN A OSCILLATOR CIRCUIT, BALANCED BRIDGE TYPE, ANY ELECTRIC UNBALANCE IS INDICATED ON THE METER, ADJUSTING CONTROLS ON PANEL, REQUIRES 67½ & 1.5 VOLTS D.C FOR OPERATION. GAS PRESSURE REGULATORS ARE STD. WITH 2" METERS. EQUIPMENT IS USED TO DETERMINE THE AMT OF WATER VAPOR IN THE GAS TO BE TESTED WITH A REF. GAS AS THE STANDARD. CARRING CASE 14x16x10½; WT: 60
PRICE: USED $14.95

W.U. INTRAFAX

TRANSMITTER SCANS THE DATA THAT IS FED INTO THE MACHINE WITH A LIGHT SOURCE AND PHOTO ELECTRIC CELL WHICH IS AMPLIFIED AND SENT BY WIRE TO THE RECORDER WHICH THEN REPRODUCES THE DATA ON SENSITIZED PAPER 12" WIDE.
THE TRANSMITTER USES TUBES 1/1X2, 1/6C4, 1/6AQ5, 1/931A (PHOTOELECTRIC), LIGHT SOURCE, SYNCHRONZING MOTORS, GEARS ETC.
THE RECORDER DOES NOT HAVE ANY TUBES BUT HAS THE SCANING MECHANISM, MOTORS, RELAYS ETC. EQUIPMENT OPERATES FROM 115 VOLT 60 CYCLE BUT DOES NOT HAVE THE POWER SUPPLY REQUIRED THE THE TUBES, PHOTO-ELECTRIC, LIGHT SOURCE AND SCANNING CIRCUITS.
TRANSMITTER SIZE 18x18x7; WT: 40 LBS. #7762A
RECORDER SIZE 18x12x7; WT: 33 " #7771A
PRICE. BOTH UNITS NEW $49.50

GAS ENGINE GENERATOR

COMPACT, LIGHTWEIGHT, PORTABLE ELECTRIC GENERATING SET CONSISTING OF A 1 HP, 3000 RPM 1 CYLINDER, AIR COOLED, 2 CYCLE, MANUAL ROPE STARTING GASOLINE ENGINE DIRECTLY CONNECTED TO A DC, SHUNT WOUND, SELF EXCITED, FOUR POLE GENERATOR CONTAINED IN A FRAME OF TUBULAR CONSTRUCTION MOUNTED ON A RUBBER SHOCK MOUNTING. GENERATOR OUTPUT IS 6.2/7 VDC 3.5 AMP. AND 500 VDC 230/250 MA. UNIT HAS JUNCTION BOX FOR CONNECTING CABLES FOR USE WITH USE WITH RADIO SETS SCR-694/BC-1306, AN/GRC-9/RT-77 AND IS APPLICABLE TO OTHER EQUIPMENT. COMPLETE WITH TOOLE AND INSTRUCTION BOOK. SIZE: 17½x16½x11 WT: 57½ SHPG. WT: 125 LBS. PRICE: NEW $34.50